	52 Discovery Irvine, CA 92618 (949) 297-7000			Certificate of Conformance					9/9/2		PRINT DATE 9/9/2024			
				PAGE SALES ORDER ID 1 P006729										
					MJU	OE N	salesman 10A	REGION ME2Q	CLASS CI	Mr Suresh k	lumar	CONFIRMED TO		
CUSTOMER P.O. NO. POAM24000216		ATTENTION		US			Ν	ET 30 DAY	′S	TERMS			REFERENCE	
					EXPEDIT		IIP VIA	FCA S	hipper's Site	FOB	Freight Reci	pient, D	FREIGHT TERMS	
SHIP TO PHONE NO. 0097444039550		SHIP TO FAX NO.				RESALE NO.		42L015	BILL OF LADI	NG				
SHIP TO	SOLD TO						BILL TO							
A0040\$I AMAL MEDICAL amal tower 8th floor I Wahda Street Dafna area .O. Box 23842 oha, A		CAL h floor et Dafna are 2	ea	QA0040\$I AAMAL MEDICAL Aamal tower 8th floor Al Wahda Street Dafna area P.O. Box 23842 Doha, QA										
LINE DESCRIPTION PART ID	MASIMO DWG REV	ECN	SHIP DA	ATE	SHIPPED QU	JANTITY	VOL.	U/M				RICE ODE	TAX CO	

9/9/2024

960.00

0

EA

1.00	RD RNBW Lite SET-1 NEO AD SNSR.10/BX SAQ	

C 102231

4045-16

CARTONS: 960

LOT ID: 24GEY

REG. STORAGE

	52 Discovery Irvine, CA 92618 (949) 297-7000			Certificate of Conformance PAGE SALES ORDER ID 2 P006729					9/9/2	ship date 9/9/2024				
						MJU	OE	SALESMAN MOA	REGION ME2Q	CLASS CI	Mr Suresh Kuma	CONFIRMED TO		
CUSTOMER P.O. NO. POAM24000216		ATTENTION		U	CURRENCY			NET 30 DAY	YS	TERMS		REFERENCE		
					EXPEDIT		HP VIA	FCAS	Shipper's Site	FREIGHT TERMS Freight Recipient, Duty Recipien				
SHIP TO PHONE NO. 0097444039550		SHIP TO FAX NO.				RESALE NO.		42L01	BILL OF LAD	ING				
SHIP TO	SOLD TO						BILL TO							
QA0040\$I AAMAL MEDICAL Aamal tower 8th floor AI Wahda Street Dafna area P.O. Box 23842 Doha, QA	QA0040\$I AAMAL MEDICAL Aamal tower 8th floor Al Wahda Street Dafna a P.O. Box 23842 Doha, QA				QA0040\$I AAMAL MEDICAL Aamal tower 8th floor Al Wahda Street Dafna area P.O. Box 23842 Doha, QA									
LINE DESCRIPTION PART ID	MASIMO DWG REV	ECN	SHIP D	DATE	SHIPPED QU	JANTITY	VOL	U/M			PRICE CODE			

CERTIFICATE OF QUALITY

Masimo Corporation certifies that the product listed on the Certificate of Conformance was tested, verified to be functional and inspected following ANSI/ASQC Z1.4:2008. In addition, product manufacturing occurred in an EN ISO 13485:2016 compliant manufacturing facility.

Required test(s) were performed in accord with documentation released in Masimo's quality system and the results of testing performed along with traceability information is on file at Masimo Corporation and available for review by request at any reasonable time.

9/9/2024

MATHEW JIMENEZ AUTHORIZED MASIMO QUALITY REPRESENTATIVE