



52 Discovery
Irvine, CA 92618
(949) 297-7000

CUSTOMER P.O. NO. POAM24000260.1	ATTENTION
SHIP TO PHONE NO. 0097444039550	SHIP TO FAX NO.

SHIP TO

SOLD TO

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

Certificate of Conformance				SHIP DATE 11/13/2024	PRINT DATE 11/13/2024
PAGE 1	SALES ORDER ID P042565				
	OE MJU	SALESMAN MOA	REGION ME2Q	CLASS CI	CONFIRMED TO Mr Suresh Kumar
CURRENCY USD	TERMS NET 30 DAYS			REFERENCE	
SHIP VIA EXPEDITORS		FOB Delivery At Place		FREIGHT TERMS Freight Sender, Duty Recipient	
RESALE NO.		BILL OF LADING 4530225162			

BILL TO

LINE	DESCRIPTION	MASIMO DWG REV	ECN	SHIP DATE	SHIPPED QUANTITY	VOL.	U/M	PRICE CODE	TAX CODE
	PART ID							DISC %	VAT

5.00 ROOT ROLL STAND W/QUICK CONNECT 11/13/2024 20.00 5,617.45 EA

300238 E 100649

CARTONS: 20

LOT ID: 202415615
REG. STORAGE



52 Discovery
Irvine, CA 92618
(949) 297-7000

CUSTOMER P.O. NO. POAM24000260.1	ATTENTION
SHIP TO PHONE NO. 0097444039550	SHIP TO FAX NO.

SHIP TO

SOLD TO

QA0040\$!
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

QA0040\$!
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

QA0040\$!
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

Certificate of Conformance				SHIP DATE	PRINT DATE
				11/13/2024	11/13/2024
PAGE 2	SALES ORDER ID P042565				
	OE MJU	SALESMAN MOA	REGION ME2Q	CLASS CI	CONFIRMED TO Mr Suresh Kumar
CURRENCY USD	TERMS NET 30 DAYS			REFERENCE	
SHIP VIA EXPEDITORS		FOB Delivery At Place		FREIGHT TERMS Freight Sender, Duty Recipient	
RESALE NO.		BILL OF LADING 4530225162			

BILL TO

LINE	DESCRIPTION	MASIMO DWG REV	ECN	SHIP DATE	SHIPPED QUANTITY	VOL.	U/M	PRICE CODE	TAX CODE
	PART ID							DISC %	VAT

CERTIFICATE OF QUALITY

Masimo Corporation certifies that the product listed on the Certificate of Conformance was tested, verified to be functional and inspected following ANSI/ASQC Z1.4:2008. In addition, product manufacturing occurred in an EN ISO 13485:2016 compliant manufacturing facility. Required test(s) were performed in accord with documentation released in Masimo's quality system and the results of testing performed along with traceability information is on file at Masimo Corporation and available for review by request at any reasonable time.

11/13/2024

MATHEW JIMENEZ
AUTHORIZED MASIMO QUALITY REPRESENTATIVE