

Final Packing List

Consignee Name: BT Applied Technology
King Faisal Road, (South Corniche Road)
2nd U-Turn, Near Al Muhaidib and Abudawood W/H
Jeddah Saudi Arabia
ATTN: Mr. Khalid Ateya Mohamed / Email:
Mob: +966595053968 Tel.:+ 966122289210 Ext: 1515

Date: 3/25/2025
Page: 1/4

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION
Letter of Credit Number: J207957
Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia
Issued on: February 25, 2024
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanullah@SBG.com.sa/oibrahim@SBG.com.sa
Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer
Department Minneapolis, MN United States of America
Advising Bank Reference No.: ELC10000881
LC Amount: USD 11,748,743.97
Description of Goods and/or Services:
Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123
Dated 04/11/2023. EX-Works As per Incoterms 2020.

Purchase Order#: 23200067-07
Work Order#: 127699

HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000
COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Weight lbs	Pallet Weight lbs	Dimensions cm.	Weight kg	Pallet Weight Kg
1	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511021	86x11x11	92		218x27.9x27.9	41.73	
2	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511022	86x11x11	92		218x27.9x27.9	41.73	
3	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511023	86x11x11	92		218x27.9x27.9	41.73	
4	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511024	86x11x11	92		218x27.9x27.9	41.73	
5	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511025	86x11x11	92		218x27.9x27.9	41.73	
6	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511026	86x11x11	92		218x27.9x27.9	41.73	
7	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511027	86x11x11	92		218x27.9x27.9	41.73	
8	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511028	86x11x11	92		218x27.9x27.9	41.73	
9	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511029	86x11x11	92		218x27.9x27.9	41.73	
10	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511030	86x11x11	92		218x27.9x27.9	41.73	
11	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511031	86x11x11	92		218x27.9x27.9	41.73	
12	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511032	86x11x11	92		218x27.9x27.9	41.73	
13	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511033	86x11x11	92		218x27.9x27.9	41.73	
14	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511034	86x11x11	92		218x27.9x27.9	41.73	
15	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511035	86x11x11	92		218x27.9x27.9	41.73	
16	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511036	86x11x11	92		218x27.9x27.9	41.73	
17	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511037	86x11x11	92		218x27.9x27.9	41.73	
18	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511038	86x11x11	92		218x27.9x27.9	41.73	
19	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511039	86x11x11	92		218x27.9x27.9	41.73	
20	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511040	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 1		48x86x60	91	1931	122x218x152	41.28	875.88
21	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511041	86x11x11	92		218x27.9x27.9	41.73	
22	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511042	86x11x11	92		218x27.9x27.9	41.73	
23	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511043	86x11x11	92		218x27.9x27.9	41.73	
24	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511044	86x11x11	92		218x27.9x27.9	41.73	
25	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511045	86x11x11	92		218x27.9x27.9	41.73	
26	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511046	86x11x11	92		218x27.9x27.9	41.73	
27	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511047	86x11x11	92		218x27.9x27.9	41.73	
28	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511048	86x11x11	92		218x27.9x27.9	41.73	
29	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511049	86x11x11	92		218x27.9x27.9	41.73	
30	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511050	86x11x11	92		218x27.9x27.9	41.73	
31	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511051	86x11x11	92		218x27.9x27.9	41.73	
32	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511052	86x11x11	92		218x27.9x27.9	41.73	
33	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511053	86x11x11	92		218x27.9x27.9	41.73	
34	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511054	86x11x11	92		218x27.9x27.9	41.73	
35	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511055	86x11x11	92		218x27.9x27.9	41.73	
36	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511056	86x11x11	92		218x27.9x27.9	41.73	
37	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511057	86x11x11	92		218x27.9x27.9	41.73	
38	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511058	86x11x11	92		218x27.9x27.9	41.73	
39	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511059	86x11x11	92		218x27.9x27.9	41.73	
40	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511060	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 2		48x86x60	91	1931	122x218x152	41.28	875.88
41	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511061	86x11x11	92		218x27.9x27.9	41.73	
42	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511062	86x11x11	92		218x27.9x27.9	41.73	
43	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511063	86x11x11	92		218x27.9x27.9	41.73	
44	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511064	86x11x11	92		218x27.9x27.9	41.73	
45	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511065	86x11x11	92		218x27.9x27.9	41.73	
46	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511066	86x11x11	92		218x27.9x27.9	41.73	

47	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511067	86x11x11	92		218x27.9x27.9	41.73	
48	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511068	86x11x11	92		218x27.9x27.9	41.73	
59	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511069	86x11x11	92		218x27.9x27.9	41.73	
50	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511070	86x11x11	92		218x27.9x27.9	41.73	
51	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511071	86x11x11	92		218x27.9x27.9	41.73	
52	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511072	86x11x11	92		218x27.9x27.9	41.73	
53	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511073	86x11x11	92		218x27.9x27.9	41.73	
54	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511074	86x11x11	92		218x27.9x27.9	41.73	
55	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511075	86x11x11	92		218x27.9x27.9	41.73	
56	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511076	86x11x11	92		218x27.9x27.9	41.73	
57	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511077	86x11x11	92		218x27.9x27.9	41.73	
58	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511078	86x11x11	92		218x27.9x27.9	41.73	
59	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511079	86x11x11	92		218x27.9x27.9	41.73	
60	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511080	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 3		48x86x60	91	1931	122x218x152	41.28	875.88
61	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511081	86x11x11	92		218x27.9x27.9	41.73	
62	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511082	86x11x11	92		218x27.9x27.9	41.73	
63	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511083	86x11x11	92		218x27.9x27.9	41.73	
64	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511084	86x11x11	92		218x27.9x27.9	41.73	
65	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511085	86x11x11	92		218x27.9x27.9	41.73	
66	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511086	86x11x11	92		218x27.9x27.9	41.73	
67	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511087	86x11x11	92		218x27.9x27.9	41.73	
68	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511088	86x11x11	92		218x27.9x27.9	41.73	
69	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511089	86x11x11	92		218x27.9x27.9	41.73	
70	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511090	86x11x11	92		218x27.9x27.9	41.73	
71	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511091	86x11x11	92		218x27.9x27.9	41.73	
72	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511092	86x11x11	92		218x27.9x27.9	41.73	
73	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511093	86x11x11	92		218x27.9x27.9	41.73	
74	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511094	86x11x11	92		218x27.9x27.9	41.73	
75	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511095	86x11x11	92		218x27.9x27.9	41.73	
76	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511096	86x11x11	92		218x27.9x27.9	41.73	
77	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511097	86x11x11	92		218x27.9x27.9	41.73	
78	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511098	86x11x11	92		218x27.9x27.9	41.73	
79	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511099	86x11x11	92		218x27.9x27.9	41.73	
80	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511100	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 4		48x86x60	91	1931	122x218x152	41.28	875.88
81	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511101	86x11x11	92		218x27.9x27.9	41.73	
82	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511102	86x11x11	92		218x27.9x27.9	41.73	
83	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511103	86x11x11	92		218x27.9x27.9	41.73	
84	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511104	86x11x11	92		218x27.9x27.9	41.73	
85	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511105	86x11x11	92		218x27.9x27.9	41.73	
86	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511106	86x11x11	92		218x27.9x27.9	41.73	
87	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511107	86x11x11	92		218x27.9x27.9	41.73	
88	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511108	86x11x11	92		218x27.9x27.9	41.73	
89	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511109	86x11x11	92		218x27.9x27.9	41.73	
90	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511110	86x11x11	92		218x27.9x27.9	41.73	
91	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511111	86x11x11	92		218x27.9x27.9	41.73	
92	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511112	86x11x11	92		218x27.9x27.9	41.73	
93	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511113	86x11x11	92		218x27.9x27.9	41.73	
94	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511114	86x11x11	92		218x27.9x27.9	41.73	
95	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511115	86x11x11	92		218x27.9x27.9	41.73	
96	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511116	86x11x11	92		218x27.9x27.9	41.73	
97	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511117	86x11x11	92		218x27.9x27.9	41.73	
98	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511118	86x11x11	92		218x27.9x27.9	41.73	
99	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511119	86x11x11	92		218x27.9x27.9	41.73	
100	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511120	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 5		48x86x60	91	1931	122x218x152	41.28	875.88
101	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511121	86x11x11	92		218x27.9x27.9	41.73	
102	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511122	86x11x11	92		218x27.9x27.9	41.73	
103	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511123	86x11x11	92		218x27.9x27.9	41.73	
104	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511124	86x11x11	92		218x27.9x27.9	41.73	
105	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511125	86x11x11	92		218x27.9x27.9	41.73	
106	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511126	86x11x11	92		218x27.9x27.9	41.73	
107	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511127	86x11x11	92		218x27.9x27.9	41.73	
108	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511128	86x11x11	92		218x27.9x27.9	41.73	
109	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511129	86x11x11	92		218x27.9x27.9	41.73	
110	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511130	86x11x11	92		218x27.9x27.9	41.73	
111	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511131	86x11x11	92		218x27.9x27.9	41.73	
112	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511132	86x11x11	92		218x27.9x27.9	41.73	
113	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511133	86x11x11	92		218x27.9x27.9	41.73	
114	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511134	86x11x11	92		218x27.9x27.9	41.73	
115	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511135	86x11x11	92		218x27.9x27.9	41.73	
116	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511136	86x11x11	92		218x27.9x27.9	41.73	
117	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511137	86x11x11	92		218x27.9x27.9	41.73	
118	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511138	86x11x11	92		218x27.9x27.9	41.73	
119	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511139	86x11x11	92		218x27.9x27.9	41.73	
120	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511140	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 6		48x86x60	91	1931	122x218x152	41.28	875.88
121	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511141	86x11x11	92		218x27.9x27.9	41.73	

122	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511142	86x11x11	92		218x27.9x27.9	41.73	
123	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511143	86x11x11	92		218x27.9x27.9	41.73	
124	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511144	86x11x11	92		218x27.9x27.9	41.73	
125	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511145	86x11x11	92		218x27.9x27.9	41.73	
126	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511146	86x11x11	92		218x27.9x27.9	41.73	
127	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511147	86x11x11	92		218x27.9x27.9	41.73	
128	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511148	86x11x11	92		218x27.9x27.9	41.73	
129	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511149	86x11x11	92		218x27.9x27.9	41.73	
130	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511150	86x11x11	92		218x27.9x27.9	41.73	
131	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511151	86x11x11	92		218x27.9x27.9	41.73	
132	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511152	86x11x11	92		218x27.9x27.9	41.73	
133	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511153	86x11x11	92		218x27.9x27.9	41.73	
134	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511154	86x11x11	92		218x27.9x27.9	41.73	
135	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511155	86x11x11	92		218x27.9x27.9	41.73	
136	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511156	86x11x11	92		218x27.9x27.9	41.73	
137	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511157	86x11x11	92		218x27.9x27.9	41.73	
138	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511158	86x11x11	92		218x27.9x27.9	41.73	
139	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511159	86x11x11	92		218x27.9x27.9	41.73	
140	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511160	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 7		48x86x60	91	1931	122x218x152	41.28	875.88
141	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511161	86x11x11	92		218x27.9x27.9	41.73	
142	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511162	86x11x11	92		218x27.9x27.9	41.73	
143	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511163	86x11x11	92		218x27.9x27.9	41.73	
144	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511164	86x11x11	92		218x27.9x27.9	41.73	
145	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24511165	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 8		48x86x27	91	551	122x218x68.58	41.28	249.93
146	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110001	53x13x16	81.6		134.6x33x41	37.01	
147	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110002	53x13x16	81.6		134.6x33x41	37.01	
148	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110003	53x13x16	81.6		134.6x33x41	37.01	
149	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110004	53x13x16	81.6		134.6x33x41	37.01	
150	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110005	53x13x16	81.6		134.6x33x41	37.01	
151	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110006	53x13x16	81.6		134.6x33x41	37.01	
152	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110007	53x13x16	81.6		134.6x33x41	37.01	
153	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110008	53x13x16	81.6		134.6x33x41	37.01	
154	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110009	53x13x16	81.6		134.6x33x41	37.01	
		PALLET 9		53x40x53	45	779.4	135x102x135	20.41	353.5
155	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110010	53x13x16	81.6		134.6x33x41	37.01	
156	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110011	53x13x16	81.6		134.6x33x41	37.01	
157	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110012	53x13x16	81.6		134.6x33x41	37.01	
158	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110013	53x13x16	81.6		134.6x33x41	37.01	
159	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110014	53x13x16	81.6		134.6x33x41	37.01	
160	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110015	53x13x16	81.6		134.6x33x41	37.01	
161	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110016	53x13x16	81.6		134.6x33x41	37.01	
162	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110017	53x13x16	81.6		134.6x33x41	37.01	
163	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110018	53x13x16	81.6		134.6x33x41	37.01	
		PALLET 10			45	779.4	135x102x135	20.41	353.5
164	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110019	53x13x16	81.6		134.6x33x41	37.01	
165	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110020	53x13x16	81.6		134.6x33x41	37.01	
166	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110021	53x13x16	81.6		134.6x33x41	37.01	
167	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110022	53x13x16	81.6		134.6x33x41	37.01	
168	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110023	53x13x16	81.6		134.6x33x41	37.01	
169	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110024	53x13x16	81.6		134.6x33x41	37.01	
170	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110025	53x13x16	81.6		134.6x33x41	37.01	
171	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110026	53x13x16	81.6		134.6x33x41	37.01	
172	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110027	53x13x16	81.6		134.6x33x41	37.01	
		PALLET 11			45	779.4	135x102x135	20.41	353.5
173	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110028	53x13x16	81.6		134.6x33x41	37.01	
174	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110029	53x13x16	81.6		134.6x33x41	37.01	
175	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110030	53x13x16	81.6		134.6x33x41	37.01	
176	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110031	53x13x16	81.6		134.6x33x41	37.01	
177	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110032	53x13x16	81.6		134.6x33x41	37.01	
178	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110033	53x13x16	81.6		134.6x33x41	37.01	
179	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110034	53x13x16	81.6		134.6x33x41	37.01	
180	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110035	53x13x16	81.6		134.6x33x41	37.01	
181	1	ICL-F-RDO-M-BK-WR with HK-ICL-F-WR	25110036	53x13x16	81.6		134.6x33x41	37.01	
		PALLET 12			45	779.4	135x102x135	20.41	353.5
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080013						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080014						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080015						
1		CRATE 1		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080016						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080017						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080018						
2		CRATE 2		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080019						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080020						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080021						
3		CRATE 3		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080022						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080023						

	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080024						
4		CRATE 4		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080025						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080026						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080027						
5		CRATE 5		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080028						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080029						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080030						
6		CRATE 6		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080031						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080032						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080033						
7		CRATE 7		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080034						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080035						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080036						
8		CRATE 8		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080037						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080038						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080039						
9		CRATE 9		124X33X15	564	564	315X84X38.1	255.83	255.83
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080040						
	1	IC24-RDO-M-BK-WR with HK-IC24R&32R	25080041						
10		CRATE 10		124X24X15	378	378	315X61X38.1	171.45	171.45
191	210	12 PALLETS AND 10 CRATES IN TOTAL			22639.6	22639.6		10269.01	10269.01