




52 Discovery
Irvine, CA 92618
(949) 297-7000


CUSTOMER P.O. NO. POAM25000045 	ATTENTION
SHIP TO PHONE NO. 0097444039550	SHIP TO FAX NO.

SHIP TO

SOLD TO

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

Certificate of Conformance				SHIP DATE 3/17/2025		PRINT DATE 3/17/2025	
PAGE 1	SALES ORDER ID P100816 						
	OE KSA		SALESMAN MOA	REGION ME2Q	CLASS N	CONFIRMED TO Mr Suresh Kumar	
CURRENCY USD		TERMS NET 30 DAYS				REFERENCE	
SHIP VIA DGF			FOB FCA Shipper's Site			FREIGHT TERMS Freight Recipient, Duty Recipien	
RESALE NO.			BILL OF LADING 8FG4113				

BILL TO

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

LINE	DESCRIPTION	MASIMO DWG REV	ECN	SHIP DATE	SHIPPED QUANTITY	VOL.	U/M		PRICE CODE	TAX CODE
	PART ID									DISC % VAT

1.00 LNCS Inf-L Adhesive Sensor, 20/Box, MY

3/17/2025

50.00

0

BX

R

042987

1861-MY



CARTONS:


50

LOT ID: 25BM6





52 Discovery
Irvine, CA 92618
(949) 297-7000

CUSTOMER P.O. NO. POAM25000045 	ATTENTION
SHIP TO PHONE NO. 0097444039550	SHIP TO FAX NO.

SHIP TO

SOLD TO

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

BILL TO

QA0040\$I
AAMAL MEDICAL
Aamal tower 8th floor
Al Wahda Street Dafna area
P.O. Box 23842
Doha,
QA

LINE	DESCRIPTION	MASIMO DWG REV	ECN	SHIP DATE	SHIPPED QUANTITY	VOL.	U/M	PRICE CODE	TAX CODE
	PART ID								DISC % VAT


Certificate of Conformance

SHIP DATE

3/17/2025

PRINT DATE

3/17/2025

PAGE 2	SALES ORDER ID P100816 	OE KSA	SALESMAN MOA	REGION ME2Q	CLASS N	CONFIRMED TO Mr Suresh Kumar
CURRENCY USD	TERMS NET 30 DAYS	REFERENCE				
SHIP VIA DGF	FOB FCA Shipper's Site	FREIGHT TERMS Freight Recipient, Duty Recipien				
RESALE NO.	BILL OF LADING 8FG4113					

CERTIFICATE OF QUALITY

Masimo Corporation certifies that the product listed on the Certificate of Conformance was tested, verified to be functional and inspected following ANSI/ASQC Z1.4:2008. In addition, product manufacturing occurred in an EN ISO 13485:2016 compliant manufacturing facility.

Required test(s) were performed in accord with documentation released in Masimo's quality system and the results of testing performed along with traceability information is on file at Masimo Corporation and available for review by request at any reasonable time.

3/17/2025



MATHEW JIMENEZ

AUTHORIZED MASIMO QUALITY REPRESENTATIVE