



701 Fifth Ave, Suite 4200 Seattle, WA 98104

Certificate of Analysis

PO# 1023311 SO# 629724

Description	Production Date DD/MM/YY	Best By Date DD/MM/YY	Salmonella	Listeria	Staph Aureus	Moisture	Fdb	Coliforms	E. coli	TPC	Mold	Yeast
100-11DT 2/5# Cheddar Col Mild	29/06/26 30/06/26	29/06/27 30/06/27	*Negative	*Negative	*Negative	38.9 38.5	53.23 53.51	<10/g	*Negative	*100/g	*<10/g	*<10/g
100-12DT 2/5# Cheddar White Mild	01/07/26 30/06/26	01/07/27 30/06/27	*Negative	*Negative	*Negative	38.4 38.5	54.24 53.52	<10/g	*Negative	*100/g	*<10/g	*<10/g
100-22DT 2/5# Monterey Jack	02/07/26	02/07/27	*Negative	*Negative	*Negative	39.8	53.09	<10/g	*Negative	*100/g	*<10/g	*<10/g
11C-63DT 4/5# 120 Slice Col American	02/07/26	02/07/27	*Negative	*Negative	*Negative	39.34	52.04	<10/g	*Negative	*100/g	*<10/g	*<10/g

Products produced are guaranteed to be compliant with Aflatoxin M1 food safety limits of (max 0.5 µg/kg) and Lead (max 0.3mg/kg) and is verified through routine screening of our milk supply per regulatory standards.

*Product conforms to specification.

Approving QA Member	Alena TenBruggencate	Date Prepared DD/MM/YY	27/07/26
Signed:	<i>Alena TenBruggencate</i>		