



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Delivery Address

ROYAL CAN CO.
NAHYAT BAZIAN,
KANI SHAYTAN
- SULAYMANYIAH KIRKUK HWY
IQ - IRAQ

10264

Customer Address

ROYAL CAN CO.
NAHYAT BAZIAN-SULAYMANYIAH KIRKUK
HIGHWAY
KURDISTAN
IRAQ

10264

SHIPPING METHOD SEE BELOW
NUMBER PCS / WEIGHT 3.00 / 454.54 kg

Shipment Reference : 540567

Customer Reference : FPR-20260000039 / FRP-20260000040

Line No.	Rel No.	Order No.	Part Number	Part Number Description	Net Weight Each	PO Number	Customer's Part No	Qty	UoM
10	1	R92957	222067242	SPR RETURN SELECTOR SW 1NO 1NC	0.2722	20260000181		2.00	EA
17	1	R92957	222099960	Relay, Safety Control, 8-Pole, 24VDC, 12A, Primary 3N, O/1N, C, Aux 3N, O/1N, C, Screw Terminals	0.2722	20260000181		2.00	EA
23	1	R92957	222123749	VFD, 525, 480VAC, 3 Phase, 5 Hp, 4Kw ND, 5 Hp 4Kw HD, Frame B Ethernet IP/Safety, No Filter	1.3608	20260000181		1.00	EA
36	1	R92957	222157715	Circuit Breaker, 1 Pole, 5 A, Trip Curve D, UL/CSA Max.	0.1300	20260000181		1.00	EA
52	1	R92957	222124212	V-240VAC, 48VDC, IEC/EN Max. V-230VAC PUMP, HYD	31.9329	20260000181		1.00	EA
55	1	R92957	222192198	856T 70 mm Light Modules, Black Housing Color, Steady LED, Blue Output Color, Standard Lens Finish	0.0907	20260000181		1.00	EA
57	1	R92957	222202234	Relay, Safety, Zero Speed, 24VDC, 2 Redundant Contacts	0.0283	20260000181		2.00	EA
59	1	R92957	222242105	Block, IO, M12, 4-Port, 10-30VDC, 4.0A/Si gnal, M23-F-12-Pin	0.2200	20260000181		1.00	EA
62	1	R92957	222252975	Relay, General, PCB	0.0045	20260000181		5.00	EA
66	1	R92957	3318043972	PIN, 24VDC, 8A, DPDT Contacts, Linked INLET, PLUG, 20A, 3P, GND, MELTRIC	0.2722	20260000181		1.00	EA
74	1	R92957	2501215	VALVE, HYD CLUTCH	5.4209	20260000181		1.00	EA
76	1	R92957	8010192	VALVE, FLOW CTRL	0.1343	20260000181		1.00	EA
78	1	R92957	222155072	MOTOR, HYDRAULIC	14.9685	20260000181		1.00	EA
87	1	R92957	222141441	POWER SUPPLY	1.8144	20260000181		1.00	EA



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Line No.	Rel No.	Order No.	Part Number	Part Number Description	Net Weight Each	PO Number	Customer's Part No	Qty	UoM
90	1	R92957	222028079	MODULE, INPUT	0.0408	2026000181		1.00	EA
99	1	R92957	222103632	VALVE,SOL.,25.3W,NO,24VDC DIN	0.6804	2026000181		1.00	EA
106	1	R92957	222347486	ENCODER	1.9051	2026000181		1.00	EA
39	1	R92957	222161038	Module,Point I/O,Input,Analog Current,0-20mA or4-20mA,8 Channel	0.0300	2026000181		1.00	EA
1	1	R92957	1734SSI	Module,Point I/O,Input,SSI Absolute Encoder Interface	0.0181	2026000181		1.00	EA
3	1	R92957	222013060	BLOCK,CONTACT	0.0600	2026000181		5.00	EA
11	1	R92957	222074505	Module,Communication,EtherNet/IP,10 /100M,128TCP Connections	0.5017	2026000181		1.00	EA
16	1	R92957	222099907	AUXILIARY CONTACT MODULE, 1 C.O. CONTACT,1489 SERIES CB	0.0700	2026000181		2.00	EA
19	1	R92957	222111417	PUSHBUTTON,WHITE,EXT HD,LED	0.1814	2026000181		2.00	EA
25	1	R92957	222127213	CIRCUIT BREAKER, MOTOR PROTECTION CIRCUIT BREAKER, STANDARD MAGNETIC TRIP (FIXED AT 14 X IE), FOR C36..C40 (12 X IE), 10 - 16 A, HIGH PERFORMANCE, FRAME SIZE D	0.9072	2026000181		1.00	EA
29	1	R92957	222132643	Fuse, 30.0A, CC Class, 200kAIC at 600V,Current Limiting, Time Delay INTERLOCK,GUARD	0.0071	2026000181		6.00	EA
45	1	R92957	222164137	SWITCH,LOCKING,24V,RFID,KEY PRESENT AUX OUT,8-PIN MICRO M12	0.4536	2026000181		1.00	EA
61	1	R92957	222252974	Relay,General,PCB	0.0163	2026000181		5.00	EA
63	1	R92957	222268768	PIN,24VDC,8A,DPDT Contacts,Linked Power Supply,480W,380-480VAC 3 phase,24-28VDC, 20-17.5A	1.1000	2026000181		1.00	EA
67	1	R92957	510599000	ASSY,CYCLE SWITCH & BRACKET,SPDT	0.4400	2026000181		1.00	EA
77	1	R92957	222158051	MOTOR,HYDRAULIC	9.0718	2026000181		1.00	EA
80	1	R92957	222080783	VALVE,CHECK	0.9072	2026000181		1.00	EA
82	1	R92957	222027306	VALVE, FLOW CONTROL	0.4536	2026000181		1.00	EA
89	1	R92957	222027321	MODULE, I/O ADAPTER	0.2722	2026000181		1.00	EA
91	1	R92957	222141445	MODULE,I/O	0.0907	2026000181		1.00	EA



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Line No.	Rel No.	Order No.	Part Number	Part Number Description	Net Weight Each	PO Number	Customer's Part No	Qty	UoM
93	1	R92957	222141440	PHOTO EYE	0.1361	20260000181		1.00	EA
2	1	R92957	222183087	Contact, Safety, 190A, 90kW, 125hp, 3-Pole, 24VDC Coil, Aux 1N.O., 2N.C, Screw Terminals	3.6287	20260000181		1.00	EA
4	1	R92957	222015589	Block, Contact, 30.5mm, 2 N.C., Shallow, Finger Safe	0.0450	20260000181		5.00	EA
6	1	R92957	222044004	FUSEHOLDER w/INDICATOR, 2P, CC.30A	0.1066	20260000181		1.00	EA
22	1	R92957	222119875	BREAKER, H FRAME, 65KA, 480V, THERMAL MAGNETIC 100A TRIP	0.9072	20260000181		1.00	EA
32	1	R92957	222141147	SWITCH, KEY SWITCH IN BOX, 4NO SWITCH CONTACTS, KEYCODE 2104522	1.5422	20260000181		1.00	EA
43	1	R92957	222162463	DRIVE, KINETIX 5700 43A SINGLE AXIS MODULE, 85MM	0.3629	20260000181		1.00	EA
46	1	R92957	222182768	Processor, GuardLogix, Safety Controller, USB, 1GB Embedded Ethernet, 3MB Standard, 1.5MB Safety Switch, Ethernet, Unmanaged, Stratix 2100, 5-Port, 100Mb copper	0.5443	20260000181		1.00	EA
49	1	R92957	222364240	Sensor, Inductive, 24VDC, 5mm, PNP, N.O. Contact 3-Wire, M12 Connector, M18 Threaded Body	0.0454	20260000181		1.00	EA
56	1	R92957	222200663	MODULE, OUTPUT	0.2722	20260000181		2.00	EA
92	1	R92957	222028081	VALVE, POP SAFETY, CE CERT	0.3200	20260000181		1.00	EA
102	1	R92957	222274897	Circuit Breaker, 1 Pole, 1 A, Trip Curve D, UL/CSA Max. V:	0.1203	20260000181		1.00	EA
21	1	R92957	222116392	240VAC, 48VDC, IEC/EN Max. V: 230VAC					
26	1	R92957	222132371	CIRCUIT BREAKER, ACCESSORY, 140G, K FRAME, HIGH COVERS, IP40, 2.4 INCHES (60MM), 2 PER PACKAGE	0.2268	20260000181		1.00	EA
48	1	R92957	222002930	HORN, ALARM, 24VDC	0.4536	20260000181		1.00	EA
68	1	R92957	222016681	HEATER, TIE ROD 3.6KW 240V	3.2659	20260000181		1.00	EA
73	1	R92957	222034176	VALVE, DIR CNTR 24VDC DIN	0.5443	20260000181		1.00	EA
83	1	R92957	222027310	VALVE, DUAL P.O. CHECK	1.1793	20260000181		1.00	EA



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Line No.	Rel No.	Order No.	Part Number	Part Number Description	Net Weight Each	PO Number	Customer's Part No	Qty	UoM
95	1	R92957	222170130	MOTOR,SERVO	54.4311	2026000181		1.00	EA
103	1	R92957	222192193	MODULE, AMBER STACK LITE 24V LED	0.0907	2026000181		1.00	EA
105	1	R92957	222376744	VALVE,SOLENOID,3 WAY	1.9051	2026000181		1.00	EA
13	1	R92957	222094570	Module,Point	0.0100	2026000181		2.00	EA
20	1	R92957	222111952	I/O Input,Analog, Thermocouple,2-Point Fan,Unit,119mm(4.69")Hx119mm(4.69")W,24VDC,0.35A,Outlet Filter	0.6350	2026000181		1.00	EA
33	1	R92957	222141778	CIRCUIT BREAKER,GFCI,1-POLE,5AMP,TRIP CURVE - M1	0.2105	2026000181		1.00	EA
35	1	R92957	222157714	Circuit Breaker,1 Pole,2 A, Trip Curve D,UL/CSA Max. V:240VAC,48VDC,IEC/EN Max. V:230VAC	0.1203	2026000181		1.00	EA
42	1	R92957	222162462	DRIVE,KINETIX 5700 69A DC BUS SUPPLY,480VAC 3PH,85MM	0.0090	2026000181		1.00	EA
53	1	R92957	222192194	856T 70 mm Light Modules, Black Housing Color, Steady LED, Red Output Color, Standard Lens Finish	0.0907	2026000181		1.00	EA
58	1	R92957	222235179	Circuit Breaker,2 Pole,5	0.4010	2026000181		1.00	EA
70	1	R92957	222011154	A,UL,D-Frame,60..69kA,T/M - Fixed SWITCH, OPTIC LEVEL 24VDC	0.1814	2026000181		1.00	EA
79	1	R92957	222155073	MOTOR,HYDRAULIC	16.3293	2026000181		1.00	EA
97	1	R92957	222090114	CABLE,ENCODER	2.8123	2026000181		1.00	EA
98	1	R92957	222158050	MOTOR,HYDRAULIC	19.8673	2026000181		1.00	EA
5	1	R92957	222037839	DISPLAY PF ARCH CLASS EN HIM	0.1200	2026000181		1.00	EA
7	1	R92957	222063517	MODULE, 2 SINGLE ENDED RTD	0.2359	2026000181		1.00	EA
12	1	R92957	222085719	Contact, Safety, 23A, 11kW, 15hp, 3-Pol e, 24VDC Coil, Aux 2N.O., 3N.C, Screw Terminals	0.5443	2026000181		2.00	EA
15	1	R92957	222097854	LIGHT, HEAVY DUTY 8 INCH LED LIGHT, 12-24VDC, 18W, 350 LUMEN, P67, POLYCARB LENS	0.9072	2026000181		2.00	EA
24	1	R92957	222126184	MPCB, Standard Magnetic Trip(Fixed at 13x1e), 2.5- 4A, High Performance, Frame Size D	0.3629	2026000181		1.00	EA



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Line No.	Rel No.	Order No.	Part Number	Part Number Description	Net Weight Each	PO Number	Customer's Part No	Qty	UoM
27	1	R92957	222132374	MPCB, STANDARD MAGNETIC TRIP (FIXED AT 13XIE), 18- 25A, HIGH PERFORMANCE, FRAME SIZE D	3.1100	20260000181		1.00	EA
30	1	R92957	222132968	Molded Case Circuit Breaker,J frame,65 kA, Thermal Magnetic,3 Poles,Rated Current 225 A	2.9484	20260000181		1.00	EA
31	1	R92957	222132975	RESISTOR,BRAKE 4.8 OHM 19.2KW	49.8952	20260000181		4.00	EA
69	1	R92957	222062117	VALVE, WATER,NC,24VDC,DIN	4.6266	20260000181		1.00	EA
71	1	R92957	222152126	VALVE, CART 24VDC DIN	0.3629	20260000181		1.00	EA
81	1	R92957	222107048	VALVE,DUAL FLOW CONTROL	1.5422	20260000181		1.00	EA
84	1	R92957	222027309	VALVE, DIRECTIONAL	2.2680	20260000181		1.00	EA
101	1	R92957	222113156	SENSOR,LASER	0.1937	20260000181		1.00	EA
104	1	R92957	0106609	THERMAL PROBE	0.9824	20260000181		1.00	EA
8	1	R92957	222066969	SWITCH,SELECTOR,3-POS,1NO,1N C	0.0907	20260000181		2.00	EA
9	1	R92957	222067239	Switch,Selector,30.5mm,2-Position,White Knob,1 N.O.	0.0850	20260000181		2.00	EA
14	1	R92957	222094805	PUSHBUTTON,E-STOP LED,MUSHROOM HEAD	0.1814	20260000181		2.00	EA
18	1	R92957	222108862	Switch,Selector,30.5mm,2-Position,Spring Rtn Right,Illuminated Amber,24VDC,1N.O./1N.C.	0.2722	20260000181		2.00	EA
28	1	R92957	222132376	PF750 NEMA 1 KIT, FRAME 6	3.0844	20260000181		1.00	EA
37	1	R92957	222157716	Circuit Breaker,1 Pole,8 A, Trip Curve D,UL/CSA Max.	0.1203	20260000181		1.00	EA
38	1	R92957	222157717	V:240VAC,48VDC,IEC/EN Max. V:230VAC	0.2700	20260000181		4.00	EA
40	1	R92957	222161314	Circuit Breaker,1 Pole,10 A, Trip Curve D,UL/CSA Max.	0.1400	20260000181		1.00	EA
44	1	R92957	222162470	V:240VAC,48VDC,IEC/EN Max. V:230VAC					
				Nylon Handle, 20A DS20 Series, .20" - .83" Cable Range					
				Contactor,Safety,97A,55kW,75hp,3-Pole,24VDC Coil, Aux 3N.O.,1N.C,Screw Terminals					



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Line No.	Rel No.	Order No.	Part Number	Part Number Description	Net Weight Each	PO Number	Customer's Part No	Qty	UoM
50	1	R92957	222364241	Switch,Ethernet,Unmanaged,Stratix 2100,8-Port,100Mb copper	1.0000	2026000181		1.00	EA
54	1	R92957	222192196	856T 70 mm Light Modules, Black Housing Color, Steady LED, Green Output Color, Standard Lens Finish DRIVE,POWERFLEX 525	0.0907	2026000181		1.00	EA
85	1	R92957	222107049	SWITCH,PROX	2.9937	2026000181		1.00	EA
94	1	R92957	222223306	ENCODER	0.1134	2026000181		1.00	EA
96	1	R92957	222062222	PUNCH POST 4.200 CUP ID.	0.7257	2026000181		1.00	EA
100	1	R92957	507020	RELAY,TIMING,ONE	20.4117	2026000181		1.00	EA
34	1	R92957	222152590	SHOT,0.05S-10HR,SPDT,24-48VDC/2 4-240AC50/60HZ	0.0600	2026000181		1.00	EA
41	1	R92957	222161316	HANDLE, PLUG	0.2268	2026000181		1.00	EA
47	1	R92957	222182769	GuardLogix 5580, Safety Partner Controller	0.5443	2026000181		1.00	EA
51	1	R92957	222192191	LIGHT, 856T 70 MM BASES PREASSEMBLED, NO NETWORK OPTION, BLACK HOUSING COLOR, 24V AC/DC, 10CM ALUMINUM POLE MOUNT, CAP INCLUDED	0.4000	2026000181		1.00	EA
60	1	R92957	222242107	Block,IO,M12,8-Port,10-30VDC,4.0A/Sig, M23-F-12-Pin	0.3000	2026000181		1.00	EA
64	1	R92957	222287452	Drive,VFD,PowerFlex 755,186 Amps,480VAC,150HP ND,125HP HD,3PH,Frame 6,Jumper Installed,Embedded Ethernet/IP,Open Type		2026000181		1.00	EA
65	1	R92957	3314043972	RECEPTACLE,20A,3P,GND,MELTRIC	0.3629	2026000181		1.00	EA
72	1	R92957	2501214	VALVE,SINGLE 2POS,DIN	4.9895	2026000181		1.00	EA
75	1	R92957	222177285	VALVE,DIRECTIONAL	6.3276	2026000181		1.00	EA
86	1	R92957	222174198	RESISTOR,BRAKE	1.0000	2026000181		1.00	EA
88	1	R92957	222165148	POWER SUPPLY	1.8144	2026000181		1.00	EA



Stolle Machinery Company LLC
4337 Excel St., NW
North Canton OH 44720 USA
Phone: 330-493-0444

Packing List

Packing List Number : 533480
Packing List Date: 08/24/2026

Line No.	Rel No.	Order No.	Part Number	Part Number Description			Net Weight Each	PO Number	Customer's Part No	Qty	UoM
		Package Type	Length	Width	Height	Dims UoM	Net Weight	Gross Weight	Weight UoM		
		CRATE- UPG DUPLICATE	30.00	40.00	60.00	in	199.58	199.58	kg		
		CRATE- UPG DUPLICATE	25.00	42.00	60.00	in	184.52	184.52	kg		
		CRATE- UPG DUPLICATE	17.00	32.00	32.00	in	70.44	70.44	kg		
Total							454.54	454.54	kg		

ALL DISCREPANCIES MUST BE REPORTED TO STOLLE MACHINERY COMPANY, LLC ("SELLER") IN WRITING WITHIN FIVE (5) BUSINESS DAYS AFTER RECEIPT OF THE ORDER. FAILURE TO REPORT DISCREPANCIES WITHIN THIS PERIOD SHALL CONSTITUTE ACCEPTANCE OF THE ORDER AS RECEIVED.

ACCEPTANCE. This order is subject to acceptance by Stolle Machinery Company, LLC ("Seller"). Acceptance is expressly conditioned on Purchaser's agreement to all terms and conditions set forth on the face and reverse side of this document. Purchaser's assent to these terms and conditions shall be conclusively presumed upon Purchaser's receipt of this document without objection. After acceptance, this order may only be modified by a written instrument signed by Seller.

These commodities, technology, or software were exported from the United States in accordance with the Export Administration Regulations (EAR). Diversion contrary to U.S. law is prohibited.

