

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **GI-COO-55297-6761f89fbdac4**

Date : **December 17, 2024**

Seller (Exporter) Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch Lake Forest CA 92610 USA	Transport Type Air	Port of Loading SFO - San Francisco
	Destination Country Saudi Arabia	Destination Port JED - Jeddah, Saudi Arabia
	Export Date *****	Exporting Carrier *****
Consignee BTAT BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah - Saudi Arabia Saudi Arabia	Import Permit Number *****	Bill of Lading / AWB MAWB #157-1398-7293
	Owner or Agent *****	Forwarding Agent Navigational Logistic, Inc.
	Remarks Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA 92610 USA. All good contained in the shipment are of USA origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J207957 issued by The Saudi National Bank/Advising Bank: US Bank N.A. Reference #ELC10000881 Consignor reference: PO#23200067-07	
Buyer (Importer) Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 Kingdom of Saudi Arabia Saudi Arabia		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
IC16-RDO-M-BK-WR - ICONYX Digitally Controlled Column Loudspeaker-16-Amp/DSP Channels-IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Dual Analog - with HK-IC8R&16R - Color - Black H.S.Code: 8518.22.0000 Marks: 20 Pallets with 20 cartons per pallet = 400 cartons =====end of products=====	1 carton weighs 92 pounds =====	United States =====

Name of Authorized Trade Association



Authorized Signature **Farhad Ghorbani Fard**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Greater Irvine Chamber ("GIC") is accurate, true and complete.
- The Applicant undertakes to advise GIC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the GIC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless GIC from any liability in connection with the issuance of this certificate and to indemnify GIC in respect of any costs and/or claims made against GIC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

Invoice Number:	CI 127699-3	Ship Via:	AIR	Terms:	Letter of Credit at Sight
Invoice Date:	12/12/2024	INCO-TERMS:	EX WORKS	PO. #:	23200067-O7
Customer Ref:		Customer #:	36SA11	Our Ref:	5791-6910/Monika Smet

Bill to:	Shipped to:
Applicant Name: M/S. Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 KINGDOM OF SAUDI ARABIA Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa oibrahim@sbg.com.sa	Consignee Name: M/S. BTAT - BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah, Saudi Arabia Mob.: +966595053968 Tel.: +966122289210 Ext:1515 Attn: Mr. Khalid Ateya Mohamed/Email: khalid.ateya@btgroup.net

Quantity Ordered	Quantity Shipped	Part Number	Description	Unit Price	Total Value
			IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION Letter of Credit Number: J207957 Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia Issued on: February 25, 2024 LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492 Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa/oibrahim@sbg.com.sa Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer Department Minneapolis, MN United States of America Advising Bank Reference No.: ELC10000881 LC Amount: USD 11,748,743.97 Description of Goods and/or Services: Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123 Dated 04/11/2023. Ex-Works As per Incoterms 2020.		
400	400	IC16-RDO-M-BK-WR	ICONYX Digitally Controlled Column Loudspeaker - 16-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog - with HK-IC8R&16R - Color - Black HS Code: 8518.22.0000 Made in USA Portion of Item 2 on Proforma Invoice No. PF Service Building 41123	\$8,176.45	\$3,270,580.00
			Less agreed credit for prepayment & 2019 meeting min. (.059294 of invoice total)		-\$193,925.77
			Less Advance Payment portion (25% of invoice total)		-\$817,645.00

NET INVOICE VALUE PAYABLE in USD

\$2,259,009.23

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: **USBKUS441MT**

Routing/ABA: **122235821**

For further credit to Renkus-Heinz, Inc. Acct. # **157536478199**



GI-C00-55297-6761f89fbdac4/December 17, 2024

Consignee Name: BT Applied Technology
King Faisal Road, (South Corniche Road)
2nd U-Turn, Near Al Muhaidib and Abudawood W/H
Jeddah Saudi Arabia
ATTN: Mr. Khalid Ateya Mohamed / Email:
Mob: +966595053968 Tel.:+ 966122289210 Ext: 1515

Date: 12/12/2024
Pages: 7

khalid.ateya@btgroup.net

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION
Letter of Credit Number: J207957
Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia
Issued on: February 25, 2024
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@SBG.com.sa/oibrahim@SBG.com.sa
Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer
Department Minneapolis, MN United States of America
Advising Bank Reference No.: ELC10000881
LC Amount: USD 11,748,743.97
Description of Goods and/or Services:
Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123
Dated 04/11/2023. EX-Works As per Incoterms 2020.

Purchase Order#: 23200067-07
Work Order#: 127699

HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000
COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Weight lbs	Pallet Weight lbs	Dimensions cm.	Weight kg	Pallet Weight Kg
1	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510001	86x11x11	92		218x27.9x27.9	41.73	
2	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510002	86x11x11	92		218x27.9x27.9	41.73	
3	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510003	86x11x11	92		218x27.9x27.9	41.73	
4	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510004	86x11x11	92		218x27.9x27.9	41.73	
5	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510005	86x11x11	92		218x27.9x27.9	41.73	
6	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510006	86x11x11	92		218x27.9x27.9	41.73	
7	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510007	86x11x11	92		218x27.9x27.9	41.73	
8	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510008	86x11x11	92		218x27.9x27.9	41.73	
9	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510009	86x11x11	92		218x27.9x27.9	41.73	
10	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510010	86x11x11	92		218x27.9x27.9	41.73	
11	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510011	86x11x11	92		218x27.9x27.9	41.73	
12	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510012	86x11x11	92		218x27.9x27.9	41.73	
13	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510013	86x11x11	92		218x27.9x27.9	41.73	
14	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510014	86x11x11	92		218x27.9x27.9	41.73	
15	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510015	86x11x11	92		218x27.9x27.9	41.73	
16	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510016	86x11x11	92		218x27.9x27.9	41.73	
17	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510017	86x11x11	92		218x27.9x27.9	41.73	
18	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510018	86x11x11	92		218x27.9x27.9	41.73	
19	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510019	86x11x11	92		218x27.9x27.9	41.73	
20	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510020	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 1		48x86x60	91	1931	122x218x152	41.28	875.88
21	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510021	86x11x11	92		218x27.9x27.9	41.73	
22	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510022	86x11x11	92		218x27.9x27.9	41.73	
23	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510023	86x11x11	92		218x27.9x27.9	41.73	
24	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510024	86x11x11	92		218x27.9x27.9	41.73	
25	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510025	86x11x11	92		218x27.9x27.9	41.73	
26	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510026	86x11x11	92		218x27.9x27.9	41.73	
27	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510027	86x11x11	92		218x27.9x27.9	41.73	
28	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510028	86x11x11	92		218x27.9x27.9	41.73	
29	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510029	86x11x11	92		218x27.9x27.9	41.73	
30	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510030	86x11x11	92		218x27.9x27.9	41.73	
31	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510031	86x11x11	92		218x27.9x27.9	41.73	
32	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510032	86x11x11	92		218x27.9x27.9	41.73	
33	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510033	86x11x11	92		218x27.9x27.9	41.73	
34	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510034	86x11x11	92		218x27.9x27.9	41.73	
35	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510035	86x11x11	92		218x27.9x27.9	41.73	
36	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510036	86x11x11	92		218x27.9x27.9	41.73	
37	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510037	86x11x11	92		218x27.9x27.9	41.73	
38	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510038	86x11x11	92		218x27.9x27.9	41.73	
39	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510039	86x11x11	92		218x27.9x27.9	41.73	
40	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510040	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 2		48x86x60	91	1931	122x218x152	41.28	875.88
41	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510041	86x11x11	92		218x27.9x27.9	41.73	
42	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510042	86x11x11	92		218x27.9x27.9	41.73	

GI-C00-55297-6761f89fbdac4/December 17, 2024

112	1	IC16-
113	1	IC16-



182	1	IC16-
183	1	IC16-

323	1	IC16-
324	1	IC16-

394	1	IC16-
395	1	IC16-

396	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510396	86x11x11	92		218x27.9x27.9	41.73	
397	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510397	86x11x11	92		218x27.9x27.9	41.73	
398	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510398	86x11x11	92		218x27.9x27.9	41.73	
399	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510399	86x11x11	92		218x27.9x27.9	41.73	
400	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510400	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 20		48x86x60	91	1931	122x218x152	41.28	875.88
400	400	20 PALLETS IN TOTAL			38620	38620		17517.6	17517.6