

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **GI-COO-56035-6781aec14c3c0**

Date : **January 10, 2025**

Seller (Exporter) Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch Lake Forest CA 92610 USA	Transport Type Air	Port of Loading LAX Airport
	Destination Country Saudi Arabia	Destination Port JED - Jeddah, Saudi Arabia
	Export Date *****	Exporting Carrier *****
Consignee BTAT BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah - Saudi Arabia Saudi Arabia	Import Permit Number *****	Bill of Lading / AWB Forwarder Ref: HFAE24002700
	Owner or Agent *****	Forwarding Agent A.J Worldwide Services, Inc.
	Remarks Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA 92610 USA. All good contained in the shipment are of USA origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J207957 issued by The Saudi National Bank/Advising Bank: US Bank N.A. Reference #ELC10000881 Consignor reference: PO#23200067-07	
Buyer (Importer) Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 Kingdom of Saudi Arabia Saudi Arabia		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
IC16-RDO-M-BK-WR - ICONYX Digitally Controlled Column Loudspeaker-16-Amp/DSP Channels-IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Dual Analog - with HK-IC8R&16R - Color - Black H.S.Code: 8518.22.0000 Marks: 10 Pallets with 20 cartons per pallet = 200 cartons =====end of products=====	1 carton weighs 92 pounds =====	United States =====

Name of Authorized Trade Association



Authorized Signature *Farhad Ghorbani Fard*

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Greater Irvine Chamber ("GIC") is accurate, true and complete.
- The Applicant undertakes to advise GIC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the GIC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless GIC from any liability in connection with the issuance of this certificate and to indemnify GIC in respect of any costs and/or claims made against GIC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

Invoice Number:	CI 127699-4	Ship Via:	AIR	Terms:	Letter of Credit at Sight
Invoice Date:	1/8/2025	INCO-TERMS:	EX WORKS	PO. #:	23200067-O7
Customer Ref:		Customer #:	36SA11	Our Ref:	5791-6910/Monika Smet

Bill to:	Shipped to:
Applicant Name: M/S. Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 KINGDOM OF SAUDI ARABIA Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa oibrahim@sbg.com.sa	Consignee Name: M/S. BTAT - BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah, Saudi Arabia Mob.: +966595053968 Tel.: +966122289210 Ext:1515 Attn: Mr. Khalid Ateya Mohamed/Email: khalid.ateya@btgroup.net

Quantity Ordered	Quantity Shipped	Part Number	Description	Unit Price	Total Value
			IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION Letter of Credit Number: J207957 Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia Issued on: February 25, 2024 LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492 Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa/oibrahim@sbg.com.sa Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer Department Minneapolis, MN United States of America Advising Bank Reference No.: ELC10000881 LC Amount: USD 11,748,743.97 Description of Goods and/or Services: Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123 Dated 04/11/2023. Ex-Works As per Incoterms 2020.		
200	200	IC16-RDO-M-BK-WR	ICONYX Digitally Controlled Column Loudspeaker - 16-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog - with HK-IC8R&16R - Color - Black HS Code: 8518.22.0000 Made in USA Portion of Item 2 on Proforma Invoice No. PF Service Building 41123	\$8,176.45	\$1,635,290.00
			Less agreed credit for prepayment & 2019 meeting min. (.059294 of invoice total)		-\$96,962.89
			Less Advance Payment portion (25% of invoice total)		-\$408,822.50

NET INVOICE VALUE PAYABLE in USD

\$1,129,504.61

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: USBKUS441MT

Routing/ABA: 122235821

For further credit to Renkus-Heinz, Inc. Acct.# 157536478199



GI-C00-56035-6781aec14c3c0/January 10, 2025

Final Packing List

Consignee Name: **BT Applied Technology**
King Faisal Road, (South Corniche Road)
2nd U-Turn, Near Al Muhaidib and Abudawood W/H
Jeddah Saudi Arabia
ATTN: Mr. Khalid Ateya Mohamed / Email:
Mob: +966595053968 Tel.:+ 966122289210 Ext: 1515

Date: 1/8/2025
Page: 1/4

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION
Letter of Credit Number: J207957
Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia
Issued on: February 25, 2024
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@SBG.com.sa/oibrahim@SBG.com.sa
Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer
Department Minneapolis, MN United States of America
Advising Bank Reference No.: ELC10000881
LC Amount: USD 11,748,743.97
Description of Goods and/or Services:
Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123
Dated 04/11/2023. EX-Works As per Incoterms 2020.

Purchase Order#: 23200067-07
Work Order#: 127699

HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000
COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Weight lbs	Pallet Weight lbs	Dimensions cm.	Weight kg	Pallet Weight Kg
1	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510401	86x11x11	92		218x27.9x27.9	41.73	
2	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510402	86x11x11	92		218x27.9x27.9	41.73	
3	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510403	86x11x11	92		218x27.9x27.9	41.73	
4	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510404	86x11x11	92		218x27.9x27.9	41.73	
5	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510405	86x11x11	92		218x27.9x27.9	41.73	
6	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510406	86x11x11	92		218x27.9x27.9	41.73	
7	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510407	86x11x11	92		218x27.9x27.9	41.73	
8	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510408	86x11x11	92		218x27.9x27.9	41.73	
9	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510409	86x11x11	92		218x27.9x27.9	41.73	
10	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510410	86x11x11	92		218x27.9x27.9	41.73	
11	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510411	86x11x11	92		218x27.9x27.9	41.73	
12	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510412	86x11x11	92		218x27.9x27.9	41.73	
13	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510413	86x11x11	92		218x27.9x27.9	41.73	
14	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510414	86x11x11	92		218x27.9x27.9	41.73	
15	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510415	86x11x11	92		218x27.9x27.9	41.73	
16	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510416	86x11x11	92		218x27.9x27.9	41.73	
17	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510417	86x11x11	92		218x27.9x27.9	41.73	
18	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510418	86x11x11	92		218x27.9x27.9	41.73	
19	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510419	86x11x11	92		218x27.9x27.9	41.73	
20	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510420	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 1		48x86x60	91	1931	122x218x152	41.28	875.88
21	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510421	86x11x11	92		218x27.9x27.9	41.73	
22	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510422	86x11x11	92		218x27.9x27.9	41.73	
23	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510423	86x11x11	92		218x27.9x27.9	41.73	
24	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510424	86x11x11	92		218x27.9x27.9	41.73	
25	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510425	86x11x11	92		218x27.9x27.9	41.73	
26	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510426	86x11x11	92		218x27.9x27.9	41.73	
27	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510427	86x11x11	92		218x27.9x27.9	41.73	
28	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510428	86x11x11	92		218x27.9x27.9	41.73	
29	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510429	86x11x11	92		218x27.9x27.9	41.73	
30	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510430	86x11x11	92		218x27.9x27.9	41.73	
31	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510431	86x11x11	92		218x27.9x27.9	41.73	
32	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510432	86x11x11	92		218x27.9x27.9	41.73	
33	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510433	86x11x11	92		218x27.9x27.9	41.73	
34	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510434	86x11x11	92		218x27.9x27.9	41.73	
35	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510435	86x11x11	92		218x27.9x27.9	41.73	
36	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510436	86x11x11	92		218x27.9x27.9	41.73	
37	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510437	86x11x11	92		218x27.9x27.9	41.73	
38	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510438	86x11x11	92		218x27.9x27.9	41.73	
39	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510439	86x11x11	92		218x27.9x27.9	41.73	
40	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510440	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 2		48x86x60	91	1931	122x218x152	41.28	875.88
41	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510441	86x11x11	92		218x27.9x27.9	41.73	
42	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510442	86x11x11	92		218x27.9x27.9	41.73	

GI-C00-56035-6781aec14c3c0/January 10, 2025

[illegible]

114	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510514	86x11x11	92		218x27.9x27.9	41.73	
115	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510515	86x11x11	92		218x27.9x27.9	41.73	
116	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510516	86x11x11	92		218x27.9x27.9	41.73	
117	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510517	86x11x11	92		218x27.9x27.9	41.73	
118	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510518	86x11x11	92		218x27.9x27.9	41.73	
119	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510519	86x11x11	92		218x27.9x27.9	41.73	
120	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510520	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 6		48x86x60	91	1931	122x218x152	41.28	875.88
121	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510521	86x11x11	92		218x27.9x27.9	41.73	
122	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510522	86x11x11	92		218x27.9x27.9	41.73	
123	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510523	86x11x11	92		218x27.9x27.9	41.73	
124	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510524	86x11x11	92		218x27.9x27.9	41.73	
125	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510525	86x11x11	92		218x27.9x27.9	41.73	
126	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510526	86x11x11	92		218x27.9x27.9	41.73	
127	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510527	86x11x11	92		218x27.9x27.9	41.73	
128	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510528	86x11x11	92		218x27.9x27.9	41.73	
129	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510529	86x11x11	92		218x27.9x27.9	41.73	
130	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510530	86x11x11	92		218x27.9x27.9	41.73	
131	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510531	86x11x11	92		218x27.9x27.9	41.73	
132	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510532	86x11x11	92		218x27.9x27.9	41.73	
133	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510533	86x11x11	92		218x27.9x27.9	41.73	
134	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510534	86x11x11	92		218x27.9x27.9	41.73	
135	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510535	86x11x11	92		218x27.9x27.9	41.73	
136	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510536	86x11x11	92		218x27.9x27.9	41.73	
137	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510537	86x11x11	92		218x27.9x27.9	41.73	
138	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510538	86x11x11	92		218x27.9x27.9	41.73	
139	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510539	86x11x11	92		218x27.9x27.9	41.73	
140	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510540	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 7		48x86x60	91	1931	122x218x152	41.28	875.88
141	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510541	86x11x11	92		218x27.9x27.9	41.73	
142	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510542	86x11x11	92		218x27.9x27.9	41.73	
143	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510543	86x11x11	92		218x27.9x27.9	41.73	
144	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510544	86x11x11	92		218x27.9x27.9	41.73	
145	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510545	86x11x11	92		218x27.9x27.9	41.73	
146	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510546	86x11x11	92		218x27.9x27.9	41.73	
147	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510547	86x11x11	92		218x27.9x27.9	41.73	
148	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510548	86x11x11	92		218x27.9x27.9	41.73	
149	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510549	86x11x11	92		218x27.9x27.9	41.73	
150	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510550	86x11x11	92		218x27.9x27.9	41.73	
151	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510551	86x11x11	92		218x27.9x27.9	41.73	
152	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510552	86x11x11	92		218x27.9x27.9	41.73	
153	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510553	86x11x11	92		218x27.9x27.9	41.73	
154	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510554	86x11x11	92		218x27.9x27.9	41.73	
155	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510555	86x11x11	92		218x27.9x27.9	41.73	
156	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510556	86x11x11	92		218x27.9x27.9	41.73	
157	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510557	86x11x11	92		218x27.9x27.9	41.73	
158	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510558	86x11x11	92		218x27.9x27.9	41.73	
159	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510559	86x11x11	92		218x27.9x27.9	41.73	
160	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510560	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 8		48x86x60	91	1931	122x218x152	41.28	875.88
161	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510561	86x11x11	92		218x27.9x27.9	41.73	
162	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510562	86x11x11	92		218x27.9x27.9	41.73	
163	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510563	86x11x11	92		218x27.9x27.9	41.73	
164	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510564	86x11x11	92		218x27.9x27.9	41.73	
165	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510565	86x11x11	92		218x27.9x27.9	41.73	
166	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510566	86x11x11	92		218x27.9x27.9	41.73	
167	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510567	86x11x11	92		218x27.9x27.9	41.73	
168	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510568	86x11x11	92		218x27.9x27.9	41.73	
169	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510569	86x11x11	92		218x27.9x27.9	41.73	
170	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510570	86x11x11	92		218x27.9x27.9	41.73	
171	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510571	86x11x11	92		218x27.9x27.9	41.73	
172	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510572	86x11x11	92		218x27.9x27.9	41.73	
173	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510573	86x11x11	92		218x27.9x27.9	41.73	
174	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510574	86x11x11	92		218x27.9x27.9	41.73	
175	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510575	86x11x11	92		218x27.9x27.9	41.73	
176	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510576	86x11x11	92		218x27.9x27.9	41.73	
177	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510577	86x11x11	92		218x27.9x27.9	41.73	
178	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510578	86x11x11	92		218x27.9x27.9	41.73	
179	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510579	86x11x11	92		218x27.9x27.9	41.73	
180	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510580	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 9		48x86x60	91	1931	122x218x152	41.28	875.88
181	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510581	86x11x11	92		218x27.9x27.9	41.73	
182	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510582	86x11x11	92		218x27.9x27.9	41.73	
183	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510583	86x11x11	92		218x27.9x27.9	41.73	

184	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510584	86x11x11	92		218x27.9x27.9	41.73	
185	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510585	86x11x11	92		218x27.9x27.9	41.73	
186	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510586	86x11x11	92		218x27.9x27.9	41.73	
187	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510587	86x11x11	92		218x27.9x27.9	41.73	
188	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510588	86x11x11	92		218x27.9x27.9	41.73	
189	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510589	86x11x11	92		218x27.9x27.9	41.73	
190	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510590	86x11x11	92		218x27.9x27.9	41.73	
191	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510591	86x11x11	92		218x27.9x27.9	41.73	
192	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510592	86x11x11	92		218x27.9x27.9	41.73	
193	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510593	86x11x11	92		218x27.9x27.9	41.73	
194	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510594	86x11x11	92		218x27.9x27.9	41.73	
195	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510595	86x11x11	92		218x27.9x27.9	41.73	
196	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510596	86x11x11	92		218x27.9x27.9	41.73	
197	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510597	86x11x11	92		218x27.9x27.9	41.73	
198	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510598	86x11x11	92		218x27.9x27.9	41.73	
199	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510599	86x11x11	92		218x27.9x27.9	41.73	
200	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510600	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 10		48x86x60	91	1931	122x218x152	41.28	875.88
200	200	20 PALLETS IN TOTAL			19310	19310		8758.8	8758.8

