

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **GI-COO-56275-678affd5e162c**

Date : **January 18, 2025**

Seller (Exporter) Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch Lake Forest CA 92610 USA	Transport Type Air	Port of Loading LAX Airport
	Destination Country Saudi Arabia	Destination Port JED - Jeddah, Saudi Arabia
	Export Date *****	Exporting Carrier *****
Consignee BTAT BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah - Saudi Arabia Saudi Arabia	Import Permit Number *****	Bill of Lading / AWB Forwarder Ref: HFAE24004147
	Owner or Agent *****	Forwarding Agent A.J Worldwide Services, Inc.
	Remarks Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA 92610 USA. All good contained in the shipment are of USA origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J207957 issued by The Saudi National Bank/Advising Bank: US Bank N.A. Reference #ELC10000881 Consignor reference: PO#23200067-07	
Buyer (Importer) Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 Kingdom of Saudi Arabia Saudi Arabia		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
IC16-RDO-M-BK-WR - ICONYX Digitally Controlled Column Loudspeaker-16-Amp/DSP Channels-IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Dual Analog - with HK-IC8R&16R - Color - Black H.S.Code: 8518.22.0000 Marks: 10 Pallets with 20 cartons per pallet = 200 cartons =====end of products=====	1 carton weighs 92 pounds =====	United States =====

Name of Authorized Trade Association



Authorized Signature *Farhad Ghorbani Fard*

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Greater Irvine Chamber ("GIC") is accurate, true and complete.
- The Applicant undertakes to advise GIC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the GIC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless GIC from any liability in connection with the issuance of this certificate and to indemnify GIC in respect of any costs and/or claims made against GIC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

Invoice Number:	CI 127699-5	Ship Via:	AIR	Terms:	Letter of Credit at Sight
Invoice Date:	1/10/2025	INCO-TERMS:	EX WORKS	PO. #:	23200067-O7
Customer Ref:		Customer #:	36SA11	Our Ref:	5791-6910/Monika Smet

Bill to:	Shipped to:
Applicant Name: M/S. Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 KINGDOM OF SAUDI ARABIA Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa oibrahim@sbg.com.sa	Consignee Name: M/S. BTAT - BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah, Saudi Arabia Mob.: +966595053968 Tel.: +966122289210 Ext:1515 Attn: Mr. Khalid Ateya Mohamed/Email: khalid.ateya@btgroup.net

Quantity Ordered	Quantity Shipped	Part Number	Description	Unit Price	Total Value
			IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION Letter of Credit Number: J207957 Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia Issued on: February 25, 2024 LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492 Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa/oibrahim@sbg.com.sa Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer Department Minneapolis, MN United States of America Advising Bank Reference No.: ELC10000881 LC Amount: USD 11,748,743.97 Description of Goods and/or Services: Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123 Dated 04/11/2023. Ex-Works As per Incoterms 2020.		
200	200	IC16-RDO-M-BK-WR	ICONYX Digitally Controlled Column Loudspeaker - 16-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog - with HK-IC8R&16R - Color - Black HS Code: 8518.22.0000 Made in USA Portion of Item 2 on Proforma Invoice No. PF Service Building 41123	\$8,176.45	\$1,635,290.00
			Less agreed credit for prepayment & 2019 meeting min. (.059294 of invoice total)		-\$96,962.89
			Less Advance Payment portion (25% of invoice total)		-\$408,822.50

NET INVOICE VALUE PAYABLE in USD

\$1,129,504.61

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: **USBKUS441MT**

Routing/ABA: **122235821**

For further credit to Renkus-Heinz, Inc. Acct.# **157536478199**



GI-C00-56275-678affd5e162c/January 18, 2025

Final Packing List

Consignee Name: **BT Applied Technology**
King Faisal Road, (South Corniche Road)
2nd U-Turn, Near Al Muhaidib and Abudawood W/H
Jeddah Saudi Arabia
ATTN: Mr. Khalid Ateya Mohamed / Email:
Mob: +966595053968 Tel.:+ 966122289210 Ext: 1515

Date: 1/10/2025
Page: 1/4

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION
Letter of Credit Number: J207957
Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia
Issued on: February 25, 2024
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@SBG.com.sa/oibrahim@SBG.com.sa
Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer
Department Minneapolis, MN United States of America
Advising Bank Reference No.: ELC10000881
LC Amount: USD 11,748,743.97
Description of Goods and/or Services:
Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123
Dated 04/11/2023. EX-Works As per Incoterms 2020.

Purchase Order#: 23200067-07
Work Order#: 127699

HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000
COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Weight lbs	Pallet Weight lbs	Dimensions cm.	Weight kg	Pallet Weight Kg
201	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510601	86x11x11	92		218x27.9x27.9	41.73	
202	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510602	86x11x11	92		218x27.9x27.9	41.73	
203	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510603	86x11x11	92		218x27.9x27.9	41.73	
204	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510604	86x11x11	92		218x27.9x27.9	41.73	
205	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510605	86x11x11	92		218x27.9x27.9	41.73	
206	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510606	86x11x11	92		218x27.9x27.9	41.73	
207	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510607	86x11x11	92		218x27.9x27.9	41.73	
208	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510608	86x11x11	92		218x27.9x27.9	41.73	
209	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510609	86x11x11	92		218x27.9x27.9	41.73	
210	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510610	86x11x11	92		218x27.9x27.9	41.73	
211	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510611	86x11x11	92		218x27.9x27.9	41.73	
212	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510612	86x11x11	92		218x27.9x27.9	41.73	
213	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510613	86x11x11	92		218x27.9x27.9	41.73	
214	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510614	86x11x11	92		218x27.9x27.9	41.73	
215	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510615	86x11x11	92		218x27.9x27.9	41.73	
216	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510616	86x11x11	92		218x27.9x27.9	41.73	
217	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510617	86x11x11	92		218x27.9x27.9	41.73	
218	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510618	86x11x11	92		218x27.9x27.9	41.73	
219	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510619	86x11x11	92		218x27.9x27.9	41.73	
220	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510620	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 1		48x86x60	91	1931	122x218x152	41.28	875.88
221	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510621	86x11x11	92		218x27.9x27.9	41.73	
222	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510622	86x11x11	92		218x27.9x27.9	41.73	
223	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510623	86x11x11	92		218x27.9x27.9	41.73	
224	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510624	86x11x11	92		218x27.9x27.9	41.73	
225	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510625	86x11x11	92		218x27.9x27.9	41.73	
226	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510626	86x11x11	92		218x27.9x27.9	41.73	
227	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510627	86x11x11	92		218x27.9x27.9	41.73	
228	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510628	86x11x11	92		218x27.9x27.9	41.73	
229	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510629	86x11x11	92		218x27.9x27.9	41.73	
230	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510630	86x11x11	92		218x27.9x27.9	41.73	
231	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510631	86x11x11	92		218x27.9x27.9	41.73	
232	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510632	86x11x11	92		218x27.9x27.9	41.73	
233	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510633	86x11x11	92		218x27.9x27.9	41.73	
234	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510634	86x11x11	92		218x27.9x27.9	41.73	
235	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510635	86x11x11	92		218x27.9x27.9	41.73	
236	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510636	86x11x11	92		218x27.9x27.9	41.73	
237	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510637	86x11x11	92		218x27.9x27.9	41.73	
238	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510638	86x11x11	92		218x27.9x27.9	41.73	
239	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510639	86x11x11	92		218x27.9x27.9	41.73	
240	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510640	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 2		48x86x60	91	1931	122x218x152	41.28	875.88
241	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510641	86x11x11	92		218x27.9x27.9	41.73	
242	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510642	86x11x11	92		218x27.9x27.9	41.73	

GI-C00-56275-678a ffd5e162c/January 18, 2025

384	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510784	86x11x11	92		218x27.9x27.9	41.73	
385	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510785	86x11x11	92		218x27.9x27.9	41.73	
386	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510786	86x11x11	92		218x27.9x27.9	41.73	
387	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510787	86x11x11	92		218x27.9x27.9	41.73	
388	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510788	86x11x11	92		218x27.9x27.9	41.73	
389	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510789	86x11x11	92		218x27.9x27.9	41.73	
390	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510790	86x11x11	92		218x27.9x27.9	41.73	
391	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510791	86x11x11	92		218x27.9x27.9	41.73	
392	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510792	86x11x11	92		218x27.9x27.9	41.73	
393	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510793	86x11x11	92		218x27.9x27.9	41.73	
394	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510794	86x11x11	92		218x27.9x27.9	41.73	
395	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510795	86x11x11	92		218x27.9x27.9	41.73	
396	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510796	86x11x11	92		218x27.9x27.9	41.73	
397	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510797	86x11x11	92		218x27.9x27.9	41.73	
398	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510798	86x11x11	92		218x27.9x27.9	41.73	
399	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510799	86x11x11	92		218x27.9x27.9	41.73	
400	1	IC16-RDO-M-BK-WR with HK-IC8R&16R	24510800	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 10		48x86x60	91	1931	122x218x152	41.28	875.88
400	200	10 PALLETS IN TOTAL			19310	19310		8758.8	8758.8

