

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **GI-COO-59686-681bd444beef2**
Date : **May 07, 2025**

Seller (Exporter) Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch Lake Forest CA 92610 USA	Transport Type Air	Port of Loading LAX Airport
	Destination Country Saudi Arabia	Destination Port JED - Jeddah, Saudi Arabia
	Export Date *****	Exporting Carrier *****
Consignee BTAT BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah - Saudi Arabia Saudi Arabia	Import Permit Number *****	Bill of Lading / AWB Airway Bill No: 235-8203-2635
	Owner or Agent *****	Forwarding Agent Navigational Logistic, Inc.
	Buyer (Importer) Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 Kingdom of Saudi Arabia Saudi Arabia	
Remarks Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA 92610 USA. All good contained in the shipment are of USA origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J207957 issued by The Saudi National Bank/Advising Bank: US Bank N.A. Reference #ELC10000881 Consignor reference: PO#23200067-07		



Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
IC32-RDO-M-BK-WR - ICONYX Digitally Controlled Column Loudspeaker-32-Amp/DSP Channels-IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Dual Analog - with HK-IC24R&32R - Color - Black H.S.Code: 8518.22.0000 Marks: 20 crates with 3 units each = 60 units =====end of products=====	1 crate contains 3 units weighing 748 pounds/crate =====	United States =====

Name of Authorized Trade Association



Authorized Signature **Farhad Ghorbani Fard**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Greater Irvine Chamber ("GIC") is accurate, true and complete.
- The Applicant undertakes to advise GIC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the GIC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless GIC from any liability in connection with the issuance of this certificate and to indemnify GIC in respect of any costs and/or claims made against GIC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

Invoice Number:	CI 127699-8	Ship Via:	AIR	Terms:	Letter of Credit at Sight
Invoice Date:	4/16/2025	INCO-TERMS:	EX WORKS	PO. #:	23200067-O7
Customer Ref:		Customer #:	36SA11	Our Ref:	5791-6910/Monika Smet

Bill to:	Shipped to:
Applicant Name: M/S. Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 KINGDOM OF SAUDI ARABIA Tel: 0507863739/0500928835 Email: msanaullah@sbg.com.sa oibrahim@sbg.com.sa	Consignee Name: M/S. BTAT - BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah, Saudi Arabia Mob.: +966595053968 Tel.: +966122289210 Ext:1515 Attn: Mr. Khalid Ateya Mohamed/Email: khalid.ateya@btgroup.net

Quantity Ordered	Quantity Shipped	Part Number	Description	Unit Price	Total Value
60	60	IC32-RDO-M-BK-WR	<p>IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION</p> <p>Letter of Credit Number: J207957</p> <p>Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia</p> <p>Issued on: February 25, 2024</p> <p>LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492</p> <p>Kingdom of Saudi Arabia Tel: 0507863739/0500928835</p> <p>Email: msanaullah@sbg.com.sa/oibrahim@sbg.com.sa</p> <p>Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer Department</p> <p>Minneapolis, MN United States of America</p> <p>Advising Bank Reference No.: ELC10000881</p> <p>LC Amount: USD 11,748,743.97</p> <p>Description of Goods and/or Services:</p> <p>Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123 Dated 04/11/2023. Ex-Works As per Incoterms 2020.</p> <p>ICONYX Digitally Controlled Column Loudspeaker - 32-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog - with HK-IC24&32R - Color - Black</p> <p>HS Code: 8518.22.0000 Made in USA</p> <p>Final Portion of Item 4 on Proforma Invoice No. PF Service Building 41123</p> <p>Less agreed credit for prepayment & 2019 meeting min. (.059294 of invoice total)</p> <p>Less Advance Payment portion (25% of invoice total)</p> <p>Final deduction of advance payment</p>	\$15,126.68	\$907,600.80
					-\$53,815.28
					-\$181,942.60

NET INVOICE VALUE PAYABLE in USD

\$671,842.92

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: USBKUS44ITF

Routing/ABA: 122235821

For further credit to Renkus-Heinz, Inc. Acct.# 157536478199



GI-C00-59686-681bd444beef2/May 07, 2025

Final Packing List

Consignee Name: BT Applied Technology
King Faisal Road, (South Corniche Road)
2nd U-Turn, Near Al Muhaidib and Abudawood W/H
Jeddah Saudi Arabia
ATTN: Mr. Khalid Ateya Mohamed / **Email:**
Mob: +966595053968 **Tel.:** + 966122289210 **Ext:** 1515

Date: 4/17/2025
Page: 1/2

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION
Letter of Credit Number: J207957
Issued by: NCBKSAJE The Saudi National Bank Head Office Riyadh Saudi Arabia
Issued on: February 25, 2024
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835 Email: msanaullah@SBG.com.sa/oibrahim@SBG.com.sa
Advising Bank: USBKUS441MT U.S. Bank N.A. International Money Transfer
Department Minneapolis, MN United States of America
Advising Bank Reference No.: ELC10000881
LC Amount: USD 11,748,743.97
Description of Goods and/or Services:
Supply of Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice No. PF Service Building 41123
Dated 04/11/2023. EX-Works As per Incoterms 2020.

Purchase Order#: 23200067-07
Work Order#: 127699

HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000
COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Crate Weight lbs	Dimensions cm.	Crate Weight Kg
1	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150001				
2	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150002				
3	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150003				
		CRATE 1		161X33X15	748	409X84X38.1	339.3
4	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150004				
5	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150005				
6	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150006				
		CRATE 2		161X33X15	748	409X84X38.1	339.3
7	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150007				
8	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150008				
9	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150009				
		CRATE 3		161X33X15	748	409X84X38.1	339.3
10	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150010				
11	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150011				
12	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150012				
		CRATE 4		161X33X15	748	409X84X38.1	339.3
13	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150013				
14	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150014				
15	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150015				
		CRATE 5		161X33X15	748	409X84X38.1	339.3
16	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150016				
17	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150017				
18	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150018				
		CRATE 6		161X33X15	748	409X84X38.1	339.3
19	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150019				
20	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150020				
21	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150021				
		CRATE 7		161X33X15	748	409X84X38.1	339.3
22	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150022				
23	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150023				
24	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150024				
		CRATE 8		161X33X15	748	409X84X38.1	339.3
25	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150025				

GI - C00-59686-681bd44beef2/May 07, 2025

26	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150026				
27	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150027				
		CRATE 9		161X33X15	748	409X84X38.1	339.3
28	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150028				
29	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150029				
30	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150030				
		CRATE 10		161X33X15	748	409X84X38.1	339.3
31	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150031				
32	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150032				
33	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150033				
		CRATE 11		161X33X15	748	409X84X38.1	339.3
34	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150034				
35	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150035				
36	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150036				
		CRATE 12		161X33X15	748	409X84X38.1	339.3
37	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150037				
38	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150038				
39	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150039				
		CRATE 13		161X33X15	748	409X84X38.1	339.3
40	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150040				
41	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150041				
42	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150042				
		CRATE 14		161X33X15	748	409X84X38.1	339.3
43	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150043				
44	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150044				
45	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150045				
		CRATE 15		161X33X15	748	409X84X38.1	339.3
46	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150046				
47	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150047				
48	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150048				
		CRATE 16		161X33X15	748	409X84X38.1	339.3
49	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150049				
50	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150050				
51	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150051				
		CRATE 17		161X33X15	748	409X84X38.1	339.3
52	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150052				
53	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150053				
54	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150054				
		CRATE 18		161X33X15	748	409X84X38.1	339.3
55	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150055				
56	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150056				
57	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150057				
		CRATE 19		161X33X15	748	409X84X38.1	339.3
58	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150058				
59	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150059				
60	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25150060				
		CRATE 20		161X33X15	748	409X84X38.1	339.3
60	60	20 CRATES IN TOTAL			14960	409X84X38.1	6786

