

CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **GI-COO-61726-68949621e0808**

Date : **August 07, 2025**

Seller (Exporter) Georg Fischer LLC 9271 Jeronimo Road Irvine California 92618 United States	Transport Type Vessel	Port of Loading Houston
	Destination Country United Arab Emirates	Destination Port Abu Dhabi
	Export Date 2025-07-17	Exporting Carrier DHL Global Forwarding
Consignee LNG. (ADNOC LNG), c/o TJN RUWAIS JV PO BOX No. 665, Abu Dhabi Dan Tolontan Site Logistic & Material MANager / Ruwais LNG United Arab Emirates	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent *****
Buyer (Importer) Technip Energies France S.A.S 2126 Boulevard De La Defense CS 10266 , 92741 Nanterre Cedex France	Remarks 	

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
Plastic pipe H.S.Code: 391723, 391740 Marks: PROJECT RUWAIS LNG - 215122C LS NO LS001_YPI001-001 PL NO YPI001-001 10 Wooden Crates 61 Bundles STOWED INTO 4 X 40" HC =====end of products=====	52,723.94 kg =====	United States =====

Name of Authorized Trade Association



Authorized Signature *Farhad Ghorbani Fard*

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Greater Irvine Chamber ("GIC") is accurate, true and complete.
- The Applicant undertakes to advise GIC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the GIC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless GIC from any liability in connection with the issuance of this certificate and to indemnify GIC in respect of any costs and/or claims made against GIC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.

Customs Invoice



No : JGCLR20250523

Date : 23-May-2025

Consignee:
T.J.N. Ruwais JV.
Guardian Tower
Sheikh Sultan Bin Zayed First and Dhafeer Street
P.O. Box. No. 7657
Abu Dhabi , UAE

Shipper:
Georg Fischer LLC
9271 Jeronimo Road, Irvine
CA 92628-1904, USA
On behalf of Georg Fischer Ltd.

P.O. NO. : 215122C-000-PO-1308-5103-YPI001

Mode of transport : Sea freight
Terms of delivery : FOB Houston, U.S.A.
Terms of payment : Net 30 days after receipt of invoice
Shipping from: Little Rock, AR, JSA

No.	Component	Code	Quantity	Unit	unit price USD	sum USD	HS Code
1	Pipes 2" / * 2" ChlorFit CPVC80 PE PIPE 20FT * 2" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800200CG190C	C9M5PSR5	1,223	Meter	14.00	17,122.00	3917230000
2	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C	C9M5PSVW	10,620	Meter	26.32	279,518.40	3917230000
3	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C	C9M5PT5A	1,321	Meter	73.86	97,569.06	3917230000
4	45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard2" CPVC80 45 Ell (SxS)/9817020	C9M5PFVL	59	PC	6.93	408.87	3917400000
5	45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/3" CPVC80 45 Ell (SxS)/9817030	C9M5PG0B	62	PC	18.18	1,127.16	3917400000
6	45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/6" CPVC80 45 Ell (SxS)/9817060	C9M5PG9S	13	PC	76.89	999.57	3917400000
7	90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/2" CPVC80 90 Ell (SxS)/9806020	C9M5PH4M	41	PC	6.44	264.04	3917400000
8	90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/3" CPVC80 90 Ell (SxS)/9806030	C9M5PH9C	74	PC	16.78	1,241.72	3917400000
9	90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/6" CPVC80 90 Ell (SxS)/9806060	C9M5PHJT	17	PC	60.71	1,032.07	3917400000
10	Equal Tee, Manufacturer Standard/2" CPVC80 Tee (SxSxS)/9801020	C9M5PJDS	6	PC	8.58	51.48	3917400000
11	Equal Tee, Manufacturer Standard/3" CPVC80 Tee (SxSxS)/9801030	C9M5PJJG	8	PC	21.82	174.56	3917400000
12	Equal Tee, Manufacturer Standard/6" CPVC80 Tee (SxSxS)/981060	C9M5PJUX	4	PC	75.55	302.20	3917400000
13	Reducing Tee, Manufacturer Standard /3x2 CPVC80 Tee (SxSxS)/9801338	C9M5PNVB	18	PC	32.63	587.34	3917400000
14	Reducing Tee, Manufacturer Standard /6x2 CPVC80 Tee (SxSxS)/9801528	C9M5PPVX	1	PC	131.81	131.81	3917400000
15	Reducing Tee, Manufacturer Standard /6x3 CPVC80 Reducing Tee (SxSxS) - Bushed/9801530FB	C9M5PR0N	9	PC	145.52	1,309.68	3917400000
16	Socket Flange, Manufacturer Standard /2" CPVC80 Van-Stone Flange (S)/9854020	C9M5PU06	37	PC	8.95	331.15	3917400000
17	Socket Flange, Manufacturer Standard / 3" CPVC80 Van-Stone Flange (S) /9854030	C9M5PU4X	51	PC	19.40	989.40	3917400000
18	Socket Flange, Manufacturer Standard / 6" CPVC80 Van-Stone Flange (S) / 9854060	C9M5PUEB	25	PC	44.66	1,116.50	3917400000
19	Full Coupling / 2" Coupling (SxS) / 9829020	C9M5PDMC	169	PC	4.75	802.75	3917400000
20	Full Coupling / 3" Coupling (SxS) / 9829030	C9M5PDME	1,727	PC	11.48	19,825.96	3917400000
21	Full Coupling / 6" Coupling (SxS) / 9829060	C9M5PDMJ	216	PC	35.44	7,655.04	3917400000
22	Reducing Coupling, Manufacturing Standard/3" x 2" Reducing Coupling (SxS)/9829338	C9WAEM8K	4	PC	13.72	54.88	3917400000
23	Reducing Coupling, Manufacturing Standard/6" x 3" Reducing Coupling Bushed (SxS)/9829530FB	C9WAENE1	3	PC	116.08	348.24	3917400000

FOB Houston, U.S.A. US\$432,963.88

Seiko Matsuda

Seiko Matsuda
Supply Chain Manager
Operations Division



TECHNIP ENERGIES FRANCE SAS					CONSIGNEE			VENDOR				PACKING LIST NO.		YPI001-001	
					ADNOC LNG. (ADNOC LNG) C/O TJN RUWAIS JV PO Box No. 665 Abu Dhabi, UAE			Georg Fischer Ltd. Branch Office Osaka				215122C-000-PO-1308-5103-YPI001			
					RUWAIS LNG PROJECT			20F JRE Dojima Tower, 2-27-2 Dojima Kitaku, Osaka 530-0003, JAPAN							
					RUWAIS, UAE			Number of Packages		Total Net Weight		Total Gross Weight		Total Volume	
					AGREEMENT No CON22-146/4700022871			71		51,599.45 KGS		57,920.116 KGS		214.207 M3	
Package N°	Type of Package	Stackability	Unit weight in KGS		Measurement (in centimeters) Length x Width x Height		Volume In M3	PO ITEM / TAG NO	IDENT. CODE	Quantity	UoM	Material Description		Country of Origin	
			Net	Gross											
1	Bundle		776.500	884.50	589	x 112 x 49	3.227		C9M5PSR5	479.67	M	Pipes 2" / * 2" ChlorFit CPVC80 PE PIPE 20FT * 2" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800200CG190C		USA	
2	Bundle		776.500	884.50	589	x 112 x 49	3.227		C9M5PSR5	479.67	M	Pipes 2" / * 2" ChlorFit CPVC80 PE PIPE 20FT * 2" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800200CG190C		USA	
3	Bundle		785.330	875.33	587	x 107 x 40	2.504		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
4	Bundle		785.330	875.33	587	x 107 x 40	2.504		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
5	Bundle		785.330	875.33	587	x 107 x 40	2.504		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
6	Bundle		900.129	1.008.13	584	x 109 x 66	4.211		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
7	Bundle		900.129	1.008.13	584	x 109 x 66	4.211		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
8	Bundle		872.500	962.50	584	x 109 x 55	3.509		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
9	Bundle		872.500	962.50	584	x 109 x 55	3.509		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
10	Bundle		900.129	1.008.13	584	x 109 x 66	4.211		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
11	Bundle		900.129	1.008.13	584	x 109 x 66	4.211		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
12	Bundle		872.500	962.50	584	x 109 x 55	3.509		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
13	Bundle		872.500	962.50	584	x 109 x 55	3.509		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
14	Bundle		900.129	1.008.13	584	x 109 x 66	4.211		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
15	Bundle		900.129	1.008.13	584	x 109 x 66	4.211		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
16	Bundle		872.500	962.50	584	x 109 x 55	3.509		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
17	Bundle		872.500	962.50	584	x 109 x 55	3.509		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
18	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
19	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
20	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
21	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
22	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
23	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
24	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
25	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
26	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
27	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
28	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
29	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
30	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
31	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
32	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
33	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
34	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
35	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
36	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
37	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
38	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
39	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
40	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
41	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
42	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
43	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
44	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
45	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
46	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
47	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
48	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
49	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
50	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
51	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
52	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
53	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
54	Bundle		1.160.000	1.271.00	587	x 107 x 61	3.818		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
55	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
56	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
57	Bundle		557.000	652.00	587	x 107 x 35	2.191		C9M5PSVW	243.23	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
58	Bundle		342.252	433.90	584	x 109 x 79	5.055		C9M5PSR5	263.66	M	Pipes 2" / * 2" ChlorFit CPVC80 PE PIPE 20FT * 2" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800200CG190C		USA	
59	Bundle		342.252	433.90	584	x 109 x 79	5.055		C9M5PSVW	161.11	M	Pipes 3"/* 3" ChlorFit CPVC80 PE PIPE 20FT * 3" ChlorFit CPVC80 PE PIPE 19FT Capped/ H0800300CG190C		USA	
60	Bundle		342.252	433.90	584	x 109 x 79	5.055		C9M5PT5A	46.35	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
61	Bundle		1.491.610	1.596.56	587	x 112 x 119	7.828		C9M5PT5A	98.05	M	Pipes 6" / * 6" ChlorFit CPVC80 PE PIPE 20FT * 6" ChlorFit CPVC80 PE PIPE 19FT Capped / H0800600CG190C		USA	
62	Wooden Crate		282.990	302.95	114	x 114 x 132	1.726		C9M5PDME	415	PCS	Full Coupling / 3" Coupling (SxS) / 9829030		USA	
63	Wooden Crate		286.168	306.12	114	x 114 x 132	1.726		C9M5PU4X	51	PCS	Socket Flange, Manufacturer Standard / 3" CPVC80 Van-Stone Flange (S) /9854030		USA	
									C9M5PU06	4	PCS	Socket Flange, Manufacturer Standard / 6" CPVC80 Van-Stone Flange (S) / 9854060		USA	
									C9M5PDMJ	24	PCS	Full Coupling / 6" Coupling (SxS) / 9829060		USA	
									C9M5PDMC	169	PCS	Full Coupling / 2" Coupling (SxS) / 9829020		USA	
									C9M5PH9C	15	PCS	90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/3" CPVC80 90 Ell (SxS)/9806030		USA	
									C9M5PNVB	18	PCS	Reducing Tee, Manufacturer Standard /3x2 CPVC80 Tee (SxSxS)/9801338		USA	
									C9M5PU06	37	PCS	Socket Flange, Manufacturer Standard /2" CPVC80 Van-Stone Flange (S)/9854020		USA	
									C9M5PFVL	59	PCS	45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/2" CPVC80 45 Ell (SxS)/9817020		USA	
									C9M5PJDS	5	PCS	Equal Tee, Manufacturer Standard/2" CPVC80 Tee (SxSxS)/98010			



TECHNIP ENERGIES FRANCE SAS 					CONSIGNEE ADNOC LNG. (ADNOC LNG) C/O TJN RUWAIS JV PO Box No. 665 Abu Dhabi, UAE			VENDOR Georg Fischer Ltd. Branch Office Osaka 20F JRE Dojima Tower, 2-27-2 Dojima Kitaku, Osaka 530-0003, JAPAN				PACKING LIST NO.	YPI001-001											
												PURCHASE ORDER NO.												
					RUWAIS LNG PROJECT			Number of Packages 71				Total Net Weight 51,599.45 KGS	Total Gross Weight 57,920.116 KGS	Total Volume 214.207 M3										
					RUWAIS, UAE																			
AGREEMENT No CON22-146/4700022871					PO ITEM / TAG NO	IDENT. CODE	Quantity	UoM	Material Description			Country of Origin												
Package N°	Type of Package	Stackability	Unit weight in KGS NetGross		Measurement (in centimeters) Length x Width x Height		Volume In M3																	
65	Wooden Crate		236.730	257.89	114 x 114 x 132	1.726		C9M5PDME C9M5PDMJ C9M5PG9S C9M5PHJT C9M5PDME C9M5PDMJ	50 60 4 17 60 24	PCS PCS PCS PCS PCS PCS	Full Coupling / 3" Coupling (SxS) / 9829030 Full Coupling / 6" Coupling (SxS) / 9829060 45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/6" CPVC80 45 Ell (SxS)/9817060 90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/6" CPVC80 90 Ell (SxS)/9806060 Full Coupling / 3" Coupling (SxS) / 9829030 Full Coupling / 6" Coupling (SxS) / 9829060	USA USA USA USA USA USA												
66	Wooden Crate		252.150	273.31	114 x 114 x 132	1.726		C9M5PR0N C9M5PDMJ C9WAENE1 C9M5PPVX C9M5PDME	9 36 3 1 65	PCS PCS PCS PCS PCS	Reducing Tee, Manufacturer Standard /6x3 CPVC80 Reducing Tee (SxSxS) - Bushed/9801530FB Full Coupling / 6" Coupling (SxS) / 9829060 Reducing Coupling, Manufacturing Standard/6" x 3" Reducing Coupling Bushed (SxS)/9829530FB Reducing Tee, Manufacturer Standard /6x2 CPVC80 Tee (SxSxS)/9801528 Full Coupling / 3" Coupling (SxS) / 9829030	USA USA USA USA USA												
67	Wooden Crate		270.750	291.90	114 x 114 x 132	1.726		C9M5PDME C9M5PUEB C9M5PJJG C9M5PG9S	230 21 5 7	PCS PCS PCS PCS	Full Coupling / 3" Coupling (SxS) / 9829030 Socket Flange, Manufacturer Standard / 6" CPVC80 Van-Stone Flange (S) / 9854060 Equal Tee, Manufacturer Standard/3" CPVC80 Tee (SxSxS)/9801030 45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/6" CPVC80 45 Ell (SxS)/9817060	USA USA USA USA												
68	Wooden Crate		281.180	303.91	114 x 114 x 132	1.726		C9M5PDME	415	PCS	Full Coupling / 3" Coupling (SxS) / 9829030	USA												
69	Wooden Crate		270.000	291.20	114 x 114 x 132	1.726		C9M5PDMJ C9M5PH4M C9M5PJUX C9M5PDME C9M5PH9C	12 41 4 40 59	PCS PCS PCS PCS PCS	Full Coupling / 6" Coupling (SxS) / 9829060 90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/2" CPVC80 90 Ell (SxS)/9806020 Equal Tee, Manufacturer Standard/6" CPVC80 Tee (SxSxS)/981060 Full Coupling / 3" Coupling (SxS) / 9829030 90 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/3" CPVC80 90 Ell (SxS)/9806030	USA USA USA USA USA												
70	Wooden Crate		270.750	291.90	114 x 114 x 132	1.726		C9M5PG0B C9M5PG9S	62 2	PCS PCS	45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/3" CPVC80 45 Ell (SxS)/9817030 45 Degree Elbow Long Radius (R=1.5D), Manufacturer Standard/6" CPVC80 45 Ell (SxS)/9817060	USA USA												
71	Wooden Crate		238.550	259.69	114 x 114 x 132	1.726		C9M5PDME C9M5PDMJ C9M5PDMJ C9M5PDME	167 50 10 285	PCS PCS PCS PCS	Full Coupling / 3" Coupling (SxS) / 9829030 Full Coupling / 6" Coupling (SxS) / 9829060 Full Coupling / 6" Coupling (SxS) / 9829060 Full Coupling / 3" Coupling (SxS) / 9829030	USA USA USA USA												
TOTAL			51,599.451	57,920.116		214.207			15,708			Page NO. 1/1												
STORAGE CODE <table><tr><td>Crates or packages to be stored outside</td><td>X</td><td>☐</td></tr><tr><td>Crates or packages to be stored under cover (pipes)</td><td>XX</td><td>☒</td></tr><tr><td>Crates or packages to be stored in covered or closed premises (Fitting)</td><td>XXX</td><td>☒</td></tr><tr><td>Crates or packages to be stored in air-conditioned premises</td><td>XXXX</td><td>☐</td></tr></table>													Crates or packages to be stored outside	X	☐	Crates or packages to be stored under cover (pipes)	XX	☒	Crates or packages to be stored in covered or closed premises (Fitting)	XXX	☒	Crates or packages to be stored in air-conditioned premises	XXXX	☐
Crates or packages to be stored outside	X	☐																						
Crates or packages to be stored under cover (pipes)	XX	☒																						
Crates or packages to be stored in covered or closed premises (Fitting)	XXX	☒																						
Crates or packages to be stored in air-conditioned premises	XXXX	☐																						