




LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN

ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **LA-COO-51244-66d0a2db86754**
Date : **August 29, 2024**

Seller (Exporter) Forsta Filters, Inc. 10856 Vanowen St North Hollywood CA 91605 USA	Transport Type Air	Port of Loading LOS ANGELES
	Destination Country United Arab Emirates	Destination Port DUBAI
	Export Date *****	Exporting Carrier *****
Consignee FLUIDTECH FILTRATION CO LLC OFFICE 219, SULTAN BUSINESS CENTER OLD METHA, PO BOX 181762 DUBAI United Arab Emirates	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent *****
	Buyer (Importer)	
Remarks		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
E10-180-200 H.S.Code: 8421.21.0000 Marks: PO/62400092	740	United States
EC-4-220VAC H.S.Code: 061110 Marks: PO/62400092	5	United States
1.7-180-UHMWPE H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
1.8-180/LP180 H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
16-1/4 H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
17-FITTING/TUBING H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
18-D/P-HK H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States

Name of Authorized Trade Association



Authorized Signature **Farhad Ghorbani Fard**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.




LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN

ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **LA-COO-51244-66d0a2db86754**
Date : **August 29, 2024**

Seller (Exporter) Forsta Filters, Inc. 10856 Vanowen St North Hollywood CA 91605 USA	Transport Type Air	Port of Loading LOS ANGELES
	Destination Country United Arab Emirates	Destination Port DUBAI
	Export Date *****	Exporting Carrier *****
Consignee FLUIDTECH FILTRATION CO LLC OFFICE 219, SULTAN BUSINESS CENTER OLD METHA, PO BOX 181762 DUBAI United Arab Emirates	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent *****
	Remarks	
Buyer (Importer)		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
3.5-E-180/E/F-90 H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
4-180-316/PE H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
5-C/E-180/LP180 H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
6-C/E-180/LP180 H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
7-180-316L-VED H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
8.9-18-316L H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
8K-180 H.S.Code: 8421.99.0040 Marks: PO/62400092	.5	United States
=====end of products=====	=====	=====

Name of Authorized Trade Association



Authorized Signature **Farhad Ghorbani Fard**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



Forsta Filters Inc.
10856 Vanowen St
North Hollywood CA 91605

Phone # 310-837-7177

E-mail info@forstafilters.com

Web Site: www.forstafilters.com

Invoice

S.O. No.	Date	Invoice #
24184	8/13/2024	24301

PAID
08/27/2024

Bill To	Ship To
FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai, UAE	FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai UAE

P.O. Number	Terms	Rep	Ship	Via	Tracking #	Due Date
PO/62400092	Net Wire Transfer	Polly	8/20/2024	TBD		8/14/2024

Item Code	Description	QTY	Price Each	Amount
E10-180-200-ASSEMBLY	Automatic self-cleaning filter made from stainless steel 304. 10" flange Inlet/Outlet, 2" electric flushing valve. Operating pressure 40-150psi. Max.temp. 150F. High porosity stainless steel 316L screen element 200 um, 12.25 sq ft of screen area ***** Inlet/outlet spacing to match D8-180-CS bought in 2014**** inlet outlet spacing is 43.31	4	18,220.60	72,882.40T
EC-4-220VAC-ASSEMBLY	Automatic backwash controller for Forsta self cleaning water filters. Initiates cleaning cycle for up to four filters in parallel by pressure differential, periodic or manual activation. 110 VAC input/24 VAC output, weather resistant enclosure. Include	1	2,884.05	2,884.05T
1.7-180-UHMWPE.	Hydraulic motor chamber bushing for all 180 and LP180 Series Filters	4	155.00	620.00T
1.8-180/LP180.	O-ring for Hydraulic Motor Chamber Bushing for all 180/LP180 Series Filters	4	23.00	92.00T
16-1/4.	1/4" inlet and outlet mini filter	4	29.00	116.00T
17-Fitting/Tubing.	Set of fittings & tubing 4 ea 1/4" NPT Press-Fittings 1/4" Hydraulic Tubing 10 foot length	4	58.00	232.00T

Sales Tax (0.0%)

Total

Payments/Credits

Balance Due





Forsta Filters Inc.
10856 Vanowen St
North Hollywood CA 91605

Phone # 310-837-7177

E-mail info@forstafilters.com

Web Site: www.forstafilters.com

Invoice

S.O. No.	Date	Invoice #
24184	8/13/2024	24301

PAID
08/27/2024

Bill To	Ship To
FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai, UAE	FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai UAE

P.O. Number	Terms	Rep	Ship	Via	Tracking #	Due Date
PO/62400092	Net Wire Transfer	Polly	8/20/2024	TBD		8/14/2024

Item Code	Description	QTY	Price Each	Amount
18-D/P-HK-ASSEMBLY	Differential pressure gauge 0-15 psid, 1/4 inch connections, Aluminum Body / 316 Stainless Steel Internal Metal Parts & Teflon Guide Bushings	4	311.00	1,244.00T
3.5-E-180 / E/F-90.	100DGC-GS-A-2.5-4N-1-EP-A-B-14-(0-15 psid/1 bar)-C-D-E-M9 Suction nozzles for 180 and LP180 series model E as well as 90 series model E and F.	28	56.00	1,568.00T
4-180-316L/PE.	Stainless steel bushing with PE insert for 180 and LP180 series filters. Also fits 90 Series model D, E, and F.	4	167.00	668.00T
5-C/E-180/LP180.	Housing Seal for 180 and LP180 Series model C and E.	4	68.00	272.00T
6-C/E-180/LP180.	Upper or Lower Screen O-ring for 180 and LP180 Series model C and E.	8	40.00	320.00T
7-180-316L-VES.	Stainless steel 316L hex spacer with polymer insert for 180 series	4	145.00	580.00T
8.9-180-316L	Tip for 180 series hydraulic piston made out of stainless steel 316L	4	102.00	408.00T
8K-180-ASSEMBLY	Piston repair kit for 180 and LP180 series filters	4	125.00	500.00T
Warranty items	All Forsta filters and components are guaranteed with 18 month from delivery or 18 months installation whichever is earlier. limited manufacturer's warranty excluding freight .	1	0.00	0.00

Sales Tax (0.0%)

Total

Payments/Credits

Balance Due



Forsta Filters Inc.
10856 Vanowen St
North Hollywood CA 91605

Phone # 310-837-7177
E-mail info@forstafilters.com
Web Site www.forstafilters.com

Packing Slip

S.O. No.	Date	Invoice #
24184	8/13/2024	24301

PAID
08/27/2024

Bill To	Ship To
FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai, UAE	FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai UAE

P.O. Number	Ship	Via
PO/62400092	8/20/2024	TBD

Item Code	Description	Quantity	B/O	Ordered
E10-180-200-ASSEMBLY	Automatic self-cleaning filter made from stainless steel 304. 10" flange Inlet/Outlet, 2" electric flushing valve. Operating pressure 40-150psi. Max.temp. 150F. High porosity stainless steel 316L screen element 200 um, 12.25 sq ft of screen area ***** Inlet/outlet spacing to match D8-180-CS bought in 2014**** inlet outlet spacing is 43.31	4	0	4
EC-4-220VAC-ASSEMBLY	Automatic backwash controller for Forsta self cleaning water filters. Initiates cleaning cycle for up to four filters in parallel by pressure differential, periodic or manual activation. 110 VAC input/24 VAC output, weather resistant enclosure. Include	1	0	1
1.7-180-UHMWPE.	Hydraulic motor chamber bushing for all 180 and LP180 Series Filters	4	0	4
1.8-180/LP180.	O-ring for Hydraulic Motor Chamber Bushing for all 180/LP180 Series Filters	4	0	4
16-1/4.	1/4" inlet and outlet mini filter	4	0	4
17-Fitting/Tubing.	Set of fittings & tubing 4 ea 1/4" NPT Press-Fittings 1/4" Hydraulic Tubing 10 foot length	4	0	4
18-D/P-HK-ASSEMBLY	Differential pressure gauge 0-15 psid, 1/4 inch connections, Aluminum Body / 316 Stainless Steel Internal Metal Parts & Teflon Guide Bushings 100DGC-GS-A-2.5-4N-1-EP-A-B-14-(0-15 psid/1 bar)-C-D-E-M9	4	0	



[Handwritten signature]

Forsta Filters Inc.
10856 Vanowen St
North Hollywood CA 91605

Phone # 310-837-7177
E-mail info@forstafilters.com
Web Site www.forstafilters.com

Packing Slip

S.O. No.	Date	Invoice #
24184	8/13/2024	24301

PAID
08/27/2024

Bill To	Ship To
FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai, UAE	FluidTech Filtration Co LLC Office 219, Sultan Business Center, Oud Metha PO Box 181762 Dubai UAE

P.O. Number	Ship	Via
PO/62400092	8/20/2024	TBD

Item Code	Description	Quantity	B/O	Ordered
3.5-E-180 / E/F-90.	Suction nozzles for 180 and LP180 series model E as well as 90 series model E and F.	28	0	28
4-180-316L/PE.	Stainless steel bushing with PE insert for 180 and LP180 series filters. Also fits 90 Series model D, E, and F.	4	0	4
5-C/E-180/LP180.	Housing Seal for 180 and LP180 Series model C and E.	4	0	4
6-C/E-180/LP180.	Upper or Lower Screen O-ring for 180 and LP180 Series model C and E.	8	0	8
7-180-316L-VES.	Stainless steel 316L hex spacer with polymer insert for 180 series	4	0	4
8.9-180-316L	Tip for 180 series hydraulic piston made out of stainless steel 316L	4	0	4
8K-180-ASSEMBLY	Piston repair kit for 180 and LP180 series filters	4	0	4
Warranty items	All Forsta filters and components are guaranteed with 18 month from delivery or 18 months installation whichever is earlier. limited manufacturer's warranty excluding freight .	1		1
	COUNTRY OF ORIGIN: USA CURRENCY USA DOLLAR HTS CODE: 8421.21.0000 ECCN: EAR99 EXPORT LICENSE: NLR EIN: 27-1781292 DIMS: 111 x 34 x 23" (4 wooden crates) WEIGHT: 750 lbs (each wooden crate)			
	Sales tax not collect for out of state sale or reseller			



[Handwritten signature]