



**LOS ANGELES AREA**  
CHAMBER OF COMMERCE

# CERTIFICATE OF ORIGIN

**ORIGINAL**

TO VALIDATE, GO TO  
VERIFY.FTGS.US

Certificate Number : **LA-COO-60300-683787285fc10**  
Date : **May 28, 2025**

Seller (Exporter) EntroGen, Inc. 20950 Warner Center Lane Los Angeles California 91367 United States	Transport Type Air	Port of Loading Los Angeles
	Destination Country Qatar	Destination Port Doha
	Export Date 2025-02-03	Exporting Carrier *****
Consignee Qatar Scientific Co. W.L.L. Office #704, Bldg #113, Bin Dirham Plaza Najma Area (#25), Street #220, B-Ring Road, Doha Tel: +974 4462 1165/93 Fax: +974 44620178 Qatar	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent *****
Buyer (Importer)	Remarks Consignor reference: 4940 G R	



Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
EGFR mutation analysis kit (59 targets), 52 reactions, real-time PCR detection, includes controls, quantity 3 H.S.Code: 3822.19.0000 Marks: EGFR-RT52	0.25 lbs	United States
B-Raf V600E/K/D/R/M Mutation Analysis Kit for Real-Time PCR(64 reactions), quantity 3 H.S.Code: 3822.19.0000 Marks: BRAFX-RT64	0.25 lbs	United States
KRAS mutation analysis kit (exons 2,3 and 4), 50 reactions, real-time PCR detection, includes controls H.S.Code: 3822.19.0000 Marks: KRAS-RT50-	0.25 lbs	United States
MGMT Methylation Detection Kit for Glioblastoma -for up to 44 samples H.S.Code: 3822.19.0000 Marks: MGMT-RT44	0.25 lbs	United States
Bisulfite Conversion Kit for genomic DNA (50 samples) for use with EntroGen MGMT-RT44 as MGMTX-RT44 **MUST BE STORED AT ROOM TEMPERATURE** H.S.Code: 3822.19.0000 Marks: BCK-RT50	0.25 lbs	United States
=====end of products=====	=====	=====

Name of Authorized Trade Association



*Behzad. Samya*

Authorized Signature **Behzad Samya**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



EntroGen, Inc.

20950 Warner Center Lane  
Woodland Hills, CA 91367

# Invoice

Date	Invoice #
5/29/2025	*INV34100*

Bill To
Qatar Scientific Co. WLL Office#511,5th Floor PO BOX 41243 AL Retaj Business Center Rawdat Al-Khalil B'Ring Road Doha, Qatar

Ship To
Qatar Scientific Company WLL Office #704, Bldg #113, Bin Dirham Plaza Najma Area (#25), Street #220 B-Ring Road, Doha Qatar

P.O. Number	Terms	Ship	Via	Incoterms
5549	Net 30	5/29/2025	Federal Express	EXW

Quantity	Item Code	Description	Price Each	Amount
3	EGFR-RT52	EGFR mutation analysis kit (59 targets), 52 reactions, real-time PCR detection, includes controls	2,426.00	7,278.00
3	BRAFX-RT64	B-Raf V600E/K/D/R/M Mutation Analysis Kit for Real-Time PCR(64 reactions)	1,323.00	3,969.00
2	KRAS-RT50-	KRAS mutation analysis kit (exons 2,3 and 4), 50 reactions, real-time PCR detection, includes controls	2,514.00	5,028.00
2	MGMT-RT44	MGMT Methylation Detection Kit for Glioblastoma -for up to 44 samples	1,654.00	3,308.00
2	BCK-RT50	Bisulfite Conversion Kit for genomic DNA (50 samples) for use with EntroGen MGMT-RT44 as MGMTX-RT44 **MUST BE STORED AT ROOM TEMPERATURE**	1.00	2.00
	dryice	Contents, refrigerated by Dry Ice, are not restricted under IATA DG Regulations	50.00	50.00
	EXTRA-CONTROL	Certificate of Origin	60.00	60.00
		Non-dangerous, perishable, laboratory reagents, not of human origin, harmonized code 3822.19.0000, store at -20C		19,695.00
Invoice Total				USD 19,695.00
Payments/Credits				USD 0.00

--

Balance Due	USD 19,695.00
-------------	---------------



Behzad. Samya

Tel: 001-818-716-1070,  
purchase.orders@entrogen.com

Made in the USA

LA-C00-60300-6837872851c10/May 28, 2025

EntroGen, Inc.

20950 Warner Center Lane  
Woodland Hills, CA 91367

Phone #	818-716-1070
Fax #	818-716-1077

# Packing Slip

Date	Invoice #
5/29/2025	*INV34100*

Ship To
Qatar Scientific Company WLL Office #704, Bldg #113, Bin Dirham Plaza Najma Area (#25), Street #220 B-Ring Road, Doha Qatar

P.O. No.	Ship	Via	Incoterms	Project
5549	5/29/2025	Federal Express	EXW	

Number of Boxes	Item Code	Description
3	EGFR-RT52	EGFR mutation analysis kit (59 targets), 52 reactions, real-time PCR detection, includes controls
3	BRAF-X-RT64	B-Raf V600E/K/D/R/M Mutation Analysis Kit for Real-Time PCR(64 reactions)
2	KRAS-RT50-	KRAS mutation analysis kit (exons 2,3 and 4), 50 reactions, real-time PCR detection, includes controls
2	MGMT-RT44	MGMT Methylation Detection Kit for Glioblastoma -for up to 44 samples
2	BCK-RT50	Bisulfite Conversion Kit for genomic DNA (50 samples) for use with EntroGen MGMT-RT44 as MGMTX-RT44 **MUST BE STORED AT ROOM TEMPERATURE**
	dryice	Contents, refrigerated by Dry Ice, are not restricted under IATA DG Regulations
	EXTRA-CONTROL	Certificate of Origin
		Non-dangerous, perishable, laboratory reagents, not of human origin, harmonized code 3822.19.0000, store at -20C



Attention: Latest IFU, CoA, MSDS and other documents are available for download at  
[www.entrogen.com/pi-download](http://www.entrogen.com/pi-download)

LA-C00-60300-683787285fc10/May 28, 2025