




**LOS ANGELES AREA**  
CHAMBER OF COMMERCE

# CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO  
VERIFY.FTGS.US

Certificate Number : **LA-COO-67162-690d10676abe8**  
Date : **November 06, 2025**

|  |   |   |
|--|---|---|
| <b>Seller (Exporter)</b><br>Renkus-Heinz, Inc.<br>19201 Cook Street<br>Foothill Ranch<br>Lake Forest<br>CA 92610<br>USA  | <b>Transport Type</b><br>Air  | <b>Port of Loading</b><br>LAX - Los Angeles, CA                                     |
|  | <b>Destination Country</b><br>Saudi Arabia  | <b>Destination Port</b><br>JED - Jeddah, Saudi Arabia                               |
|  | <b>Export Date</b><br>2025-10-30  | <b>Exporting Carrier</b><br>*****   |
| <b>Consignee</b><br>BTAT BT Applied Technology<br>King Faisal Road, (South Corniche Road)<br>2nd U-Turn, Near Al Muhaidib and Abudawood W/H<br>Jeddah - Saudi Arabia<br>Saudi Arabia   | <b>Import Permit Number</b><br>*****  | <b>Bill of Lading / AWB</b><br>AWB#501-18814246                                     |
|  | <b>Owner or Agent</b><br>*****  | <b>Forwarding Agent</b><br>ECULINE Saudi Arabia LLC                                 |
|  | <b>Buyer (Importer)</b><br>Saudi Binladin Group<br>P.O. Box No. 8918<br>Jeddah 21492<br>Kingdom of Saudi Arabia<br>Saudi Arabia |   |
| <b>Remarks</b><br>Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA92610 USA. All good contained in the shipment are of USA Origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J211017 issued by Saudi National Bank/National Commercial Bank/Advising Bank US Bank NA Reference #ELC10024633<br><br>Consignor reference: CI 130501-1 / PO 25200251-O7 |   |  |

| Description<br>(May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)  | Weight  | Country of Origin |
|--|---|-------------------|
| IC24-RDO-M-BK-WR-ICONYX Digitally Controlled Column Loudspeaker-24-Amp/DSP Channels-IP55<br>Weather Resistent Version-Surge Protection-Dual 1Gb FO Control-Triple Failover inputs: Dual FO<br>AES/EBU-Analog with HK-IC24R&32R Rear Mounting Bracket - color Black<br>H.S.Code: 8518.22.0000 Marks: 1 unit   | 100 KG with crate<br>weight located in<br>Crate #7        | United States     |
| IC32-RDO-M-BK-WR-ICONYX Digitally Controlled Column Loudspeaker-32-Amp/DSP Channels-IP55<br>Weather Resistent Version-Surge Protection-Dual 1Gb FO Control-Triple Failover inputs: Dual FO<br>AES/EBU-Analog with HK-IC24R&32R Rear Mounting Bracket - color Black<br>H.S.Code: 8518.22.0000 Marks: 18 units | 3 units / crate<br>weighing 327kg per<br>crate x 6 crates | United States     |
| ICL-F-RDO-M-BK-WR-ICLive Digitally Controlled Column Loudspeaker-8-Amp/DSP Channels-IP55<br>Weather Resistent Version-Surge Protection-Dual 1Gb FO Control-Triple Failover inputs: Dual FO<br>AES/EBU-Analog with HK-ICL-F-WR Rear Mounting Bracket - color Black<br>H.S.Code: 8518.22.0000 Marks: 1 unit    | 57kg with crate<br>weight located in<br>crate 7           | United States     |

Name of Authorized Trade Association



Authorized Signature *Farhad Ghorbani Fard*

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.





**LOS ANGELES AREA**  
CHAMBER OF COMMERCE


# CERTIFICATE OF ORIGIN

**ORIGINAL**

TO VALIDATE, GO TO  
VERIFY.FTGS.US

Certificate Number : **LA-COO-67162-690d10676abe8**

Date : **November 06, 2025**

|  |   |   |
|--|---|---|
| <b>Seller (Exporter)</b><br>Renkus-Heinz, Inc.<br>19201 Cook Street<br>Foothill Ranch<br>Lake Forest<br>CA 92610<br>USA  | <b>Transport Type</b><br>Air  | <b>Port of Loading</b><br>LAX - Los Angeles, CA                                     |
|  | <b>Destination Country</b><br>Saudi Arabia  | <b>Destination Port</b><br>JED - Jeddah, Saudi Arabia                               |
|  | <b>Export Date</b><br>2025-10-30  | <b>Exporting Carrier</b><br>*****   |
|  | <b>Import Permit Number</b><br>*****  | <b>Bill of Lading / AWB</b><br>AWB#501-18814246                                     |
| <b>Consignee</b><br>BTAT BT Applied Technology<br>King Faisal Road, (South Corniche Road)<br>2nd U-Turn, Near Al Muhaidib and Abudawood W/H<br>Jeddah - Saudi Arabia<br>Saudi Arabia   | <b>Owner or Agent</b><br>*****  | <b>Forwarding Agent</b><br>ECULINE Saudi Arabia LLC                                 |
|  | <b>Buyer (Importer)</b><br>Saudi Binladin Group<br>P.O. Box No. 8918<br>Jeddah 21492<br>Kingdom of Saudi Arabia<br>Saudi Arabia |   |
| <b>Remarks</b><br>Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA92610 USA. All good contained in the shipment are of USA Origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J211017 issued by Saudi National Bank/National Commercial Bank/Advising Bank US Bank NA Reference #ELC10024633<br><br>Consignor reference: CI 130501-1 / PO 25200251-O7 |   |  |

| Description<br>(May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)   | Weight  | Country of Origin          |
|---|---|----------------------------|
| ICL-F-DUAL-RDO-M-BK-WR-ICLive Digitally Controlled Column Loudspeaker-DUAL<br>VERSION-16-Amp/DSP Channels-IP55 Weather Resistent Version-Surge Protection-Dual 1Gb FO<br>Control-Triple Failover inputs: Dual FO AES/EBU-Analog with HK-ICL-F2-WR Rear Mounting Bracket -<br>color Black<br>H.S.Code: 8518.22.0000 Marks: 1 unit<br>-----end of products----- | 120KG with crate<br>weight located in<br>crate 7<br><br>===== | United States<br><br>===== |

Name of Authorized Trade Association



Authorized Signature **Farhad Ghorbani Fard**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

|                 |             |             |        |          |                       |
|-----------------|-------------|-------------|--------|----------|-----------------------|
| Invoice Number: | CI 130501-1 | Ship Via:   | AIR    | Terms:   | Letter of Credit      |
| Invoice Date:   | 10/15/2025  | INCO-TERMS: | EXW    | PO. #:   | 25200251-07           |
| Customer Ref:   |             | Customer #: | 36SA11 | Our Ref: | 5791-6910/Monika Smet |

| Bill to:   | Shipped to:   |
|--|---|
| Applicant Name: M/S. Saudi Binladin Group<br>P.O. Box No. 8918<br>Jeddah 21492<br>KINGDOM OF SAUDI ARABIA<br>Tel: 0507863739/0500928835/0508624362<br>Email: Msanaullah@sbg.com.sa/Oibrahim@sbg.com.sa/<br>Ahmed.alsaggaf@sbg.com.sa | Consignee Name: M/S. BTAT - BT Applied Technology<br>King Faisal Road (South Corniche Road)<br>2nd U-Turn, Near Al-Muhaidib and Abudawood W/H<br>Jeddah, Saudi Arabia<br>Attn: Mr. Khalid Ateya Mohamed, BTAT Finance Manager<br>E-Mail: Khalid.Ateya@BTGroup.net<br>MOB: +966595053968 Tel.: +96612289210 Ext.: 1515 |

| Ordered   | Shipped | Part Number            | Description  | Unit Price  | Price         |
|---|---------|------------------------|--|-------------|---------------|
|   |         |                        | IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION<br>Letter of Credit Number: J211017<br>Issued by: NCBKSAJE Saudi National Bank, Trade Services Center 613 6th & 7th Floor<br>Al-Mahmal Center King Abdul, Aziz St. PO Box 3555 Jeddah 21481 Saudi Arabia<br>Issued on: August 13, 2025<br>LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492<br>KSA Tel: 0507863739/0500928835/0508624362 Email: Msanaullah@sbg.com.sa/<br>Oibrahim@sbg.com.sa/Ahmed.alsaggaf@sbg.com.sa<br>Advising Bank: USBKUS44IFT U.S. Bank N.A. Minneapolis, MN United States of America<br>Advising Bank Reference No.: ELC10024633<br>LC Amount: USD 1,725,251.00<br>Description of Goods and/or Services:<br>Supply Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice # Shamiyah Zone 6<br>Dated 30/06/2025<br>Ex-Works Beneficiary's Factory - USA as per Incoterms 2020<br><br><b>TRANCHE PAYMENT # 2</b> |             |               |
| 1   | 1       | IC24-RDO-M-BK-WR       | ICONYX Digitally Controlled Column Loudspeaker - 24-Amp/DSP Channels - IP55 Weather<br>Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover inputs: Dual FO<br>AES/EBU - Analog - with HK-IC24R&32R Rear Mounting Bracket - color BLACK<br><br>HS Code: 8518.22.0000 Made in USA<br><br>Item 1 on Pro-Forma Invoice # Shamiyah Zone 6  | \$13,790.00 | \$13,790.00   |
| 18  | 18      | IC32-RDO-M-BK-WR       | ICONYX Digitally Controlled Column Loudspeaker - 32-Amp/DSP Channels - IP55 Weather<br>Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover inputs: Dual FO<br>AES/EBU - Analog - with HK-IC24R&32R Rear Mounting Bracket - color BLACK<br><br>HS Code: 8518.22.0000 Made in USA<br><br>Portion of Item 2 on Pro-Forma Invoice # Shamiyah Zone 6   | \$17,966.00 | \$323,388.00  |
| 1   | 1       | ICL-F-RDO-M-BK-WR      | ICLive Digitally Controlled Column Loudspeaker - 8-Amp/DSP Channels - IP55 Weather<br>Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover inputs: Dual FO<br>AES/EBU - Analog - with HK-ICL-F-WR Rear Mounting Bracket - color BLACK<br><br>HS Code: 8518.22.0000 Made in USA<br><br>Item 3 on Pro-Forma Invoice # Shamiyah Zone 6  | \$8,037.00  | \$8,037.00    |
| 1   | 1       | ICL-F-DUAL-RDO-M-BK-WR | ICLive Digitally Controlled Column Loudspeaker - DUAL VERSION - 16-Amp/DSP Channels -<br>IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover inputs:<br>Dual FO - AES/EBU - Analog - with HK-ICL-F2-WR Rear Mounting Bracket - color BLACK<br><br>HS Code: 8518.22.0000 Made in USA<br><br>Item 4 on Pro-Forma Invoice # Shamiyah Zone 6   | \$14,620.00 | \$14,620.00   |
| Subtotal  |         |                        |  |             | \$359,835.00  |
| Less Advance Payment portion (40% of invoice total) |         |                        |  |             | -\$143,934.00 |

NET INVOICE VALUE PAYABLE in USD

\$215,901.00

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: USBKUS44IFT

Routing/ABA: 122235821

For further details contact Renkus-Heinz, Inc. Acct.# 157536478199



LA-C00-67162-690d10676abe8/November 06, 2025

## Final Packing List

**Consignee Name:** BTAT - BT Applied Technology  
King Faisal Road (South Corniche Road)  
2nd U-Turn, Near Al-Muhaidib and Abudawood W/H  
Jeddah, Saudi Arabia  
**ATTN:** Mr. Khalid Ateya Mohamed BTAT Finance Manager  
**Mob:** +966595053968 **Tel.:** + 966122289210 **Ext:** 1515  
**Email:** khalid.ateya@btgroup.net

**Date:** 9/29/2025  
**Page:** 1/1

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION  
Letter of Credit Number: J211017  
Issued by: NCBKSAJE Saudi National Bank , Trade Services Center, 613 6th & 7th Floor, Al-Mahmal Center  
King Abdul, Aziz St. PO Box 3555 Jeddah 21481 Saudi Arabia  
Issued on: August 13, 2025  
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492  
Kingdom of Saudi Arabia Tel: 0507863739/0500928835/0508624362 Email: msanaullah@sbg.com.sa  
/oibrahim@sbg.com.sa/Ahmed.alsaggaf@sbg.com.sa  
Advising Bank: USBKUS44IFT U.S. Bank N.A. Minneapolis, MN United States of America  
Advising Bank Reference No.: ELC10024633  
LC Amount: USD 1,725,251.00  
Description of Goods and/or Services:  
Supply Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice # Shamiyah Zone 6  
Dated 30/06/2025. EX-Works Beneficiary's Factory - USA as per Incoterms 2020

**Purchase Order#:** 25200251-07  
**Work Order#:** 130501

**HS CODE OF ALL PRODUCT ON PACKING LIST:** 8518.22.0000  
**COUNTRY OF ORIGIN:** USA

| Box | Qty. | Product Description                      | Serial#  | Dimensions Inches    | Crate Weight lbs | Dimensions cm.            | Crate Weight Kg |
|-----|------|--|----------|----------------------|------------------|---------------------------|-----------------|
| 1   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380118 |                      |                  |                           |                 |
| 2   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380119 |                      |                  |                           |                 |
| 3   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380120 |                      |                  |                           |                 |
|     |      | <b>CRATE 1</b>                           |          | <b>159X33X14</b>     | <b>721</b>       | <b>403X84X36</b>          | <b>327</b>      |
| 4   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380121 |                      |                  |                           |                 |
| 5   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380122 |                      |                  |                           |                 |
| 6   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380123 |                      |                  |                           |                 |
|     |      | <b>CRATE 2</b>                           |          | <b>159X33X14</b>     | <b>721</b>       | <b>403X84X36</b>          | <b>327</b>      |
| 7   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380124 |                      |                  |                           |                 |
| 8   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380125 |                      |                  |                           |                 |
| 9   | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380126 |                      |                  |                           |                 |
|     |      | <b>CRATE 3</b>                           |          | <b>159X33X14</b>     | <b>721</b>       | <b>403X84X36</b>          | <b>327</b>      |
| 10  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380127 |                      |                  |                           |                 |
| 11  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380128 |                      |                  |                           |                 |
| 12  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380129 |                      |                  |                           |                 |
|     |      | <b>CRATE 4</b>                           |          | <b>159X33X14</b>     | <b>721</b>       | <b>403X84X36</b>          | <b>327</b>      |
| 13  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380130 |                      |                  |                           |                 |
| 14  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380131 |                      |                  |                           |                 |
| 15  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380132 |                      |                  |                           |                 |
|     |      | <b>CRATE 5</b>                           |          | <b>159X33X14</b>     | <b>721</b>       | <b>403X84X36</b>          | <b>327</b>      |
| 16  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380133 |                      |                  |                           |                 |
| 17  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380134 |                      |                  |                           |                 |
| 18  | 1    | IC32-RDO-M-BK-WR with HK-IC24R&32R       | 25380135 |                      |                  |                           |                 |
|     |      | <b>CRATE 6</b>                           |          | <b>159X33X14</b>     | <b>721</b>       | <b>403X84X36</b>          | <b>327</b>      |
| 19  | 1    | ICL-F-DUAL-RDO-M-BK-WR with HK-ICL-F2-WR | 25380185 |                      |                  |                           |                 |
| 20  | 1    | IC24-RDO-M-BK-WR with HK-IC24R&32R       | 25380042 |                      |                  |                           |                 |
| 21  | 1    | ICL-F-RDO-M-BK-WR with HK-ICL-F-WR       | 25380037 |                      |                  |                           |                 |
|     |      | <b>CRATE 7</b>                           |          | <b>121.5X37.5X20</b> | <b>610</b>       | <b>308.61 x 95.25x 51</b> | <b>277</b>      |
| 21  | 21   | <b>7 CRATES IN TOTAL</b>                 |          |                      | <b>4936</b>      |                           | <b>2239</b>     |



LA-C00-67162-69010676abe8/November 06, 2025