CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO Certificate Number: **LA-COO-68242-6932e557d4aa0**

VERIFY.FTGS.US Date: December 05, 2025

Port of Loading Transport Type Seller (Exporter) LAX - Los Angeles, CA Air Renkus-Heinz, Inc. 19201 Cook Street **Destination Country Destination Port** Foothill Ranch Saudi Arabia JED - Jeddah, Saudi Arabia Lake Forest CA 92610 USA **Export Date Exporting Carrier** 2025-12-10 Consignee **BTAT BT Applied Technology** Import Permit Number Bill of Lading / AWB King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah - Saudi Arabia Owner or Agent Forwarding Agent Saudi Arabia

Buyer (Importer) Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492

Kingdom of Saudi Arabia Saudi Arabia

Remarks Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA92610 USA. All good contained in the shipment are of USA Origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product. LC#J211017 issued by Saudi National

Bank/National Commercial Bank/Advising Bank US Bank NA

Reference #ELC10024633

Consignor reference: CI 130501-2 / PO 25200251-07



Description Weight Country of Origin (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.) IC32-RDO-M-BK-WR-ICONYX Digitally Controlled Column Loudspeaker-32-Amp/DSP Channels-IP55 3 units / crate **United States** Weather Resistent Version-Surge Protection-Dual 1Gb FO Control-Triple Failover inputs: Dual FO weighing 327kg per AES/EBU-Analog with HK-IC24R&32R Rear Mounting Bracket - color Black crate x 25 crates plus H.S.Code: 8518.22.0000 Marks: 76 units 1 unit/crate weighing 121.3kg ======end of products======== ____ ZZ/29VZVZ/20VZ/

CHAMBERS



- The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that: The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.

 The information in this certificate and in any documents provided to the Los Angeles Area Chamber of
- Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing
- of any inaccuracy, omission or change in such information, or in the origin of goods.

 -The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- -In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- -The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

Invoice Number:	CI 130501-2	Ship Via:	AIR	Terms:	Letter of Credit
Invoice Date:	12/5/2025	INCO-TERMS:	EXW	PO. #:	25200251-O7
Customer Ref:		Customer #:	36SA11	Our Ref:	5791-6910/Monika Smet

Bill to:	Shipped to:
Applicant Name: M/S. Saudi Binladin Group	Consignee Name: M/S. BTAT - BT Applied Technology
P.O. Box No. 8918	King Faisal Road (South Corniche Road)
Jeddah 21492	2nd U-Turn, Near Al-Muhaidib and Abudawood W/H
KINGDOM OF SAUDI ARABIA	Jeddah, Saudi Arabia
Tel: 0507863739/0500928835/0508624362	Attn: Mr. Khalid Ateya Mohamed, BTAT Finance Manager
Email: Msanaullah@sbg.com.sa/Oibrahim@sbg.com.sa/	E-Mail: Khalid.Ateya@BTGroup.net
Ahmed.alsaggaf@sbg.com.sa	MOB: +966595053968 Tel.: +96612289210 Ext.: 1515

Ordered	Shipped	Part Number	Description	Unit Price	Price
Charles	этгррос	- art rannou	IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION	VIII. 1 1100	
			Letter of Credit Number: J211017		
			Issued by: NCBKSAJE Saudi National Bank, Trade Services Center 613 6th & 7th Floor		
			Al-Mahmal Center King Abdul, Aziz St. PO Box 3555 Jeddah 21481 Saudi Arabia		
			Issued on: August 13, 2025		
			LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492		
			KSA Tel: 0507863739/0500928835/0508624362 Email: Msanaullah@sbg.com.sa/		
			Oibrahim@sbg.com.sa/Ahmed.alsaggaf@sbg.com.sa		
			Advising Bank: USBKUS44IFT U.S. Bank N.A. Minneapolis, MN United States of America		
			Advising Bank Reference No.: ELC10024633		
			LC Amount: USD 1,725,251.00		
			Description of Goods and/or Services:		
			Supply Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice # Shamiyah Zone 6 Dated 30/06/2025		
			Ex-Works Beneficiary's Factory - USA as per Incoterms 2020		
			TRANCHE PAYMENT # 2		
76	76	IC32-RDO-M-BK-WR	ICONYX Digitally Controlled Column Loudspeaker - 32-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover inputs: Dual FO AES/EBU - Analog - with HK-IC24R&32R Rear Mounting Bracket - color BLACK	\$17,966.00	\$1,365,416.00
			HS Code: 8518.22.0000 Made in USA		
			Final Portion of Item 2 on Pro-Forma Invoice # Shamiyah Zone 6		
			Subtotal		\$1,365,416.00
			, ,, <u> </u>		
			Less Advance Payment portion (40% of invoice total)		-\$546,166.40
	ļ	↓		ļ	

NET INVOICE VALUE PAYABLE in USD \$819,249.60

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: **USBKUS44IFT** Routing/ABA: **122235821**

For further credit to Renkus-Heinz, Inc. Acct.# 157536478199





LA-C00-68242-6932e557d4aa0/December 05, 2025

www.renkus-heinz.com

Consignee Name: BTAT - BT Applied Technology

King Faisal Road (South Corniche Road)

2nd U-Turn, Near Al-Muhaidib and Abudawood W/H

Jeddah, Saudi Arabia

ATTN: Mr. Khalid Ateya Mohamed BTAT Finance Manager Mob: +966595053968 Tel.:+ 966122289210 Ext: 1515

Email: khalid.ateya@btgroup.net

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION

Letter of Credit Number: J211017
Issued by: NCBKSAJE Saudi National Bank , Trade Services Center, 613 6th & 7th Floor, Al-Mahmal Center King Abdul, Aziz St. PO Box 3555 Jeddah 21481 Saudi Arabia
Issued on: August 13, 2025
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835/0508624362 Email: msanaullah@sbg.com.sa

/oibrahim@sbg.com.sa/Ahmed.alsaggaf@sbg.com.sa

Advising Bank: USBKUS44IFT U.S. Bank N.A. Minneapolis, MN United States of America

Advising Bank Reference No.: ELC10024633

LC Amount: USD 1,725,251.00 Description of Goods and/or Services:

Supply Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice # Shamiyah Zone 6 Dated 30/06/2025. EX-Works Beneficiary's Factory - USA as per Incoterms 2020

Purchase Order#: 25200251-07 HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000

Work Order#: COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Crate Weight lbs	Dimensions cm.	Crate Weight Kg
1	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380136				
2	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380137				
3	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380138				
		CRATE 1		159X33X14	721	403X84X36	327
4	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380139				
5	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380140				
6	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380141				5
		CRATE 2		159X33X14	721	403X84X36	327
7	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380142				2
8	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380143				,
9	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380144				51
		CRATE 3		159X33X14	721	403X84X36	327
10	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380145				<u>د</u>
11	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380146				q
12	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380147				E
		CRATE 4		159X33X14	721	403X84X36	327 U
13	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380148				9 0
14	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380149				_
15	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380150				a 0
		CRATE 5		159X33X14	721	403X84X36	327 (7
16	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380151				d 4
17	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380152				7
18	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380153				55
		CRATE 6		159X33X14	721	403X84X36	327 0
19	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380154				33
20	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380155				69
21	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380156				_
		CRATE 7		159X33X14	721	403X84X36	327
22	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380157				2
23	SEA CHAMPA	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380158			<u> </u>	8 9
24	5 h 1	IC32-RDO-M-BK-WR with NK-IC24R&32R	25380159				Ī
ANG		CRATE 8		159X33X14	721	403X84X36	327
25		IC32-RDO-M-BK-WR with HK-IC24R&32R	25380160) -
26	1	IC32-Rh With HK-IC24R&32R	25380161				A -
27	1 USA	IC NDO-M-BK-WR with HK-IC24R&32R	25380162				
	•	•	•	•	ı .		•

Date:

Page:

12/1/2025

1/2

			Ī				T
			PAGE 2/2				
		CRATE 9		159X33X14	721	403X84X36	327
28	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380163				
29	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380164				
30	1	IC32-RD0-M-BK-WR with HK-IC24R&32R	25380165	150722744	724	402404426	227
21		CRATE 10	25200166	159X33X14	721	403X84X36	327
31	1	IC32-RDO-M-BK-WR with HK-IC24R&32R IC32-RDO-M-BK-WR with HK-IC24R&32R	25380166 25380167				
33	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380167				
33	_	CRATE 11		159X33X14	721	403X84X36	327
34	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380169				
35	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380170				
36	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380171				
		CRATE 12		159X33X14	721	403X84X36	327
37	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380172				
38	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380173				
39	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380174				
		CRATE 13		159X33X14	721	403X84X36	327
40	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380175				
41	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380176				
42	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380177				
		CRATE 14		159X33X14	721	403X84X36	327
43	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380178				
44	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380179				
45	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380180	4500000		40-11-11-1	
4.5		CRATE 15	25200121	159X33X14	721	403X84X36	327
46	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380181				
47	1	IC32-RDO-M-BK-WR with HK-IC24R&32R IC32-RDO-M-BK-WR with HK-IC24R&32R	25380182 25380183				
40	1	1C32-RD0-M-BK-WR With HK-1C24R&32R CRATE 16	23300183	159X33X14	721	403X84X36	327
49	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380184	139733714	721	703A04A30	327
50	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380184				
51	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380185				
5.2	_	CRATE 17		159X33X14	721	403X84X36	327
52	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380187				
53	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380188				
54	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380189				
		CRATE 18		159X33X14	721	403X84X36	327
55	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380190				
56	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380191				
57	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380192			-	
		CRATE 19		159X33X14	721	403X84X36	327
58	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380193				20.
59	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380194				
60	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380195				227 10
		CRATE 20		159X33X14	721	403X84X36	327
61	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380196				
62	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380197				υ Ω
63	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380198	150733744	704	402704725	Ε
<i>C A</i>		CRATE 21	2520400	159X33X14	721	403X84X36	327 പ്
64	1	IC32-RDO-M-BK-WR with HK-IC24R&32R IC32-RDO-M-BK-WR with HK-IC24R&32R	25380199				a)
65 66	1	IC32-RDO-M-BK-WR with HK-IC24R&32R IC32-RDO-M-BK-WR with HK-IC24R&32R	25380200 25380201	+			2
00	-	CRATE 22	23360201	159X33X14	721	403X84X36	327 👨
67	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380202	203833814	721		to
68	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380202	 			4 7
69	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380203				2
		CRATE 23		159X33X14	721	403X84X36	327 🗥
70	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380205				2
71	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380206				3
72	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380207				69
		CRATE 24		159X33X14	721	403X84X36	327
73	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380208				7 7
74	1	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380209				82
75	AREA THAMBE	IC32-RDO-M-BK-WR with HK-IC24R&32R	25380210				9
	Boxes	CRATE 25		159X33X14	721	403X84X36	327
76 8		IC32-RDO-M-BK-WR with HV-IC24R&32R	25380211				0
		CRATE 26		159X12.375X14	267.4	403X31.5X36	121.3
76	708A	A CLAUS IN TOTAL			18292.4		8296.3