



LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **LA-COO-70711-697a821860759**
Date : **January 28, 2026**

Seller (Exporter) Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch Lake Forest CA 92610 USA	Transport Type Air	Port of Loading LAX - Los Angeles, CA
	Destination Country Saudi Arabia	Destination Port JED - Jeddah, Saudi Arabia
	Export Date *****	Exporting Carrier *****
Consignee BTAT BT Applied Technology King Faisal Road, (South Corniche Road) 2nd U-Turn, Near Al Muhaidib and Abudawood W/H Jeddah - Saudi Arabia Saudi Arabia	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent ECULINE Saudi Arabia LLC
	Buyer (Importer) Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 Kingdom of Saudi Arabia Saudi Arabia	
Remarks Manufacturer: Renkus-Heinz, Inc. 19201 Cook Street Foothill Ranch, CA 92610 USA. All good contained in the shipment are of USA origin. Country of Origin & Manufacturer w/address of the goods shipped has been mentioned on each and every item of the product LC#J211018 issued by Saudi National Bank/ <u>Advising Bank: US Bank NA Reference No. ELC10024634</u> Consignor reference: CI 130537-4 / PO 25200233-07		



Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
IC16-RDO-M-CC-WR - ICONYX Digitally Controlled Column Loudspeaker - 16-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1 Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog-with HK-IC8R&IC16R Rear Mounting Bracket - custom Color H.S.Code: 8518.22.0000	7 pallets with 20 units per pallet - each pallet weighing 875.88kg each plus 2 units in shared crate est weight of units only 100kg Total 142 units	United States
IC24-RDO-M-CC-WR - ICONYX Digitally Controlled Column Loudspeaker - 24-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1 Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog-with HK-IC24R&IC132R Rear Mounting Bracket - custom Color	21 crates with 3 units each crate weighing 255.83 each plus 1 unit in shared crate est weight of units 116kg Total 64 united	United States
=====end of products=====	=====	=====

Name of Authorized Trade Association



Authorized Signature *Farhad Ghorbani Fard*

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



19201 Cook Street, Foothill Ranch, CA 92610, USA • Phone: +1 949-588-9997 • Fax: +1 949-588-9514 • sales@renkus-heinz.com • www.renkus-heinz.com

COMMERCIAL INVOICE

Invoice Number:	CI 130537-4	Ship Via:	AIR	Terms:	Letter of Credit
Invoice Date:	1/28/2026	INCO-TERMS:	EXW	PO. #:	25200233-O7
Customer Ref:		Customer #:	36SA11	Our Ref:	5791-6910/Monika Smet

Bill to:	Shipped to:
Applicant Name: M/S. Saudi Binladin Group P.O. Box No. 8918 Jeddah 21492 KINGDOM OF SAUDI ARABIA Tel: 0507863739/0500928835/0508624362 Email: Msanaullah@sbg.com.sa/Oibrahim@sbg.com.sa/ Ahmed.Alsaggaf@sbg.com.sa	Consignee Name: M/S. BT Applied Technology (BTAT) King Faisal Road (South Corniche Road) 2nd U-Turn, Near Al-Muhaidib and Abudawood W/H Jeddah, Saudi Arabia Attn: Mr. Khalid Ateya Mohamed, BTAT Finance Manager E-Mail: Khalid.Ateya@BTGroup.net MOB: +966595053968 Tel.: +96612289210 Ext.: 1515

Ordered	Shipped	Part Number	Description	Unit Price	Price
			IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION Letter of Credit Number: J211018 Issued by: NCBKSAJE Saudi National Bank, Trade Services Center 613 6th & 7th Floor Al-Mahmal Center King Abdul, Aziz St. PO Box 3555 Jeddah 21481 Saudi Arabia Issued on: August 13, 2025 LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492 KSA Tel: 0507863739/0500928835/0508624362 Email: Msanaullah@sbg.com.sa/ Oibrahim@sbg.com.sa/Ahmed.alsaggaf@sbg.com.sa Advising Bank: USBKUS44IFT U.S. Bank N.A. Minneapolis, MN United States of America Advising Bank Reference No.: ELC10024634 LC Amount: USD 4,889,630.00 Description of Goods and/or Services: Supply Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice # Mataf-Massa & Eastern Piazza Dated 30/06/2025 EX-WORKS Beneficiary's Factory - USA as per Incoterms 2020 TRANCHE PAYMENT # 2		
142	142	IC16-RDO-M-CC-WR	ICONYX Digitally Controlled Column Loudspeaker - 16-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog - with HK-IC8R&IC16R Rear Mounting Bracket - Custom Color HS Code: 8518.22.0000 Made in USA Item 2 on Pro-Forma Invoice #Mataf-Massa & Eastern Piazza	\$9,615.00	\$1,365,330.00
64	64	IC24-RDO-M-CC-WR	ICONYX Digitally Controlled Column Loudspeaker - 24-Amp/DSP Channels - IP55 Weather Resistent Version - Surge Protection - Dual 1Gb FO Control - Triple Failover Inputs: Dual FO AES/EBU - Analog - with HK-IC24R&IC32R Rear Mounting Bracket - Custom Color HS Code: 8518.22.0000 Made in USA Item 3 on Pro-Forma Invoice #Mataf-Massa & Eastern Piazza	\$13,790.00	\$882,560.00
Subtotal					\$2,247,890.00
Less Advance Payment portion (40% of invoice total)					-\$899,156.00

NET INVOICE VALUE PAYABLE in USD

\$1,348,734.00

Notes/Instructions:

Advising Bank Details:

US Bank, Mission Viejo Marguerite, 25276 Marguerite Pkwy, Mission Viejo, CA 92692 USA

Swift: **USBKUS44IFT**

Routing/ABA: **122235821**

For further credit to Renkus-Heinz, Inc. Acct.# **157536478199**



LA-C00-70711-697a821860759/January 28, 2026

Final Packing List

Consignee Name: BTAT - BT Applied Technology
King Faisal Road (South Corniche Road)
2nd U-Turn, Near Al-Muhaidib and Abudawood W/H
Jeddah, Saudi Arabia
ATTN: Mr. Khalid Ateya Mohamed BTAT Finance Manager
Mob: +966595053968 **Tel.:** + 966122289210 **Ext:** 1515
Email: khalid.ateya@btgroup.net


Date: 1/28/2026
Page: 1/4

IRREVOCABLE LETTER OF CREDIT WITHOUT OUR CONFIRMATION
Letter of Credit Number: J211018
Issued by: NCBKSAJE Saudi National Bank , Trade Services Center, 613 6th & 7th Floor, Al-Mahmal Center
King Abdul, Aziz St. PO Box 3555 Jeddah 21481 Saudi Arabia
Issued on: August 13, 2025
LC Applicant: M/S.Saudi Binladin Group, P.O. Box No. 8918, Jeddah 21492
Kingdom of Saudi Arabia Tel: 0507863739/0500928835/0508624362 Email: msanaullah@sbg.com.sa
/oibrahim@sbg.com.sa/Ahmed.alsaggaf@sbg.com.sa
Advising Bank: USBKUS44ITF U.S. Bank N.A. Minneapolis, MN United States of America
Advising Bank Reference No.: ELC10024634
LC Amount: USD 4,889,630.00
Description of Goods and/or Services:
Supply Loudspeaker Equipment as per Beneficiary's Pro-Forma Invoice # Mataf-Massa & Eastern Piazza
Dated 30/06/2025. EX-Works Beneficiary's Factory - USA as per Incoterms 2020

Purchase Order#: 25200233-07
Work Order#: 130537

HS CODE OF ALL PRODUCT ON PACKING LIST: 8518.22.0000
COUNTRY OF ORIGIN: USA

Box	Qty.	Product Description	Serial#	Dimensions inches	Weight lbs	Pallet Weight lbs	Dimensions cm.	Weight kg	Pallet Weight Kg
1	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510801	86x11x11	92		218x27.9x27.9	41.73	
2	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510802	86x11x11	92		218x27.9x27.9	41.73	
3	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510803	86x11x11	92		218x27.9x27.9	41.73	
4	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510804	86x11x11	92		218x27.9x27.9	41.73	
5	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510805	86x11x11	92		218x27.9x27.9	41.73	
6	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510806	86x11x11	92		218x27.9x27.9	41.73	
7	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510807	86x11x11	92		218x27.9x27.9	41.73	
8	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510808	86x11x11	92		218x27.9x27.9	41.73	
9	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510809	86x11x11	92		218x27.9x27.9	41.73	
10	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510810	86x11x11	92		218x27.9x27.9	41.73	
11	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510811	86x11x11	92		218x27.9x27.9	41.73	
12	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510812	86x11x11	92		218x27.9x27.9	41.73	
13	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510813	86x11x11	92		218x27.9x27.9	41.73	
14	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510814	86x11x11	92		218x27.9x27.9	41.73	
15	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510815	86x11x11	92		218x27.9x27.9	41.73	
16	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510816	86x11x11	92		218x27.9x27.9	41.73	
17	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510817	86x11x11	92		218x27.9x27.9	41.73	
18	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510818	86x11x11	92		218x27.9x27.9	41.73	
19	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510819	86x11x11	92		218x27.9x27.9	41.73	
20	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510820	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 1		48x86x60	91	1931	122x218x152	41.28	875.88
21	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510821	86x11x11	92		218x27.9x27.9	41.73	
22	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510822	86x11x11	92		218x27.9x27.9	41.73	
23	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510823	86x11x11	92		218x27.9x27.9	41.73	
24	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510824	86x11x11	92		218x27.9x27.9	41.73	
25	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510825	86x11x11	92		218x27.9x27.9	41.73	
26	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510826	86x11x11	92		218x27.9x27.9	41.73	
27	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510827	86x11x11	92		218x27.9x27.9	41.73	
28	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510828	86x11x11	92		218x27.9x27.9	41.73	
29	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510829	86x11x11	92		218x27.9x27.9	41.73	
30	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510830	86x11x11	92		218x27.9x27.9	41.73	
31	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510831	86x11x11	92		218x27.9x27.9	41.73	
32	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510832	86x11x11	92		218x27.9x27.9	41.73	
33	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510833	86x11x11	92		218x27.9x27.9	41.73	
34	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510834	86x11x11	92		218x27.9x27.9	41.73	
35	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510835	86x11x11	92		218x27.9x27.9	41.73	
36	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510836	86x11x11	92		218x27.9x27.9	41.73	
37	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510837	86x11x11	92		218x27.9x27.9	41.73	



January 28, 2026
LA-00-70711-6978821860759

38	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510838	86x11x11	92		218x27.9x27.9	41.73	
39	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510839	86x11x11	92		218x27.9x27.9	41.73	
40	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510840	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 2		48x86x60	91	1931	122x218x152	41.28	875.88
41	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510841	86x11x11	92		218x27.9x27.9	41.73	
42	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510842	86x11x11	92		218x27.9x27.9	41.73	
43	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510843	86x11x11	92		218x27.9x27.9	41.73	
44	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510844	86x11x11	92		218x27.9x27.9	41.73	
45	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510845	86x11x11	92		218x27.9x27.9	41.73	
46	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510846	86x11x11	92		218x27.9x27.9	41.73	
47	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510847	86x11x11	92		218x27.9x27.9	41.73	
48	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510848	86x11x11	92		218x27.9x27.9	41.73	
59	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510849	86x11x11	92		218x27.9x27.9	41.73	
50	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510850	86x11x11	92		218x27.9x27.9	41.73	
51	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510851	86x11x11	92		218x27.9x27.9	41.73	
52	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510852	86x11x11	92		218x27.9x27.9	41.73	
53	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510853	86x11x11	92		218x27.9x27.9	41.73	
54	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510854	86x11x11	92		218x27.9x27.9	41.73	
55	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510855	86x11x11	92		218x27.9x27.9	41.73	
56	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510856	86x11x11	92		218x27.9x27.9	41.73	
57	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510857	86x11x11	92		218x27.9x27.9	41.73	
58	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510858	86x11x11	92		218x27.9x27.9	41.73	
59	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510859	86x11x11	92		218x27.9x27.9	41.73	
60	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510860	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 3		48x86x60	91	1931	122x218x152	41.28	875.88
61	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510861	86x11x11	92		218x27.9x27.9	41.73	
62	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510862	86x11x11	92		218x27.9x27.9	41.73	
63	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510863	86x11x11	92		218x27.9x27.9	41.73	
64	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510864	86x11x11	92		218x27.9x27.9	41.73	
65	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510865	86x11x11	92		218x27.9x27.9	41.73	
66	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510866	86x11x11	92		218x27.9x27.9	41.73	
67	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510867	86x11x11	92		218x27.9x27.9	41.73	
68	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510868	86x11x11	92		218x27.9x27.9	41.73	
69	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510869	86x11x11	92		218x27.9x27.9	41.73	
70	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510870	86x11x11	92		218x27.9x27.9	41.73	
71	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510871	86x11x11	92		218x27.9x27.9	41.73	
72	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510872	86x11x11	92		218x27.9x27.9	41.73	
73	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510873	86x11x11	92		218x27.9x27.9	41.73	
74	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510874	86x11x11	92		218x27.9x27.9	41.73	
75	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510875	86x11x11	92		218x27.9x27.9	41.73	
76	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510876	86x11x11	92		218x27.9x27.9	41.73	
77	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510877	86x11x11	92		218x27.9x27.9	41.73	
78	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510878	86x11x11	92		218x27.9x27.9	41.73	
79	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510879	86x11x11	92		218x27.9x27.9	41.73	
80	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510880	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 4		48x86x60	91	1931	122x218x152	41.28	875.88
81	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510881	86x11x11	92		218x27.9x27.9	41.73	
82	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510882	86x11x11	92		218x27.9x27.9	41.73	
83	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510883	86x11x11	92		218x27.9x27.9	41.73	
84	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510884	86x11x11	92		218x27.9x27.9	41.73	
85	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510885	86x11x11	92		218x27.9x27.9	41.73	
86	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510886	86x11x11	92		218x27.9x27.9	41.73	
87	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510887	86x11x11	92		218x27.9x27.9	41.73	
88	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510888	86x11x11	92		218x27.9x27.9	41.73	
89	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510889	86x11x11	92		218x27.9x27.9	41.73	
90	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510890	86x11x11	92		218x27.9x27.9	41.73	
91	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510891	86x11x11	92		218x27.9x27.9	41.73	
92	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510892	86x11x11	92		218x27.9x27.9	41.73	
93	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510893	86x11x11	92		218x27.9x27.9	41.73	
94	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510894	86x11x11	92		218x27.9x27.9	41.73	
95	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510895	86x11x11	92		218x27.9x27.9	41.73	
96	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510896	86x11x11	92		218x27.9x27.9	41.73	
97	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510897	86x11x11	92		218x27.9x27.9	41.73	
98	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510898	86x11x11	92		218x27.9x27.9	41.73	
99	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510899	86x11x11	92		218x27.9x27.9	41.73	
100	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510900	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 5		48x86x60	91	1931	122x218x152	41.28	875.88
101	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510901	86x11x11	92		218x27.9x27.9	41.73	
102	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510902	86x11x11	92		218x27.9x27.9	41.73	

1

USA

AMERICAN CHAMBER OF COMMERCE

AMERICAN CHAMBER OF COMMERCE
1-607-070711-6978821860759 / January 28, 2026

103	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510903	86x11x11	92		218x27.9x27.9	41.73	
104	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510904	86x11x11	92		218x27.9x27.9	41.73	
105	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510905	86x11x11	92		218x27.9x27.9	41.73	
106	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510906	86x11x11	92		218x27.9x27.9	41.73	
107	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510907	86x11x11	92		218x27.9x27.9	41.73	
108	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510908	86x11x11	92		218x27.9x27.9	41.73	
109	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510909	86x11x11	92		218x27.9x27.9	41.73	
110	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510910	86x11x11	92		218x27.9x27.9	41.73	
111	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510911	86x11x11	92		218x27.9x27.9	41.73	
112	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510912	86x11x11	92		218x27.9x27.9	41.73	
113	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510913	86x11x11	92		218x27.9x27.9	41.73	
114	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510914	86x11x11	92		218x27.9x27.9	41.73	
115	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510915	86x11x11	92		218x27.9x27.9	41.73	
116	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510916	86x11x11	92		218x27.9x27.9	41.73	
117	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510917	86x11x11	92		218x27.9x27.9	41.73	
118	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510918	86x11x11	92		218x27.9x27.9	41.73	
119	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510919	86x11x11	92		218x27.9x27.9	41.73	
120	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510920	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 6		48x86x60	91	1931	122x218x152	41.28	875.88
121	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510921	86x11x11	92		218x27.9x27.9	41.73	
122	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510922	86x11x11	92		218x27.9x27.9	41.73	
123	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510923	86x11x11	92		218x27.9x27.9	41.73	
124	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510924	86x11x11	92		218x27.9x27.9	41.73	
125	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510925	86x11x11	92		218x27.9x27.9	41.73	
126	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510926	86x11x11	92		218x27.9x27.9	41.73	
127	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510927	86x11x11	92		218x27.9x27.9	41.73	
128	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510928	86x11x11	92		218x27.9x27.9	41.73	
129	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510929	86x11x11	92		218x27.9x27.9	41.73	
130	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510930	86x11x11	92		218x27.9x27.9	41.73	
131	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510931	86x11x11	92		218x27.9x27.9	41.73	
132	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510932	86x11x11	92		218x27.9x27.9	41.73	
133	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510933	86x11x11	92		218x27.9x27.9	41.73	
134	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510934	86x11x11	92		218x27.9x27.9	41.73	
135	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510935	86x11x11	92		218x27.9x27.9	41.73	
136	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510936	86x11x11	92		218x27.9x27.9	41.73	
137	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510937	86x11x11	92		218x27.9x27.9	41.73	
138	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510938	86x11x11	92		218x27.9x27.9	41.73	
139	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510939	86x11x11	92		218x27.9x27.9	41.73	
140	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510940	86x11x11	92		218x27.9x27.9	41.73	
		PALLET 7		48x86x60	91	1931	122x218x152	41.28	875.88
141	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510941						
142	1	IC16-RDO-M-CC-WR with HK-IC8R&16R	24510942						
143	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603001						
		CRATE 1		124X33X15	478	478	315X84X38.1	216	216
144	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603002						
145	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603003						
146	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603004						
		CRATE 2		124X33X15	564	564	315X84X38.1	255.83	255.83
147	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603005						
148	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603006						
149	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603007						
		CRATE 3		124X33X15	564	564	315X84X38.1	255.83	255.83
150	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603008						
151	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603009						
152	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603010						
		CRATE 4		124X33X15	564	564	315X84X38.1	255.83	255.83
153	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603011						
154	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603012						
155	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603013						
		CRATE 5		124X33X15	554	554	315X84X38.1	255.83	255.83
156	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603014						
157	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603015						
158	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603016						
		CRATE 6		124X33X15	564	564	315X84X38.1	255.83	255.83
159	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603017						
160	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603018						
161	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603019						
		CRATE 7		124X33X15	564	564	315X84X38.1	255.83	255.83
162	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603020						
163	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603021						
164	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603022						
		CRATE 8		124X33X15	564	564	315X84X38.1	255.83	255.83

165	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603023						
166	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603024						
167	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603025						
CRATE 9				124X33X15	554	554	315X84X38.1	255.83	255.83
168	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603026						
169	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603027						
170	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603028						
CRATE 10				124X33X15	564	564	315X84X38.1	255.83	255.83
171	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603029						
172	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603030						
173	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603031						
CRATE 11				124X33X15	564	564	315X84X38.1	255.83	255.83
174	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603032						
175	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603033						
176	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603034						
CRATE 12				124X33X15	564	564	315X84X38.1	255.83	255.83
177	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603035						
178	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603036						
179	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603037						
CRATE 13				124X33X15	554	554	315X84X38.1	255.83	255.83
180	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603038						
181	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603039						
182	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603040						
CRATE 14				124X33X15	564	564	315X84X38.1	255.83	255.83
183	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603041						
184	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603042						
185	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603043						
CRATE 15				124X33X15	564	564	315X84X38.1	255.83	255.83
186	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603044						
187	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603045						
188	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603046						
CRATE 16				124X33X15	564	564	315X84X38.1	255.83	255.83
189	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603047						
190	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603048						
191	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603049						
CRATE 17				124X33X15	554	554	315X84X38.1	255.83	255.83
192	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603050						
193	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603051						
194	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603052						
CRATE 18				124X33X15	564	564	315X84X38.1	255.83	255.83
195	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603053						
196	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603054						
197	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603055						
CRATE 19				124X33X15	564	564	315X84X38.1	255.83	255.83
198	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603056						
199	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603057						
200	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603058						
CRATE 20				124X33X15	564	564	315X84X38.1	255.83	255.83
201	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603059						
202	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603060						
203	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603061						
CRATE 21				124X33X15	554	554	315X84X38.1	255.83	255.83
204	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603062						
205	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603063						
206	1	IC24-RDO-M-CC-WR with HK-IC24R&32R	2603064						
CRATE 22				124X33X15	554	554	315X84X38.1	255.83	255.83
206	206	7 PALLETS AND 22 CRATES IN TOTAL			25779	25779		11719.59	11719.59



LA-COO-70711-697a821860759