




LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO VERIFY.FTGS.US Certificate Number : **LA-COO-74048-69f3d82228bc2**
Date : **April 30, 2026**

Seller (Exporter) EntroGen, Inc. 20950 Warner Center Lane Los Angeles California 91367 United States	Transport Type Air	Port of Loading Los Angeles
	Destination Country Chile	Destination Port Santiago
	Export Date 2026-05-01	Exporting Carrier *****
Consignee Grupo Bios S.A. Av. Jose Miguel Infante 8765 Modulo 35,36,37 Renca Modulo 35,36,37. Renca Santiago Chile	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent *****
	Remarks	
Buyer (Importer)		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
EGFR mutation analysis kit (59 targets), 52 reactions, real-time PCR detection, includes controls H.S.Code: 3822.19.0000 Marks: EGFR-RT52, qty 1	.25	United States
IDH1/2 Mutation Detection Kit for Glioblastoma - 38 reactions H.S.Code: 3822.19.0000 Marks: IDH-RT38, qty 2	.25	United States
-----end of products-----	=====	=====



Name of Authorized Trade Association



[Handwritten Signature]

Authorized Signature **Farhad Ghorbani Fard**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



EntroGen, Inc.
20950 Warner Center Lane
Woodland Hills, CA 91367

Invoice

Date	Invoice #
4/17/2026	*INV34453*

PAID
04/24/2026

Bill To
GrupoBios S.A. Alonso de Cordoba 5302 of. 201-A Ex 201 Las Condes, Santiago Chile

Ship To
GrupoBios S.A. Ave. Jose Miguel Infante 8765 Modulos 35,36,37 RENCA, Santiago Chile

P.O. Number	Terms	Ship	Via	Incoterms
47.819	Prepay	5/1/2026	Pick up	EXW

Quantity	Item Code	Description	Price Each	Amount
1	EGFR-RT52	EGFR mutation analysis kit (59 targets), 52 reactions, real-time PCR detection, includes controls	2,060.00	2,060.00
2	IDH-RT38	IDH1/2 Mutation Detection Kit for Glioblastoma - 38 reactions	1,360.00	2,720.00
1	EXTRA-CONTROL	CERTIFICATE OF ORIGIN	60.00	60.00
1	dryice	Contents, refrigerated by Dry Ice, are not restricted under IATA DG Regulations- W.H.	75.00	75.00
		Non-dangerous, perishable, laboratory reagents, not of human origin, harmonized code 3822.19.0000, store at -20C		4,915.00
Invoice Total				USD 4,915.00
Payments/Credits				USD -4,915.00

Balance Due USD 0.00



Tel: 001-818-716-1070,
purchase.orders@entrogen.com

Made in the USA

LA-C00-74048-6915082228bc27Apr11 30, 2026

EntroGen, Inc.

20950 Warner Center Lane
Woodland Hills, CA 91367

Phone #	818-716-1070
Fax #	818-716-1077

Packing Slip

Date	Invoice #
4/17/2026	*INV34453*

PAID
04/24/2026

Ship To
GrupoBios S.A. Ave. Jose Miguel Infante 8765 Modulos 35,36,37 RENCA, Santiago Chile

P.O. No.	Ship	Via	Incoterms	Project
47.819	5/1/2026	Pick up	EXW	

Number of Boxes	Item Code	Description
1	EGFR-RT52	EGFR mutation analysis kit (59 targets), 52 reactions, real-time PCR detection, includes controls
2	IDH-RT38	IDH1/2 Mutation Detection Kit for Glioblastoma - 38 reactions
1	EXTRA-CONTROL	CERTIFICATE OF ORIGIN
1	dryice	Contents, refrigerated by Dry Ice, are not restricted under IATA DG Regulations-W.H. Non-dangerous, perishable, laboratory reagents, not of human origin, harmonized code 3822.19.0000, store at -20C



Attention: Latest IEFU, CoA, MSDS and other documents are available for download at www.entrogen.com/pi-download

LA-C00-74048-69f3d82228bc2/April 30, 2026