



LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **LA-COO-78164-6a74cdebc65f6**
Date : **August 06, 2026**

Seller (Exporter) Nakano Aviation, INC. 357 Van Ness Way Torrance CA USA	Transport Type Vessel	Port of Loading Los Angeles
	Destination Country Japan	Destination Port Nagoya
	Export Date *****	Exporting Carrier *****
	Import Permit Number *****	Bill of Lading / AWB *****
Consignee NAKANO AVIATION Co., LTD. 2-45-7, Meieki, Nakamura-ku Matsuoka Bldg. Nagoya, Aichi 450-0002 Japan	Owner or Agent *****	Forwarding Agent *****
	Buyer (Importer) Nakano Aviation, INC. 357 Van ness Way, Suite170 Torrance, CA 90501 United States	
Remarks NAC226321X 3BM32664485 3BM32664486 3BM32393891		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
"CRES SHEET AMS5517N 301-1/4H .032""T 36""X120"" Marks: 3BM32664485	304LB(2SH)	United States
"CRES SHEET AMS5510T 321 ANL .025""T 36""X120"" Marks: 3BM32664486	702LB(15SH)	United States
"CRES SHEET AMS5528K 17-7PH .050""T 36""X120"" Marks: 3BM32393891 =====end of products=====	442LB(4SH) =====	United States =====

Name of Authorized Trade Association



Behzad. Samya

Authorized Signature **Behzad Samya**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



NAKANO AVIATION, INC.

357 VAN NESS WAY #170
TORRANCE, CA 90501
U.S.A.

TEL: (310) 212-1480
FAX: (310) 782-1230/1231

SHIPPING INVOICE

SI.NO:NAC226321X

SOLD TO :

NAKANO AVIATION CO.,LTD.
MATUOKA BLDG.,
2-45-7,MEIEKI NAKAMURA-KU,
NAGOYA JAPAN 450
TEL:(052)583-7651
FAX:(052)586-5463

SHIP TO :

SAME

INVOICE NO: I260726MK-1	DATE: 07/26/2026	FROM: USA TO: JAPAN
VIA: OCEAN FREIGHT	B/L NO: LAX1346506NAG	VESSEL NAME:ONE MODERN 081W

AIRCRAFT PARTS AND MATERIALS
DETAILS AS PER ATTACHED SHEET

TOTAL FCA LOS ANGELES	\$46,312.51
OCEAN FREIGHT TO NGO	\$1,411.60
LA COMMISSION TOTAL	\$2,124.57
TOTAL CPT NGO, JAPAN	\$49,848.68

MARKING NAKANO
3BM32364227,ETC.
NGO
JAPAN

COUNTRY OF ORIGIN,U.S.A.

NAKANO AVIATION,INC.

MASAKI SAN0,SENIOR VICE PRESIDENT

"These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations."



Belmad Sanya

LA-C00-78164-6a74cdebcc65f6/August 06, 2026

INVOICE NO. I260726MK-1

PAGE : 2

PO NO.	DESCRIPTION	Q'TY	UNIT PRICE	TOTAL
(3032 KH C)				
3BM32364227	SHRINK THERMOFIT TUBE	8,000.00FT	0.81000	6,480.00
KA15968	SCL-1/8-0-STK *TE		TARRIF ASSESSMENT	381.52
	CONNECTIVITY		FREIGHT	61.51
	1/8"ID SCL BLACK 4FT/EA		TOTAL :	6,923.03
	2000EA *NM0052			
3BM32588348	SILICON RUBBER STRIP	3,000.00FT	0.64160	1,924.80
KA15970	AMS3303L		T/R	300.00
	1/32"T 5/8"W X25FT/RL		FREIGHT	34.79
	120RL WITHIN 6M FROM CURE		TOTAL :	2,259.59
	DATE(240C) AT +4C~+32C *REV: J			
	- L			
3BM32588347	CELLULAR FLEX RUBBER SHEET	2.00SH	100.00000	200.00
KA15971	ASTM D 6576-20 TY.2 GR.A		FREIGHT	71.49
	COND.SOFT *RUBBERITE INC		T/R	200.00
	3/16"T 42"X72"		TOTAL :	471.49
	WITHIN 6M FROM CURE DATE(36C)			
	AT +4C~+32C *NM0051 *REV: 07 -			
	20			
(3032 KH S)				
3BM32120927	TITAN SHEET	38.10KG	116.69291	4,446.00
KA15697	AMS4901V(WAS U) COMMLY-PURE		BOX CHARGE	450.00
	.050"T 36"X96"		TOTAL :	4,896.00
	3SH *REV:T-V (WAS S - U)			
	@\$1,482.00/SH			
3BM32372002	LAMINATED AL-ALY SHIM	2.00SH	175.00000	350.00
KA15965	AMS-DTL-22499B COMP.1 TY.1		BOX CHARGE	150.00
	CL.1		MFR COC & T/R	10.00
	.125"T 24"X48" FULL SIZE		FREIGHT	170.37
	2SH *REV: NC - B		TOTAL :	680.37
3BM32664485	CRES SHEET	81.00LB	7.00000	567.00
KA15996	AMS5517N 301-1/4H		CANOPY BOX	240.00
	.032"T 36"X120"		TOTAL :	807.00
	2SH *REV: L - N			
3BM32664486	CRES SHEET	215.00KG	13.20000	2,838.00
KA15997	AMS5510T 321 ANL		CANOPY BOX	240.00
	.025"T 36"X120"		TOTAL :	3,078.00
	15SH *REV: R - T			
3BM32226989	AL-ALY SHEET	20.00KG	22.50000	450.00
KA16002	AMS-QQ-A-250/4B 2024-T3		CANOPY BOX	300.00
	.032"T 48"X144"		TOTAL :	750.00
	2SH *REV: NC - B			
3BM32267553	AL-ALY SHEET	942.00LB	13.50000	12,717.00
KA16003	AMS-QQ-A-250/4B MRS 2024-T3		BOX CHARGE	300.00
	.225"T 48"X144"		TOTAL :	13,017.00
	6SH *REV: NC - B			
3BM32393891	CRES SHEET	252.00LB	10.00000	2,520.00
KA16013	AMS5528K 17-7PH		CANOPY BOX	240.00
	.050"T 36"X120"		TOTAL :	2,760.00
	15SH *REV: K - K			



Behad Sima

LA-C00-78164-6a74cdebcc65f6/August 06, 2026

INVOICE NO. I260726MK-1

PAGE : 3

PO NO.	DESCRIPTION	Q'TY	UNIT PRICE	TOTAL
(3032 KH U)				
3BM32370635	CRES TUBE	300.33FT	8.19000	2,459.70
KA15985	MIL-T-8808B TY.1 347/321-A		BOX CHARGE	95.00
	5/16"OD X .028"W		TOTAL :	2,554.70
	8-12FT R/L X 28PC *REV: B - B			
3BM32389069	CRES TUBE	61.26FT	18.22000	1,116.16
KA15993	MIL-T-8808B TY.1 347/321-A		BOX CHARGE	95.00
	1/2"OD X .028"W		TOTAL :	1,211.16
	8-12FT/RL X 6PC *REV: B - B			
3BM32507577	AL-ALY TUBE	60.00FT	12.00000	720.00
KA15995	AMS-WW-T-700/4B TY.1 5052-0		BOX CHARGE	125.00
	*NEED STENCIL OF MILL NAME		TOTAL :	845.00
	1-1/2"OD X .028"W			
	144" X 5PC *NM1164 *REV: NC - B			
3BM32397081	AL-ALY BAR	3.00LB	115.00000	345.00
KA15998	AMS-QQ-A-225/6B 2024-T351		BOX CHARGE	150.00
	1/2"DIA		TOTAL :	495.00
	144" X 1PC *REV: NC - B			
(3032 KH Y)				
3BM32643578	SECT HINGE	10.00EA	58.50000	585.00
KA15980	AMS-QQ-A-250/8C 5052-H34		FREIGHT	16.10
	*NEED RAW MTL T/R		TOTAL :	601.10
	MS20257H4			
	72IN X 10PCS			
3BM32252268	AL-ALY PLATE	80.00EA	33.50000	2,680.00
KA16010	AMS-QQ-A-250/12A 7075-T7351		BOX CHARGE	175.00
	AMS-STD-2154E CL.A TOL:+.25"/-0"		TOTAL :	2,855.00
	1.250"T X 4.5"W X 8.9"L			
3BM31948435	HALF HINGE	10.00EA	209.26000	2,092.60
MM09484	AMS-QQ-A-200/3A 2024-T3511		FREIGHT	15.47
	*NEED RAW MTL T/R		TOTAL :	2,108.07
	MS20001PH5			
	72IN X 10PC			
TOTAL :				\$46,312.51



Behzad. Samya

LA-C00-78164-6a74cdebcc65f6/August 06, 2026

KA15996 #NAC226321X

		Metallurgical Test Report Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.				Page 1										
						Certificate No. CSW-2026-8148589-272187-1497-01 Load No. 8148589 Srm No. 8148589										
C U S T O M E R	RELIANCE STEEL & ALUMINUM CO BRALCO METALS DIV 15090 NORTHAM ST LA MIRADA, CA 90638			S H I P P E R	BRALCO METALS DIVISION ENTER ONLY ON DESMAN RD-GATE 1 15090 NORTHAM STREET LA MIRADA, CA 90638			MILL ORDER NO. 272187-1497 PART NO.		PROCESSOR ORDER NO. 43-176525-1 ALT PART NO.		BUYERS ORDER NO. 43-176525-1				
								ENGLISH UNITS --PRODUCT-- METRIC UNITS .0320 NOM 36.0000 X 120.0000								
LIFT ID		PIECE	HEAT	PARENT LIFT ID		NET WEIGHT		OUTSIDE PROCESSOR ID		ALT LIFT ID						
516493-01-001		49	7551629	516493-01		1,925 LBS. 873 KG.		LP62672401		882811						
516493-01-002		49	7551629	516493-01		1,915 LBS. 869 KG.		LP62672402		882811						
516493-01-003		49	7551629	516493-01		1,910 LBS. 866 KG.		LP62672403		882811						
516493-01-004		49	7551629	516493-01		1,925 LBS. 873 KG.		LP62672404		882811						
516493-01-005		49	7551629	516493-01		1,920 LBS. 871 KG.		LP62672405		882811						
516493-01-006		46	7551629	516493-01		1,805 LBS. 819 KG.		LP62672406		882811						
TOTAL LIFTS		TOTAL PIECES				TOTAL NET WEIGHT										
6		291				11,400 LBS. 5,171 KG.										
L=Ladle Analysis of Heat P=Product Analysis of Parent Coil CHEMICAL ANALYSIS																
ID (wt. %)	C	MN	P	S	SI	CR	NI	MO	N	CU						
* L 7551629	.10	1.11	.026	.002	.49	17.48	7.23	.14	.03	.20						

*** CONTINUED ON NEXT PAGE ***



Behzad. Samya

Order Number: 43 - SO -90878-1 Customer PO: 3BM32664485

LA-C00-78164-6a74cdebcc65f6/August 06, 2026


			Metallurgical Test Report Cleveland-Cliffs Coshocton Works 17400 State Route 16. Coshocton, OH 43812 U.S.A.			Page 2					
						Certificate No. CSW-2026-8148589-272187-1497-01 Load No. 8148589 Srm No. 8148589					
C U S T O M E R	RELIANCE STEEL & ALUMINUM CO BRALCO METALS DIV 15090 NORTHAM ST LA MIRADA, CA 90638		S H I P T O	BRALCO METALS DIVISION ENTER ONLY ON DESMAN RD-GATE 1 15090 NORTHAM STREET LA MIRADA, CA 90638		MILL ORDER NO. 272187-1497 PART NO.		PROCESSOR ORDER NO. 43-176525-1 ALT PART NO.		BUYERS ORDER NO. 43-176525-1	
ISSUE / SHIP DATE: 01/09/2026 PRODUCING MILL: Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.											
REMARKS THIS MATERIAL WAS MELTED, CAST AND MANUFACTURED IN THE U.S.A. [DFARS 252.225, 7001.7008, AND 7009 COMPLIANT]. MATERIAL MEETS ALL TECHNICAL REQUIREMENTS OF REFERENCED SPECIFICATIONS. BRALCO CHEMICAL TEST METHODS ASTM A751, E1019, E1086 MATERIAL MELTED IN BUTLER, PA, USA MATERIAL SUPPLIED IN ACCORDANCE WITH EN 10204:2017 TYPE 3.1 Cleveland-Cliffs Coshocton Works laboratory is ISO 17025 accredited. Test results listed only relate to the product shown on this test report. Test report shall not be reproduced, except in full, without the written approval of the original testing laboratory. Conformance to the specification limits are based on simple acceptance that the results are within the limits (measurement uncertainty is not taken into account).											
PRODUCT DESCRIPTION CR SHT TYPE 301 STAINLESS NI 7.0% MIN TR FINISH 1/4 HARD SLIT EDGE * AMS 5517N * ASTM A 666-24 UNS S30100 * ASTM A 240-25A UN S S30100 CHEMISTRY ONLY											
PARENT LIFT ID	POS	DIR (L, T, D)	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. 2% OFFSET (KSI)	ROCKWELL HARDNESS Tail	ROCKWELL HARDNESS Front	
516493-02	T	T	A.S.T.M	39.0	CALC	2 Inch	136.8000	96.6000	C 26	C 28	
PARENT LIFT ID	POS	DIR (L, T, D)	COND	BEND 180 1T							
516493-01	T		A.S.T.M	PASS							
PARENT LIFT ID	POS	DIR (L, T, D)	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. 2% OFFSET (KSI)	ROCKWELL HARDNESS Tail	ROCKWELL HARDNESS Front	
516493-01	F	T	A.S.T.M	35.4	CALC	2 Inch	139.5000	97.8000	C 26	C 28	

*** CONTINUED ON NEXT PAGE ***



Behzad. Samya

Order Number: 43 - SO -90878-1 Customer PO: 3BM32664485

		Metallurgical Test Report Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.				Page 3									
						Certificate No. CSW-2026-8148589-272187-1497-01 Load No. 8148589 Srm No. 8148589									
C U S T O M E R	RELIANCE STEEL & ALUMINUM CO BRALCO METALS DIV 15090 NORTHAM ST LA MIRADA, CA 90638				S H I P T O	BRALCO METALS DIVISION ENTER ONLY ON DESMAN RD-GATE 1 15090 NORTHAM STREET LA MIRADA, CA 90638				MILL ORDER NO. 272187-1497 PART NO.		PROCESSOR ORDER NO. 43-176525-1 ALT PART NO.		BUYERS ORDER NO. 43-176525-1	
										ENGLISH UNITS --PRODUCT-- METRIC UNITS .0320 NOM 36.0000 X 120.0000					
PARENT LIFT	POS	DIR	COND	BEND											
ID		(L, T, D)		180 IT											
516493-01	F		A.S.T.M	PASS											
THE CHEMICAL ANALYSIS AND PHYSICAL OR MECHANICAL TESTS REPORTED ABOVE ARE CORRECT AS CONTAINED IN THE RECORDS OF THE CORPORATION. Test results marked with an asterisk (*) were reported by a laboratory other than the certifying mill. ALL TESTING IS DONE IN ACCORDANCE WITH A.S.T.M. STANDARDS UNLESS OTHERWISE NOTED  MWC#004 REV:4, 1/14 Program Version LM4388 1.21 THIS CERTIFIED TEST REPORT HAS BEEN DELIVERED TO A CONSIGNEE OF MATERIAL PRODUCED BY CLEVELAND-CLIFFS STEEL CORPORATION, TO AVOID THE POSSIBILITY OF ITS MISUSE ON DELIVERY OF THE REPORT TO A THIRD PARTY IT MUST BE RE-CERTIFIED BY AND UNDER THE NAME OF SUCH CONSIGNEE SIGNED  DATE 01/12/2026 TIME 09:21:28 JARED SPENCER QUALITY MANAGER															



LA-C00-78164-6a74cdebcc65f6/August 06, 2026

NOTICE OF SHIPMENT/
PACKING LIST

ATI

Specialty Rolled Products

CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE	CUST. CODE	FINISHING LOCATION	SHIPPER NO.	PRODUCT CODE	MILL ORDER NUMBER	DATE SHIPPED
43-176982	209355	VANDERGRIFF, PA	552392	13020103060000	30-115-115	01/12/26
FORMS DISTRIBUTION	MG BILL	REPEAT ORDER	GOVT CONTRACT	MATL	SHIPPING LOCATION	INVOICE
SOLD TO	L856184	14732-0	10	1141	VANDERGRIFF	PA
SOLD TO	PRIME SEC.	SHIP TO				
RELiance STEEL-BRALCO METALS	DSO DSO	BRALCO METALS				
15090 NORTHAM STREET	10	15090 NORTHAM STREET				
LA MIRADA CA 90638		LA MIRADA CA 90638				

GRADE AND SPECIFICATIONS CARRIER - INDEPENDENT DISPATCH, INC

"ATI 321" STAINLESS STEEL SHEET **C R COILS** ANNEALED 2D FIN 3 EDGE (ASTM-E-45-25 METHOD A) (ASTM-E-45-25 METHOD D) (AMS 5510T) (ASME-SA-480 ED 2025) (ASTM-A-480-25B) (ABS5782D ISSUE 6) (IPS ASNA3106-01 ISSUE 2) (ASME-SA-240 ED 2025) (ASTM-A-240-25A) (ROLLS-ROYCE SABRE 4) (BS S526:1969 +A3:2013) (S-SPEC-1, S-1000 DATED 05-5-25) (S-SPEC-35 S-400 DATED 2-18-21)

ITEM	PCS	DIMENSIONS W/G/L	HEAT #	COIL #	TEST #	GROSS	TARE	NET	THEO	TAG #/	CD	SKID #
001A	1	36./0.025/4065.	867004	AAE61650-B	8914229	13070	50	13020		841911		
P CUST IDENTITY 321D025X36-AB												
1 SKID												
						13070	50	13020				

TYPE HEAT/TEST (WT %)	--C--	--MN--	--P--	--S--	--SI--	--CR--	--NI--	--MO--	--CU--	--TI--	--N--	--FE--
HEAT 867004	.01	1.5	.025	.0001	.50	17.13	9.13	.28	.29	.18	.01	BAL
TEST LOCATION	BN	BN	BN	BN	BN	BN	BN	BN	BN	BN	BN	
HEAT 867004	FER											
	6.25											

MELT METHOD: EF + AOD

ITEM TEST NO	YIELD PSI *	TENSILE PSI	% ELONG IN 2"	% R/A	HARDNESS (MEASURED)	BEND A 262 PR	ESIZE	CORROSION	ASTM GRAIN
001A 8914229	T 46500.	93300.	56. #		82.HRBW (68.HR30TW)	T PASS	PASS	12.	
TEST LOCATION	TC	TC	TC		TC	TC	TC	TC	
* Y.S. BY 0.2% OFFSET METHOD									
ITEM TEST NO	CORROSION A262 E MOD	T-YIELD							
001A 8914229	PASS	48100.							
TEST LOCATION	TC	TC							

PAGE 01 - CONTINUED ON PAGE 02

01/12/26 09:53:27



Behzad. Sampa

CONSIGNEE- Please Note-This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection, please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING
Safety Data Sheets for this product are available on our website, www.ATImetals.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.

Noreen DeFerrari -
Sr. Manager Quality, Corporate Quality Assurance

NOTICE OF SHIPMENT/
PACKING LIST

Specialty Rolled Products

CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE			CUST. CODE	FINISHING LOCATION	SHIPPER NO.	PRODUCT CODE	MILL ORDER NUMBER	DATE SHIPPED		
43-176982			11/20/25	209355	VANDERGRIFT, PA	552392	13020103060000	30-115-115	01/12/26	
FORMS DISTRIBUTION			MG BILL	REPEAT ORDER	DO RATE	PRI-ORITY	GOVT CONTRACT	MATL	SHIPPING LOCATION	INVOICE
SOLD TO →	SHIP TO →	SPEC →	L856184	14732-0	10		1141	VANDERGRIFT	PA	659585
SOLD TO			PRIME SEC.		SHIP TO					
RELIANC STEEL-BRALCO METALS			DSO DSO.		BRALCO METALS					
15090 NORTHAM STREET			10		15090 NORTHAM STREET					
LA MIRADA CA 90638					LA MIRADA CA 90638					

GRADE CARRIER - INDEPENDENT DISPATCH, INC
"ATI 321" STAINLESS STEEL SHEET C R COILS ANNEALED 2D FIN 3 EDGE

		INCLUSIONS E-45 METH A			
		A	B	C	D
ITEM	TEST NO				
001A	8914229	HVY 0.0	0.0	0.0	0.0
		THN 0.0	1.0	0.0	1.0
TEST LOCATION		TC			

ITEM TEST NO	INCLUSIONS E-45 METH D			
	A	B	C	D
001A 8914229	HVY			
	THN	SEE ATTACHMENT FOR RESULTS		

ELONG AT FRACTURE
METALLOGRAPHIC MAGNIFICATION: 100X ETCHANT USED: OXALIC ACID

GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

ATI SPECIALTY ROLLED PRODUCTS DOES NOT USE MERCURY IN THE TESTING OR PRODUCTION OF ITS PRODUCTS.

THE FOLLOWING TEST METHODS ARE USED BY THE LISTED LAB: ASTM E8 FOR ALL SPECIMENS FOR YIELD, TENSILE, AND ELONGATION EXCEPT ISO 6892-1 FOR 80MM SPECIMENS; ASTM E290 FOR BEND; ASTM E112 FOR GRAIN SIZE; ASTM E10, E18, E92, & E384 FOR HARDNESS; ASME B46.1 SECTION 3 FOR SURFACE ROUGHNESS; AMS 2750 FOR LABORATORY HEAT TREATMENT; ASTM E139 FOR STRESS RUPTURE; ASTM E29 FOR ROUNDING; ASTM E3 AND E407 FOR METALLOGRAPHIC PREPARATION AND ETCHING; AMS 2315 FOR DELTA FERRITE% AND AUSTENITE-FERRITE RATIO; ASTM E21 FOR ELEVATED TEMPERATURE TESTING.

PAGE 02 - CONTINUED ON PAGE 03

01/12/26 09:53:27



CONSIGNEE. Please Note—This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is uncovered, have a full description made by transportation agent on waybill before signing.

WARNING
Safety Data Sheets for this product are available on our website, www.AIMetals.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.

Noreen Deferrari -
Sr. Manager Quality, Corporate Quality Assurance

Order Number: 43 - SO -90922-1 Customer PO: 3BMW32664486

LA-C00-78164-6a74cdebc65f6/August 06, 2026

NOTICE OF SHIPMENT/
PACKING LIST

ATI

Specialty Rolled Products

CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE	CUST. CODE	FINISHING LOCATION	SHIPPER NO.	PRODUCT CODE	MILL ORDER NUMBER	DATE SHIPPED
43-176982	209355	VANDERGRIFF, PA	552392	13020103060000	30-115-115	01/12/26
FORMS DISTRIBUTION	MG BILL	REPEAT ORDER	GOVT CONTRACT	MAT'L	SHIPPING LOCATION	INVOICE
SOLD TO →	L856184	14732-0	DO RATE	1141	VANDERGRIFF	PA
SHIP TO →		PRIME SEC.	PRI-ORITY			
SPEC →		DSO DSO				
SOLD TO		10		SHIP TO		
RELIANCE STEEL-BRALCO METALS				BRALCO METALS		
15090 NORTHAM STREET				15090 NORTHAM STREET		
LA MIRADA CA 90638				LA MIRADA CA 90638		

GRADE CARRIER - INDEPENDENT DISPATCH, INC
 "ATI 321" STAINLESS STEEL SHEET C R COILS ANNEALED 2D FIN 3 EDGE

ATI FLAT ROLLED PRODUCTS PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES FOR TESTING LOCATIONS TC, BN, & LO: C & S BY COMBUSTION/INFRARED ABSORPTION PER ASTM E1019; N & O BY INERT FUSION/THERMAL CONDUCTIVITY PER ASTM E1019; MN, P, SI, CR, NI, MO, CU, CB(NB), CO, V, W BY WDXRF PER ASTM E572; PB, BI, AG, SE, SB BY GFAA PER ASTM E1184; AL AND TI (>=0.10%) BY WDXRF PER ASTM E572 OTHERWISE BY OES PER ASTM E1086; TA, ZN, MG, CD, CE, CA, ZR, LA BY ICP PER ASTM E1479.

EN 10204:2005 - 3.1 CERTIFICATE DOES NOT IMPLY THAT MATERIAL IS AN APPROVED PED GRADE. FOR A COMPLETE LISTING OF APPROVED PED GRADES, VISIT OUR WEBSITE AT WWW.ATIMATERIALS.COM.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

MATERIAL WAS MELTED, POURED, AND MANUFACTURED IN THE USA.

THE HARDNESS CONVERSION WAS PERFORMED USING EQUATIONS GIVEN IN ASTM E140 DEVELOPED FROM DATA IN TABLES 1, 2, 3, 5, AND 6. THE PARTICULAR EQUATION USED WAS BASED ON MATERIAL TYPE AND MEASURED HARDNESS SCALE. PER ASTM E140; THE CONVERSION VALUES ARE ONLY APPROXIMATE AND MAY BE INACCURATE FOR SPECIFIC APPLICATION.

WESTMORELAND MECHANICAL TESTING & RESEARCH, YOUNGSTOWN, PA (94387), PRODUCTION EVALUATION SYSTEMS INC, LATROBE, PA (T9377) AND DIRATS LABORATORIES, WESTFIELD, MA (32851) ARE GEAE S400 AND ISO/IEC 17025 APPROVED FACILITIES.

PAGE 03 - CONTINUED ON PAGE 04

01/12/26 09:53:27



Behzad.

CONSIGNEE- Please Note- This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortages or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING
 Safety Data Sheets for this product are available on our website, www.ATImetals.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.

Noreen DeTorreal
 Sr. Manager Quality, Corporate Quality Assurance

Order Number: 43 - SO -90922-1 Customer PO: 3BM32664486

LA-C00-78164-6a74cdebcc65f6/August 06, 2026

NOTICE OF SHIPMENT/
PACKING LIST

CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE	CUST. CODE	FINISHING LOCATION	SHIPPER NO.	PRODUCT CODE	MILL ORDER NUMBER	DATE SHIPPED
43-176982	209355	VANDERGRIFF, PA	552392	13020103060000	30-115-115	01/12/26
FORMS DISTRIBUTION	MG BILL	REPEAT ORDER	GOVT CONTRACT	MATL	SHIPPING LOCATION	INVOICE
SOLD TO →	L856184	14732-0	10	1141 VANDERGRIFF	PA	659585
SOLD TO	PRIME SEC.	DSO DSO	10	BRALCO METALS	15090 NORTHAM STREET	LA MIRADA CA 90638

GRADE "ATI 321" STAINLESS STEEL SHEET C R COILS ANNEALED 2D FIN 3 EDGE CARRIER - INDEPENDENT DISPATCH, INC

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL STATUTE. ATI SRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI SRP QUALITY MANUAL REVISION 35 DATED 01/02/2025. FOR THE TESTING SPECIFICATION USED IN THE ANALYSIS OF THIS MATERIAL, PLEASE SEE THE SCOPE OF APPROVAL FOR NADCAP AND ISO/IEC 17025 FOR THE LABORATORIES. THE SCOPE OF THE APPROVALS CAN BE FOUND AT WWW.ATIMATERIALS.COM

ATI SPECIALTY ROLLED PRODUCTS WORKS TO THE ROLLS ROYCE SABRE QUALITY MANAGEMENT SYSTEM REQUIREMENTS.

MATERIAL TESTED AT ATI SPECIALTY ROLLED PRODUCTS GEAE S400 APPROVED FACILITIES (T1225): NATRONA HEIGHTS, PA; BRACKENRIDGE, PA.

ATI SPECIALTY ROLLED PRODUCTS HOLDS SEVERAL QUALITY AND LABORATORY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, AD-MERKBLATT W0, EU PRESSURE EQUIPMENT DIRECTIVE 14/68/EU, NADCAP, ISO/IEC 17025, GEAE S400 (T1225 & T9317), GEAE S-1000. REFER TO WWW.ATIMATERIALS.COM TO ACCESS THE CURRENT ATI SRP QUALITY CERTIFICATIONS.

EN 10204:2005 3.1 CERTIFICATE.

TESTING WAS PERFORMED AT THE FOLLOWING LOCATIONS:

BN = ATI SRP BRACKENRIDGE; 100 RIVER ROAD; BRACKENRIDGE, PA 15014

TC = ATI SRP NATRONA HEIGHTS; 1300 PACIFIC AVENUE; NATRONA HEIGHTS, PA 15065

PAGE 04 - CONTINUED ON PAGE 05

01/12/26 09:53:27



Behzad.

CONSIGNEE- Please Note- This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection, please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING
Safety Data Sheets for this product are available on our website, www.ATImetals.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.

Noted Defect
Sr. Manager Quality, Corporate Quality Assurance

Order Number: 43 - SO -90922-1 Customer PO: 3BM3264486

LA-C00-78164-6a74cdebcc65f6/August 06, 2026

Order Number: 43-SO-90922-1 Customer PO: 3BM32664486

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE			CUST. CODE	FINISHING LOCATION	SHIPPER NO.	PRODUCT CODE	MILL ORDER NUMBER	DATE SHIPPED
43-176982			209355	VANDERGRIFF, PA	552392	13020103060000	30-115-115	01/12/26
FORMS DISTRIBUTION			REPEAT ORDER	DO RATE	GOV'T CONTRACT	MATL	SHIPPING LOCATION	INVOICE
MG BILL			14732-0	10		1141 VANDERGRIFF	PA	659585
SOLD TO	SHIP TO	SPEC	PRIME SEC.			SHIP TO		
L856184			DSO DSO			BRALCO METALS		
RELIANCE STEEL-BRALCO METALS			10			15090 NORTHAM STREET		
15090 NORTHAM STREET						LA MIRADA CA 90638		
LA MIRADA CA 90638								

GRADE "ATI 321" STAINLESS STEEL SHEET C R COILS ANNEALED 2D FIN 3 EDGE CARRIER - INDEPENDENT DISPATCH, INC

PAGE 05 SEE ATTACHMENTS.

ISSUED BY ATI SPECIALTY ROLLED PRODUCTS

01/12/26 09:53:27

DENEEN FERRARI TECHNICAL SERVICES DEPARTMENT



Behzad.

CONSIGNEE- Please Note-This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection, please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING
Safety Data Sheets for this product are available on our website, www.ATImetals.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.
Noreen Deterrail - Sr. Manager Quality, Corporate Quality Assurance

LA-C00-78164-6a74cdebcc65f6/August 06, 2026

KA16013 NXC22632/X

			Metallurgical Test Report Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.			Page 1										
						Certificate No. CSW-2026-8299884-272187-1512-01 Load No. 8299884 Srm No. 8299884										
C U S T O M E R	RELIANCE STEEL & ALUMINUM CO BRALCO METALS DIV 15090 NORTHAMST LA MIRADA, CA 90638		S H I P T O	BRALCO METALS DIVISION ENTER ONLY ON DESMAN RD-GATE 1 15090 NORTHAM STREET LA MIRADA, CA 90638		MILL ORDER NO. 272187-1512 PROCESSOR ORDER NO. 43-177603-2 BUYERS ORDER NO. 43-177603-2 PART NO. ALT PART NO.										
				ENGLISH UNITS --PRODUCT-- METRIC UNITS .0500 NOM 36.0000 X 120.0000												
LIFT ID	PIECE	HEAT	PARENT LIFT ID	NET WEIGHT		OUTSIDE PROCESSOR ID	ALT LIFT ID									
534308-06-001	28	7560082	534308-06	1,680 LBS. 762 KG.		LP62852901	103040AA									
534308-06-002	31	7560082	534308-06	1,858 LBS. 843 KG.		LP62852902	103040AA									
534308-06-003	30	7560082	534308-06	1,800 LBS. 816 KG.		LP62852903	103040AA									
534308-06-004	30	7560082	534308-06	1,796 LBS. 815 KG.		LP62852904	103040AA									
534308-06-005	28	7560082	534308-06	1,676 LBS. 760 KG.		LP62852905	103040AA									
TOTAL LIFTS	TOTAL PIECES			TOTAL NET WEIGHT												
5	147			8,810 LBS. 3,996 KG.												
L=Ladle Analysis of Heat P=Product Analysis of Parent Coil CHEMICAL ANALYSIS																
ID (vst. 96)	C	MN	P	S	SI	CR	NI	AL								
* L 7560082	.07	.59	.023	.0001	.45	16.77	7.32	1.10								

*** CONTINUED ON NEXT PAGE ***



Behzad. Samya


Order Number: 43 - 50 - 55300-1 Customer PO: 3BM32393891

LA-000-78164-6a74cdebcc65f6/August 06, 2026

		Metallurgical Test Report Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.		Page 2							
				Certificate No. CSW-2026-8299884-272187-1512-01 Load No. 8299884 Srm No. 8299884							
C U S T O M E R	RELIANCE STEEL & ALUMINUM CO BRALCO METALS DIV 15090 NORTHAM ST LA MIRADA, CA 90638	S H I P T O	BRALCO METALS DIVISION ENTER ONLY ON DESMAN RD-GATE 1 15090 NORTHAM STREET LA MIRADA, CA 90638	MILL ORDER NO.	PROCESSOR ORDER NO.	BUYERS ORDER NO.					
				272187-1512	43-177603-2	43-177603-2					
				PART NO.	ALT PART NO.						
			ENGLISH UNITS --PRODUCT-- METRIC UNITS .0500 NOM 36.0000 X 120.0000								
ISSUE / SHIP DATE: 05/14/2026 PRODUCING MILL: Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.		REMARKS THIS MATERIAL WAS MELTED, CAST AND MANUFACTURED IN THE U.S.A. [DFARS 252.225. 7001,7008,7009 AND 7014 COMPLIANT]. BALANCE OF CHEMICAL COMPOSITION NOT REPORTED IS IRON AND MINOR RESIDUAL ELEMENTS. NO INTENTIONAL ADDITIONS OF MERCURY OR MERCURY COMPOUNDS, RADIUM, ALPHA SOURCE, AND LOW MELTING ALLOYS OR ELEMENTS CAPABLE OF FORMING LOW MELTING ALLOYS WERE MADE THROUGHOUT THE PROCESSING OF THIS MATERIAL. COILED PRODUCTS CONTAIN NO WELDS THIS MATERIAL WAS SOLUTION HEAT TREATED TO TEMPERATURES CONFORMING TO AMS 5528 FOR AN APPROPRIATE TIME NECESSARY TO ACHIEVE MECHANICAL PROPERTY REQUIREMENTS MATERIAL SUPPLIED IN ACCORDANCE WITH EN 10204:2017 TYPE 3.1 Cleveland-Cliffs Coshocton Works laboratory is ISO 17025 accredited. Test results listed only relate to the product shown on this test report. Test report shall not be reproduced, except in full, without the written approval of the original testing laboratory. Conformance to the specification limits are based on simple acceptance that the results are within the limits (measurement uncertainty is not taken into account).									
PRODUCT DESCRIPTION CR SHT 17-7 PH(R) STAINLESS #2D FINISH COND A SLIT EDGE * AMS 5528K * MIL-S-25043C CANCELLED 5/9/1997 EX 3.2 WAIVE SOAK REQ; EX 3.6/3.6.1/5.3 PER CLIFFS/CUSTOMER AGREEMENT; EX 4.3.1 WAIVE SAMPLE SIZE; EX 4.4.1 SAMPLING PER ASTM E 59; EX 4.5.1/4.6.1 CLIFFS SAMPLING METH; EX 4.5.2 PREP PER ASTM E 8; EX 4.5.3 TEST PER ASTM A 370; EX 4.6.4 TEST PER ASTM E 18; EX 4.7.1 AMS 2971 3.3.5.3 .1 APPLIES * ASTM A 693-24 TYPE 631 (UNS S17700)											
PARENT LIFT	POS	DIR	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. .2% OFFSET (KSI)	ROCKWELL HARDNESS Tail	ROCKWELL HARDNESS Front	
ID		(L, T, D)									
534308-06	T	T	COND A	32.7	CALC	2 Inch	127.5000	46.7000	BW 86.0	BW 86.0	
*** CONTINUED ON NEXT PAGE ***											



Behzad. Samra

				Metallurgical Test Report Cleveland-Cliffs Coshocton Works 17400 State Route 16 Coshocton, OH 43812 U.S.A.				Page 3					
								Certificate No. CSW-2026-8299884-272187-1512-01 Load No. 8299884 Srm No. 8299884					
C U S T O M E R	RELIANCE STEEL & ALUMINUM CO BRALCO METALS DIV 15090 NORTHAM ST LA MIRADA, CA 90638			S H I P T O	BRALCO METALS DIVISION ENTER ONLY ON DESMAN RD-GATE 1 15090 NORTHAM STREET LA MIRADA, CA 90638			MILL ORDER NO. 272187-1512		PROCESSOR ORDER NO. 43-177603-2		BUYERS ORDER NO. 43-177603-2	
								PART NO.		ALT PART NO.			
ENGLISH UNITS --PRODUCT-- METRIC UNITS .0500 NOM 36.0000 X 120.0000													
PARENT LIFT ID	POS	DIR (L, T, D)	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. .2% OFFSET (KSI)	ROCKWELL HARDNESS Tail	ROCKWELL HARDNESS Front			
534308-06	T	T	TH 1050	8.6	CALC	2 Inch	191.8400	161.6100	C 41.0	C 42.0			
534308-06	T	T	RH 950	6.70	CALC	2 Inch	221.4000	199.7000	C 47.0	C 48.0			
PARENT LIFT ID	POS	DIR (L, T, D)	COND	BEND 180 1T									
534308-06	T		COND A	PASS									
PARENT LIFT ID	POS	DIR (L, T, D)	COND	% ELONG	ELONG METHOD	ELONG GAUGE LENGTH	TENSILE STRENGTH (KSI)	Y.S. .2% OFFSET (KSI)	ROCKWELL HARDNESS Tail	ROCKWELL HARDNESS Front			
534308-06	F	T	COND A	32.2	CALC	2 Inch	126.5000	45.0000	BW 86.0	BW 86.0			
534308-06	F	T	TH 1050	10.2	CALC	2 Inch	194.5400	176.7000	C 41.0	C 42.0			
534308-06	F	T	RH 950	6.70	CALC	2 Inch	224.9000	208.0000	C 47.0	C 48.0			
PARENT LIFT ID	POS	DIR (L, T, D)	COND	BEND 180 1T									
534308-06	F		COND A	PASS									
THE CHEMICAL ANALYSIS AND PHYSICAL OR MECHANICAL TESTS REPORTED ABOVE ARE CORRECT AS CONTAINED IN THE RECORDS OF THE CORPORATION. Test results marked with an asterisk (*) were reported by a Laboratory other than the certifying mill. ALL TESTING IS DONE IN ACCORDANCE WITH A.S.T.M. STANDARDS UNLESS OTHERWISE NOTED Cleveland-Cliffs Steel Corporation MWQC#004 REV. 1/14 Program Version LM438B 1.21													
THIS CERTIFIED TEST REPORT HAS BEEN DELIVERED TO A CONSIGNEE OF MATERIAL PRODUCED BY CLEVELAND-CLIFFS STEEL CORPORATION. TO AVOID THE POSSIBILITY OF ITS MISUSE ON DELIVERY OF THE REPORT TO A THIRD PARTY IT MUST BE RE-CERTIFIED BY AND UNDER THE NAME OF SUCH CONSIGNEE. SIGNED  DATE 05/14/2026 TIME 14:22:20 JARED SPENCER QUALITY MANAGER													



Behzad Samya

PACKING LIST

SHIPNo : NAC226321X

(OCEAN)

2026/08/06 09:46

1

DATE : 2026/07/26

B/L:LAX1346506NAG

FROM:LAX

TO: NGO

O/H NO.	C/T	W/T	NACPO	SUPPLIER	Q'TY	PC数	CUST. PO	機種名称	E/L
---------	-----	-----	-------	----------	------	-----	----------	------	-----

(3032 KH C) KHI NO.439 川重岐阜サ-ビス (株) 倉庫業務部

KA15968	1	37	3BM32364227	INSULATION SUPPL	8000 FT	2000EA *NM005:	32364227	BK117
---------	---	----	-------------	------------------	---------	----------------	----------	-------

KA15970	1	41	3BM32588348	RUBBERITE/CYPRES	3000 FT	120RL WITHIN 0	32588348	BK117
---------	---	----	-------------	------------------	---------	----------------	----------	-------

KA15971	1	8	3BM32588347	RUBBERITE/CYPRES	2 SH		32588347	BK117
---------	---	---	-------------	------------------	------	--	----------	-------

(3032 KH S) KHI NO.519 (S) 川重岐阜サ-ビス (株) 倉庫業務部

KA15697	1	84	3BM32120927	CASTLE METALS AE	38.10 KG		32120927	BK117
---------	---	----	-------------	------------------	----------	--	----------	-------

KA15965	1	75	3BM32372002	BOLSAN COMPANY I	2 SH		32372002	BK117
---------	---	----	-------------	------------------	------	--	----------	-------

KA15996	1	304	3BM32664485	BRALCO METALS	81 LB	2SH *REV: L	32664485	BK117
---------	---	-----	-------------	---------------	-------	-------------	----------	-------

KA15997	1	702	3BM32664486	BRALCO METALS	215 KG		32664486	BK117
---------	---	-----	-------------	---------------	--------	--	----------	-------

KA16002	1	430	3BM32226989	BRALCO METALS	20 KG		32226989	BK117
---------	---	-----	-------------	---------------	-------	--	----------	-------

KA16003	1	1310	3BM32267553	BRALCO METALS	942 LB	6SH *REV: NC	32267553	BK117
---------	---	------	-------------	---------------	--------	--------------	----------	-------

KA16013	1	442	3BM32393891	BRALCO METALS	252 LB	4SH *REV: K	32393891	BK117
---------	---	-----	-------------	---------------	--------	-------------	----------	-------

(3032 KH U) KHI NO.416 川重岐阜サ-ビス (株) 倉庫業務部

KA15985	1	48	3BM32370635	T. W. METALS	300.33 FT	8-12FT R/L X 1	32370635	BK117
---------	---	----	-------------	--------------	-----------	----------------	----------	-------

KA15993	1	34	3BM32389069	T. W. METALS	61.26 FT	8-12FT/RL X 6	32389069	BK117
---------	---	----	-------------	--------------	----------	---------------	----------	-------

KA15995	1	45	3BM32507577	FUTURE METALS IN	60 FT	144" X 5PC *	32507577	BK117
---------	---	----	-------------	------------------	-------	--------------	----------	-------



Behzad. Samya

LA-C00-78164-6a74cdebcb65f6/August 06, 2026

PACKING LIST

SHIPNo : NAC226321X (OCEAN)

2026/08/06 09:46
2

DATE : 2026/07/26 B/L:LAX1346506NAG FROM:LAX TO: NGO

O/H NO.	C/T	W/T	NACPO	SUPPLIER	Q' TY	PC数	CUST. PO	機種名称	E/L
(3032 KH U) KHI NO.416 川重岐阜サービス (株) 倉庫業務部									
KA15998	1	44	3BM32397081	BRALCO METALS	3 LB	144" X 1PC *	32397081	BK117	
(3032 KH Y) KHI 上組弥富物流センター									
KA15980	1	8	3BM32643578	BISCO INDUSTRIES	10 EA		32643578	BK117	
KA16010	1	574	3BM32252268	BRALCO METALS	80 EA		32252268	BK117	
MM09484	1	8	3BM31948435	BISCO INDUSTRIES	10 EA		31948435	BK117	
TTL							17 CTN	4,194.00 LB	



Behzad. Samya

LA-C00-78164-6a74cdebcb65f6/August 06, 2026