



LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **LA-COO-78165-6a74cddca852f**
Date : **August 06, 2026**

Seller (Exporter) Nakano Aviation, INC. 357 Van Ness Way Torrance CA USA	Transport Type Vessel	Port of Loading Los Angeles
	Destination Country Japan	Destination Port Nagoya
	Export Date *****	Exporting Carrier *****
	Import Permit Number *****	Bill of Lading / AWB *****
Consignee NAKANO AVIATION Co., LTD. 2-45-7, Meieki, Nakamura-ku Matsuoka Bldg. Nagoya, Aichi 450-0002 Japan	Owner or Agent *****	Forwarding Agent *****
	Buyer (Importer) Nakano Aviation, INC. 357 Van ness Way, Suite170 Torrance, CA 90501 United States	
Remarks NAC226363X 3BM32316146		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
"CRES SHEET AMS5516R 302-A .040""T 36""X72"" Marks: 3BM32316146 =====end of products=====	206LB(2SH) =====	United States =====

Name of Authorized Trade Association



Behzad. Samya

Authorized Signature **Behzad Samya**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



NAKANO AVIATION, INC.

357 VAN NESS WAY #170
TORRANCE, CA 90501
U.S.A.

TEL: (310) 212-1480
FAX: (310) 782-1230/1231

SHIPPING INVOICE

SI.NO:NAC226363X

SOLD TO :

NAKANO AVIATION CO.,LTD.
MATUOKA BLDG.,
2-45-7,MEIEKI NAKAMURA-KU,
NAGOYA JAPAN 450
TEL:(052)583-7651
FAX:(052)586-5463

SHIP TO :

SAME

INVOICE NO: SHI-141793	DATE: 08/16/2026	FROM: USA TO: JAPAN
VIA: OCEAN FREIGHT	B/L NO:	VESSEL NAME:

AIRCRAFT PARTS AND MATERIALS
DETAILS AS PER ATTACHED SHEET

TOTAL FCA LOS ANGELES	\$50,544.96
LA COMMISSION TOTAL	\$2,437.12
TOTAL CPT NGO, JAPAN	\$52,982.08

MARKING NAKANO
3BM32597639,ETC.
NGO
JAPAN

COUNTRY OF ORIGIN,U.S.A.

NAKANO AVIATION,INC.

MASAKI SANO,SENIOR VICE PRESIDENT

"These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations."



Belmad Sanya

LA-C00-78165-6a74cddca852f/August 06, 2026

INVOICE NO.SHI-141793

PAGE : 2

PO NO.	DESCRIPTION	Q'TY	UNIT PRICE	TOTAL
(3032 KH C)				
3BM32597639	FLEXIBLE VINYL TUBE	3,000.00FT	0.29000	870.00
KA16031	AMS-I-7444A TY.1 CL.1		FREIGHT	65.94
	NO.0 CLEAR 0C 750FT/RL		TOTAL :	935.94
	4RL *REV: NC - A			
(3032 KH S)				
3BM32389072	THERMAL INK RIBBON	60.00EA	106.70000	6,402.00
KA16032	TMS-RJS-RIBBON-4RPSCE *TE		FREIGHT	76.53
	CONNECTIVITY		TOTAL :	6,478.53
	110MMW X 300M/RL			
	WITHIN 6M FROM DOM(36M) AT			
	+4C~+32C *NM0052			
(3032 KH U)				
3BM32637255	CRES WIRE	10.00LB	28.54000	285.40
KA16046	ASTM A 580/A580M-23 TY.302/304		TOTAL :	285.40
	COND.A			
	.025"			
	*REV: 16 - 23			
(3032 KH S)				
3BM32107280	TITAN SHEET	712.00LB	51.64957	36,774.49
KA15545	AMS4901U COMMLY PURE		BOX CHARGE	450.01
	.016"T 36"X96"		TOTAL :	37,224.50
	79SH *REV: S - U @\$465.50/PC			
(3032 KH U)				
3BM32316146	CRES SHEET	60.00LB	10.00000	600.00
KA16042	AMS5516R 302-A		BOX CHARGE	175.00
	.040"T 36"X72"		TOTAL :	775.00
	2SH *REV: R - R			
(3032 KH Y)				
3BM32397082	AL-ALY BAR	141.00LB	6.99000	985.59
KA15999	AMS-QQ-A-225/6B 2024-T351		BOX CHARGE	195.00
	2-1/2"DIA		TOTAL :	1,180.59
	144" X 2PC *REV: NC - B			
(3032 KH Y)				
3BM32297282	AL-ALY EXTR	36.00FT	28.75000	1,035.00
KA15977	AMS-QQ-A-200/3A 2024-T3511		TOTAL :	1,035.00
	*ARCONIC/KAISER/UAC/FALCO			
	ALCOA6494 TMS60-216			
	144IN X 3PCS @\$345.00/PC			
(3022 KH U)				
3FLY32174385	AL-ALY TUBE	3,600.00IN	0.30000	1,080.00
KA16035	AMS-WW-T-700/4B TY.1 5052-0		BOX CHARGE	150.00
	Need Stencil of Mill name		TOTAL :	1,230.00
	3/4"OD X .028"W			
	144IN X 25PC *NM1164 *REV:NC-B			



Behzad. Samya

TOTAL : \$50,544.96

LA-C00-78165-6a74cddca852f/August 06, 2026

Description: AMS5516 REV(S) 302 STAINLESS SHEET

Customer: 596670-NAKANO AVIATION, INC.

Customer Release #: SHOJI.YOKOGAWA

SHIPPER: EII Rojäs

9202 '90 tsnbny/f258vcp372e9-59182-003-V1

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE	43-176697	CUST. CODE	209355	FINISHING LOCATION	VANDERGRIFF, PA	SHIPPER NO.	549787	PRODUCT CODE	13020102060000	MILL ORDER NUMBER	30-105-088	DATE SHIPPED	11/19/25
FORMS DISTRIBUTION	MG BILL	REPEAT ORDER	20375-0	GOVT CONTRACT	1124	MATL	VANDERGRIFF	SHIPPING LOCATION	PA	INVOICE	658442		
SOLD TO	RELANCE STEEL-BRALCO METALS	PRIME SEC.	DSO	DSO	SHIP TO	BRALCO METALS	15090 NORTHAM STREET	LA MIRADA	CA	90638			

GRADE AND SPECIFICATIONS

CARRIER - TOTAL QUALITY LOGISTICS

"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (302/304/304L) (AMS 5511L) (AMS 5513L) (ASME-SA-480 ED 2025) (ASTM-A-480-25B) (ASTM-A-262-15 PRACTICE E) (AMS 5516S) (OO-S-766D) (DIN EN 10204:2005 3.1 CERTIFICATE) (UNS S30400) (UNS S30403) (ASME-SA-666 ED 2025) (UNS S30200) (ASME-SA-240 ED 2025) (ASTM-A-666-24) (ASTM-A-240-25A)

ITEM	PCS	DIMENSIONS	W/G/L	HEAT #	COIL #	TEST #	GROSS	TARE	NET	THEO	TAG #	CD	SKID #
001	1	48./.	040/1968.	867431	AAE76260-A	8913676	13105	50	13055		840235		
	1	48./.	040/1960.	867431	AAE76260-B	8913676	13045	50	12995		840234		
	1	48./.	040/2014.	867431	AAE76260-C	8913676	13380	50	13330		840315		
P	CUST	IDENTITY	304E.040X48				39530	150	39380				
	3	SKIDS											

ORDER REMARKS: AISI 302 WILL ALSO MEET THE PROPERTIES OF TYPE 304

TYPE	HEAT/TEST	(WT %)	--C--	--MN--	--P--	--S--	--SI--	--CR--	--NT--	--MO--	--CU--	--N--	
HEAT	867431		.022	1.65	.030	.0001	.50	18.22	8.10	.56	.53	.07	
TEST	LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN	
ITEM	TEST NO		YIELD	TENSILE	% ELONG								
	001	8913676	PSI *	PSI	IN 2"	% R/A	HARDNESS	(MEASURED)	BEND	A 262	PR	ESIZE	NR
			T 42800.	93000.	60. #	84.HRBW	(69.HR30TW)	T PASS	PASS				
			TC	TC	TC	TC	TC	TC	TC				
			* Y.S. BY	0.2% OFFSET	METHOD								
			# ELONG	AT FRACTURE									

PAGE 01 - CONTINUED ON PAGE 02

11/19/25 09:01:47

CONSIGNEE-Please Note-This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING
Safety Data Sheets for this product are available on our website, www.ATimeale.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.
Norren Deferan
Sr. Manager Quality, Corporate Quality Assurance



Behzad. Samya

Order Number: 43 - SO -47783-1 Customer PO: 38M32316146

Description: AMS5516 REV.(S) 302 STAINLESS SHEET Customer: 596870-NAKANO AVIATION, INC. Customer Release #: SHOU, YOKOGAWA SHIPPER: Eli Rojas

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE	43-176697	CUST. CODE	209355	FINISHING LOCATION	VANDERGRIFT, PA	SHIPPER NO.	13020102060000	MILL ORDER NUMBER	30-105-088	DATE SHIPPED	11/19/25
FORMS DISTRIBUTION	MG BILL	REPEAT ORDER	DO RATE	PR. ORTY	GOVT CONTRACT						
SOLD TO	1844770	20375-0	1101				1124	VANDERGRIFT	PA	658442	
RELIANCE STEEL-BRALCO METALS		PRIME SEC.					SHIP TO				
15090 NORTHAM STREET		DSO DSO					BRALCO METALS				
LA MIRADA CA 90638							15090 NORTHAM STREET				
							LA MIRADA CA 90638				

GRADE "ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE CARRIER - TOTAL QUALITY LOGISTICS

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

ATI SPECIALTY ROLLED PRODUCTS DOES NOT USE MERCURY IN THE TESTING OR PRODUCTION OF ITS PRODUCTS.
MATERIAL WAS MELTED, POURED, AND MANUFACTURED IN THE USA.

THE FOLLOWING TEST METHODS ARE USED BY THE LISTED LAB: ASTM E8 FOR ALL SPECIMENS FOR YIELD, TENSILE, AND ELONGATION EXCEPT ISO 6892-1 FOR 80MM SPECIMENS; ASTM E290 FOR BEND; ASTM E112 FOR GRAIN SIZE; ASTM E10, E18, E92, & E384 FOR HARDNESS; ASME B46.1 SECTION 3 FOR SURFACE ROUGHNESS; AMS 2750 FOR LABORATORY HEAT TREATMENT; ASTM E139 FOR STRESS RUPTURE; ASTM E29 FOR ROUNDING; ASTM E3 AND E407 FOR METALLOGRAPHIC PREPARATION AND ETCHING; AMS 2315 FOR DELTA FERRITE% AND AUSTENITE-FERRITE RATIO.

ATI FLAT ROLLED PRODUCTS PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES FOR TESTING LOCATIONS TC, BN, & LO: C & S BY COMBUSTION/INFRARED ABSORPTION PER ASTM E1019; N & O BY INERT FUSION/THERMAL CONDUCTIVITY PER ASTM E1019; MN, P, SI, CR, NI, MO, CU, CB(NB), CO, V, W BY WDXRF PER ASTM E572; PB, BI, AG, SE, SB BY GRAA PER ASTM E1184; AL AND TI (>=0.10%) BY WDXRF PER ASTM E572 OTHERWISE BY OES PER ASTM E1086; TA, ZN, MG, CD, CE, CA, ZR, LA BY ICP PER ASTM E1479.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

CONSIGNEE- Please Note- This consignment was turned over to carrier in best condition, being completely loaded, packed, and secured. The carrier is responsible for the condition of the goods upon arrival. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING: Safety Data Sheets for this product are available on our website, www.ATIMetals.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with the material. All safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products' Order Acknowledgement.

Noted Delivered by: *[Signature]*
Sr. Manager Quality, Corporate Quality Assurance



Behzad Samya

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-9 1221

CUST. ORD. NO. & DATE	43-176697	CUST. CODE	209355	FINISHING LOCATION	VANDERGRIFF, PA	SHIPPER NO.	549787	PRODUCT CODE	13020102060000	MAIL ORDER NUMBER	30-105-088	DATE SHIPPED	11/19/25
FORMS DISTRIBUTION	MG BILL	REPEAT ORDER	20375-0	DO RATE ORTRY	GOVT CONTRACT	MATL	1124	SHIPPING LOCATION	VANDERGRIFF	PA	658442	INVOICE	
SOLD TO	RELANCE STEEL-BRALCO METALS	PRIME DSO	DSO	SEC.	SHIP TO	BRALCO METALS	15090 NORTHAM STREET	CA	90638				
	15090 NORTHAM STREET												
	LA MIRADA												
	CA												
	90638												

GRADE "ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE CARRIER - TOTAL QUALITY LOGISTICS

THE HARDNESS CONVERSION WAS PERFORMED USING EQUATIONS GIVEN IN ASTM E140 DEVELOPED FROM DATA IN TABLES 1, 2, 3, 5, AND 6. THE PARTICULAR EQUATION USED WAS BASED ON MATERIAL TYPE AND MEASURED HARDNESS SCALE. PER ASTM E140, THE CONVERSION VALUES ARE ONLY APPROXIMATE AND MAY BE INACCURATE FOR SPECIFIC APPLICATION.

EN 10204:2005 - ATI SPECIALTY ROLLED PRODUCTS IS APPROVED AS A MANUFACTURER ACCORDING TO PRESSURE EQUIPMENT DIRECTIVE PED 2014/68/EU AND PRESSURE EQUIPMENT SAFETY REGULATION 2015/1105 (UK). MATERIAL MELTED, POURED, AND ROLLED IN THE UNITED STATES AND COMPLIES WITH DEARS APRIL 2020 EDITION, SECTION 252.225-7008 (MARCH 2013) AND 252.225-7009 (DECEMBER 2019) FOR SPECIALTY METALS.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL STATUTE. ATI SRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI SRP QUALITY MANUAL REVISION 35 DATED 01/02/2025. FOR THE TESTING SPECIFICATION USED IN THE ANALYSIS OF THIS MATERIAL, PLEASE SEE THE SCOPE OF APPROVAL FOR NADCAP AND ISO/IEC 17025 FOR THE LABORATORIES. THE SCOPE OF THE APPROVALS CAN BE FOUND AT WWW.ATIMATERIALS.COM

QUALITY SYSTEM CERTIFIED ACCORDING TO PRESSURE EQUIPMENT DIRECTIVE 2014/68/EU, ANNEX I, 4.3 BY TUV SUD, INDUSTRIE SERVICE GMBH, (NOTIFIED BODY 0036) AND PRESSURE EQUIPMENT SAFETY REGULATION 2016/1105 (UK), SCHEDULE 2, PART 4, PARA.38 (8) & EN 764-5, PARA.4.2, TUV SUD BABT UNLIMITED.

ATI FLAT ROLLED PRODUCTS HAS NO CONTROL OVER CUSTOMER PROCESSING OF MATERIAL, INCLUDING, BUT NOT LIMITED TO, BUFFING OR ELECTROPOLISHING MATERIAL WITH A 2B OR OTHER FINISH, AND DOES NOT REPRESENT OR GUARANTEE THAT THE MATERIAL IS SUITABLE FOR ANY PARTICULAR PROCESS OR USE OF CUSTOMER.

EN 10204:2005 3.1 CERTIFICATE.
PAGE 03 - CONTINUED ON PAGE 04

11/19/25 09:01:47

CONSIGNEE- Please Note- This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on weight before signing.

WARNING Safety Data Sheets for this product are available on our website, www.ATIMaterials.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products Order Acknowledgement.
Noreen DeFreni Sr. Manager Quality, Corporate Quality Assurance



Behzad Samy

SHIPPER: Eli Rojas

LA-C00-78165-6a74cddca852f/August 06, 2026

AL 6168-9 1221

DATE SHIPPED _____

11/19/25
INVOICE
658442

CA 90638

CARRIER - TOTAL QUALITY LOGISTICS

TESTING WAS PERFORMED AT THE FOLLOWING LOCATIONS:
BN = ATT SRP BRACKENRIDGE, 100 RIVER ROAD, BRACKENRIDGE, PA 15014
TTC = ATT SRP NATRONA HEIGHTS, 1300 PACIFIC AVENUE, NATRONA HEIGHTS, PA 15065

FOR ACCESS TO ONLINE CERTIFICATES OF TEST
REGISTER AT MYATI.ATIMETALS.COM

11/19/25 09:01:47

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATT Specialty Rolled Products' Order Acknowledgement.

10/25/21
Noreen DeFerrari -
Sr. Manager Quality, Corporate Quality Assurance



Behzad. Samya

Order Number: 43 - SO -47783-1 Customer PO: 3BM32316146

PACKING LIST

SHIPNo : NAC226363X

(OCEAN)

2026/08/06 09:57

1

DATE : 2026/08/16

B/L:

FROM: LAX

TO: NGO

O/H NO.	C/T	W/T	NACPO	SUPPLIER	Q' TY	PC数	CUST. PO	機種名称	E/L
---------	-----	-----	-------	----------	-------	-----	----------	------	-----

(3032 KH C) KHI NO.439 川重岐阜サ-ビス (株) 倉庫業務部

KA16031	2	44	3BM32597639	INSULATION SUPPL	3000 FT	4RL *REV: NC	32597639	BK117	
---------	---	----	-------------	------------------	---------	--------------	----------	-------	--

KA16032	1	52	3BM32389072	INSULATION SUPPL	60 EA		32389072	BK117	
---------	---	----	-------------	------------------	-------	--	----------	-------	--

KA16046	1	11	3BM32637255	STANDARD WIRE &	10 LB	*REV: 16 - 23	32637255	BK117	
---------	---	----	-------------	-----------------	-------	---------------	----------	-------	--

(3032 KH S) KHI NO.519 (S) 川重岐阜サ-ビス (株) 倉庫業務部

KA15545	1	892	3BM32107280	CASTLE METALS AE	712 LB	79SH *REV: S	32107280	BK117	
---------	---	-----	-------------	------------------	--------	--------------	----------	-------	--

KA16042	1	206	3BM32316146	BRALCO METALS	60 LB	2SH *REV: R	32316146	BK117	
---------	---	-----	-------------	---------------	-------	-------------	----------	-------	--

(3032 KH U) KHI NO.416 川重岐阜サ-ビス (株) 倉庫業務部

KA15999	1	204	3BM32397082	BRALCO METALS	141 LB	144" X 2PC *	32397082	BK117	
---------	---	-----	-------------	---------------	--------	--------------	----------	-------	--

(3032 KH Y) KHI 上組弥富物流センター

KA15977	1	21	3BM32297282	METALMART INTERN	36 FT	144IN X 3PCS	32297282	BK117	
---------	---	----	-------------	------------------	-------	--------------	----------	-------	--

KA15992	1	282	3BM32297287	BRALCO METALS	50 EA		32297287	BK117	
---------	---	-----	-------------	---------------	-------	--	----------	-------	--

(3022 KH U) KHI NO.416 川重岐阜サ-ビス (株) 倉庫業務部

KA16035	1	83	3FLY32174385	FUTURE METALS IN	3600 IN		32174385	BK117	
---------	---	----	--------------	------------------	---------	--	----------	-------	--



Behzad. Samya

LA-C00-78165-6a74cddca852f/August 06, 2026

PACKING LIST

SHIPNo : NAC226363X (OCEAN)

2026/08/06 09:57
2

DATE : 2026/08/16 B/L: FROM: LAX TO: NGO

O/H NO.	C/T	W/T	NACPO	SUPPLIER	Q' TY	PC数	CUST. PO	機種名称	E/L
---------	-----	-----	-------	----------	-------	-----	----------	------	-----

(3022 KH U) KHI NO. 416 川重岐阜サービス (株) 倉庫業務部

TTL	10 CTN	1,795.00 LB
-----	--------	-------------



Behzad. Samya