



LOS ANGELES AREA
CHAMBER OF COMMERCE

CERTIFICATE OF ORIGIN

ORIGINAL

TO VALIDATE, GO TO
VERIFY.FTGS.US

Certificate Number : **LA-COO-79578-6a95ca13ef56f**
Date : **August 31, 2026**

Seller (Exporter) Nakano Aviation, INC. 357 Van Ness Way Torrance CA USA	Transport Type Air	Port of Loading Los Angeles
	Destination Country Japan	Destination Port Nagoya
	Export Date *****	Exporting Carrier *****
Consignee NAKANO AVIATION Co., LTD. 2-45-7, Meieki, Nakamura-ku Matsuoka Bldg. Nagoya, Aichi 450-0002 Japan	Import Permit Number *****	Bill of Lading / AWB *****
	Owner or Agent *****	Forwarding Agent *****
	Buyer (Importer) Nakano Aviation, INC. 357 Van ness Way, Suite170 Torrance, CA 90501 United States	
Remarks NAC226403 2NTMRF08		

Description (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.)	Weight	Country of Origin
"STEEL PLATE AMS5528 17-7PH .250""T 36""X60""(G)" Marks: 2NTMRF08 =====end of products=====	246.00LB(1SH) =====	United States =====

Name of Authorized Trade Association



Behzad. Samya

Authorized Signature **Behzad Samya**

The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:

- The above-mentioned goods originate in the country(ies) specified above and comply with the rules of origin applicable in the country(ies) to those goods.
- The information in this certificate and in any documents provided to the Los Angeles Area Chamber of Commerce ("LAACC") is accurate, true and complete.
- The Applicant undertakes to advise LAACC and any other person(s) to whom the applicant provides this Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any inaccuracy, omission or change in such information, or in the origin of goods.
- The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- In consideration for the LAACC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless LAACC from any liability in connection with the issuance of this certificate and to indemnify LAACC in respect of any costs and/or claims made against LAACC in connection herewith.
- The Applicant is authorized to give the undertakings set out herein.



NAKANO AVIATION, INC.

357 VAN NESS WAY #170
TORRANCE, CA 90501
U.S.A.

TEL: (310) 212-1480
FAX: (310) 782-1230/1231

SHIPPING INVOICE

SI.NO:NAC226403

SOLD TO :

NAKANO AVIATION CO.,LTD.
MATUOKA BLDG.,
2-45-7,MEIEKI NAKAMURA-KU,
NAGOYA JAPAN 450
TEL:(052)583-7651
FAX:(052)586-5463

SHIP TO :

SAME

INVOICE NO: I-260901KU	DATE: 09/01/2026	FROM: USA TO: JAPAN
VIA: AIR FREIGHT	AWB NO:	VESSEL NAME:

AIRCRAFT PARTS AND MATERIALS
DETAILS AS PER ATTACHED SHEET

TOTAL FCA LOS ANGELES	\$102,894.68
LA COMMISSION TOTAL	\$4,616.51
TOTAL CPT NGO, JAPAN	<u>\$107,511.19</u>

MARKING NAKANO
2AM317Q01N, ETC.
NGO
JAPAN

COUNTRY OF ORIGIN,U.S.A.

NAKANO AVIATION, INC.

MASAKI SANO, SENIOR VICE PRESIDENT

"These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations."



Belmad Sanya

LA-C00-79578-6a95ca13ef56f/August 31, 2026

INVOICE NO. I-260901KU

PAGE : 2

PO NO.	DESCRIPTION	Q'TY	UNIT PRICE	TOTAL
(2013 S 2)				
2AM317Q01N	INSULATION TUBE	492.00FT	0.00000	0.00
J25269C	RNF-100 SPL			
	492FT/RL 3/32" RED *75% S/L			
	RMAINING REQUIRED			
	MIN.1476FT(3RL) @\$.60/FT			
2AM422U26A	ELECT WIRE	660.00FT	1.12000	739.20
J25489	MIL-DTL-17 M17/93-RG178			
			FREIGHT	36.38
			TOTAL :	775.58
2AM319F95	VINYL TUBE	200.00FT	146.48000	29,296.00
J25507	SFR (RT-1140)			
	1-1/4 *75% S/L RMAINING			
	REQUIRED			
2AM319C30	VINYL TUBE	500.00FT	44.60000	22,300.00
J25527	SFR (RT-1140)			
	1			
			TOTAL :	22,300.00
2AM319C31	VINYL TUBE	200.00FT	60.43000	12,086.00
J25528	SFR (RT-1140) 7/8-0			
	*75% S/L RMAINING REQUIRED			
			TOTAL :	12,086.00
(1015 Z P)				
2NTMRF08	STEEL PLATE	168.00LB	35.97619	6,044.00
J25531	AMS5528 17-7PH			
	.250"T 36"X60"(G)			
	1SH			
			TOTAL :	6,044.00
8YY0843071	ETRU RUBBER SILICONE	14,790.00IN	2.14287	31,693.05
J25515	BMS1-57N TY.1 CL.A GR.53			
	BAC1530-44			
	87IN X 170EA (@\$186.43/EA)			
	PO#CE8281			
			T/R	400.05
			COC CHARGE	300.00
			TOTAL :	32,393.10

TOTAL : \$102,894.68



Behzad. Samya

LA-C00-79578-6a95ca13ef56f/August 31, 2026

Customer Name

MetalMart International, Inc.

Customer PO#

P444982

Shipper No

28294

Heat Number

867786 CJ12364

**Specialty Rolled Products**

500 Green Street
Washington, PA 15301

OMI Job#: 306248
Sold To: NACNO AVIATION
P.O.#: 2NTHRF08
Size/Qty: 250" x 36" x 160.000"
Item: 001 HT#: 867786 CJ12364

Certificate of Test

Moreen DeFerrari
Moreen DeFerrari - Sr. Manager, Quality

Mill Information

Cert Number 0288093-00
Sales Order 50-026-075
Cert Date Mar-24-2026

Customer Information

Name ALTEMP ALLOYS LLC
PO 23597
PO Date Feb-03-2026

Material Information

"ATI 17-7" PRECIPITATION HARDENABLE STAINLESS STEEL
PMP HOT ROLLED PLATE ANNEALED PICKLED COMMERCIAL CUT EDGE

AMS 5528K CND A/TH1050 ASTM-A-693-24 S17700 CND A/TH1050
DIN EN 10204:2005 3.1 CERTIFICATE S-SPEC-1, S-1000 DATED 05-5-25
UNS S17700 S-SPEC-35 S-400 DATED 2-18-21
WNR 1.4568 AS6279C
ASME-SA-693-25 CND A/TH1050

Piece Information

	Gauge	Width	Length					Total Wt
Pcs	(in)	(in)	(in)	Heat #	Piece ID	Section Id	Lot #	(lbs)
Item: 001	Cust-Id:	Govt-Contract-#:			Govt-DO-Rating:			
	Cust-Job:	ScheduleB:						
1	.2500	72.5000	145.0000	867786	CJ12364	---	558485	815
1	.2500	72.5000	145.0000	867786	CJ12365	---	558485	815
1	.2500	72.5000	145.0000	867786	CJ12366	---	558485	815

Chemistry Testing

Element (wt %)	Requirements		Final Heat Analysis	
	Min	Max	867786	Loc
C	---	.09	.07	BN
MN	---	1.00	.83	BN
P	---	.040	.025	BN
S	---	.015	< .001	BN
SI	---	.70	.32	BN
CR	16.00	18.00	16.80	BN
NI	6.50	7.70	7.26	BN
AL	.75	1.50	1.06	BN

4/18/2026
ATA
30



Behzad. Samya

Customer Name

MetalMart International, Inc.

Customer PO#

P444982

Shipper No

28294

Heat Number

867786 CJ12364

**Specialty Rolled Products**500 Green Street
Washington, PA 15301**Certificate of Test**

Noreen DeFerrari - Sr. Manager, Quality

Mill Information
 Cert Number 0288093-00
 Sales Order 50-026-075
 Cert Date Mar-24-2026
Customer Information
 Name ALTEMP ALLOYS LLC
 PO 23597
 PO Date Feb-03-2026
Chemistry Testing

ATI Flat Rolled Products performs chemical analysis by the following techniques for testing locations TC, BN, & LO: C & S by combustion/infrared absorption per ASTM E1019; N & O by inert fusion/thermal conductivity per ASTM E1019; Mn, P, Si, Cr, Ni, Mo, Cu, Cb(Nb), Co, V, W by WDXRF per ASTM E572; Pb, Bi, Ag, Se, S by GFAA per ASTM E1184; Al and Ti (>=0.10%) by WDXRF per ASTM E572 otherwise by OES per ASTM E1086; TA, Zn, Mg, Cd, Ce, Ca, Zr, La by ICP per ASTM E1479.

867786 - Material was produced by EF melting with AOD refining.
 USA melted, poured and manufactured
 Material melted at ATI SRP BRACKENRIDGE (FRPB)

FRPB - ATI SRP BRACKENRIDGE 100 RIVER ROAD BRACKENRIDGE, PA 15014

Mechanical Testing

		LOT 558485		LOT 558485	
Condition:		ANNEALED		TH1050	
Direction:		TRANSVERSE		TRANSVERSE	
Temperature:		ROOM TEMP		ROOM TEMP	
Spec:					
Test Limit	Units	Result	Loc	Result	Loc
YS 0.2% OFFSET	psi	43200.	TC	169600.	TC
TENSILE	psi	123700.	TC	191000.	TC
ELONG. IN 2"	%	38.	TC	12.	TC
RED OF AREA	%	40.	TC	31.	TC
HARDNESS	---	161. HBW	TC	42. HRC	TC
BEND	P/F	PASS	TC	---	---

When hardness is measured using the Brinell scale, the indentation measuring device is Type A.

"H", "TH", "RH", and other heat treated values are capability test results.

Mechanical Property Requirements

Condition:		ANNEALED		TH1050	
Direction:		TRANSVERSE		TRANSVERSE	
Temperature:		ROOM TEMP		ROOM TEMP	
Spec:					
Test Limit	Units	Min	Max	Min	Max
YS 0.2% OFFSET	psi	---	55000.	150000.	---

 4/18/2026
 ATA
 30


Behzad. Samya

Customer Name

MetalMart International, Inc.

Customer PO#

P444982

Shipper No

28294

Heat Number

867786 CJ12364

**Specialty Rolled Products**500 Green Street
Washington, PA 15301**Certificate of Test**

Koreen DeFerrari - Sr. Manager, Quality

Mill Information
 Cert Number 0288093-00
 Sales Order 50-026-075
 Cert Date Mar-24-2026
Customer Information
 Name ALTEMP ALLOYS LLC
 PO 23597
 PO Date Feb-03-2026
Mechanical Property Requirements

Condition:		ANNEALED		TH1050	
Direction:		TRANSVERSE		TRANSVERSE	
Temperature:		ROOM TEMP		ROOM TEMP	
Spec:					
Test Limit	Units	Min	Max	Min	Max
TENSILE	psi	---	150000.	180000.	210000.
ELONG. IN 2"	%	20.	---	7.	---
RED OF AREA	%	---	---	20.	---
HARDNESS	---	---	202. HBW	38. HRC	46. HRC
BEND	P/F	---	---	---	---

Certification Statements

Grade verification was performed spectroscopically.

EN 10204:2005 - 3.1 Certificate does not imply that material is an approved PED grade. For a complete listing of approved PED grades, visit our website at www.atimaterials.com.

ATI-SRP defines the Grain Orientation Nomenclature as Longitudinal (L) is the Length, Long Transverse (LT) is the width, and Short Transverse (ST) is the thickness or gauge.

ATI Specialty Rolled Products has complied with all producer requirements of AS6279.

ATI Specialty Rolled Products does not use mercury in the testing or production of its products.

No welds/weld repairs performed.

Material tested at ATI Specialty Rolled Products GEAE S400 approved facilities (T1225): Natrona Heights, PA; Brackenridge, PA.

ATI Specialty Rolled Products holds several Quality and Laboratory Certifications that include ISO-9001, AS9100, AD 2000-Merkblatt W0, EU Pressure Equipment Directive 14/68/EU, Nadcap, ISO/IEC 17025, GEAE S400(T1225 & T9317), GEAE S-1000. Refer to www.ATIMaterials.com to access the current ATI SRP quality certifications.

The product was solution heat-treated at 1950 +/- 25F (1066 +/- 14C) for a time commensurate with thickness and the heating equipment and procedure used, and cooled at a rate equivalent to air cool or faster.

The following test methods are used by the listed lab: ASTM E8 for all specimens for yield, tensile, and elongation except ISO 6892-1 for 80mm specimens; ASTM E290 for bend; ASTM E112 for grain size; ASTM E10, E18, E92, & E384 for hardness; ASME B46.1 Section 3 for surface roughness; AMS 2750 for laboratory heat treatment; ASTM E139 for stress rupture; ASTM E29 for rounding; ASTM E3 and E407 for metallographic preparation and etching; AMS 2315 for delta ferrite% and austenite-ferrite ratio; ASTM E21 for elevated temperature testing.

ATI SRP products have not come in contact with radioactive materials during manufacturing or processing.

ATA
30


Behzad. Samya

Customer Name

MetalMart International, Inc.

Customer PO#


P444982

Shipper No

28294

Heat Number

867786 CJ12364

 ATI Specialty Rolled Products 500 Green Street Washington, PA 15301	Certificate of Test		 Moreen DeFerrari - Sr. Manager, Quality
	Mill Information	Customer Information	
Cert Number 0288093-00 Sales Order 50-026-075 Cert Date Mar-24-2026	Name ALTEMP ALLOYS LLC PO 23597 PO Date Feb-03-2026		

Certification Statements

This Certified Material Test Report is a true representation of the data on file. The reported results conform to the sales contract and specification(s) as set forth in ATI Specialty Rolled Products order acknowledgement. This Certificate of Test may not be reproduced except in full without the written authorization of the company.

EN 10204:2005 3.1 Certificate.

General Statements

The Finishing Location for ALL PIECES is ATI-SRP
 The Shipping Location is ATI-SRP WASHINGTON, PA

TESTING WAS PERFORMED AT THE FOLLOWING LOCATIONS

BN = ATI SRP Brackenridge; 100 River Road; Brackenridge, PA 15014
 TC = ATI SRP Natrona Heights; 1300 Pacific Avenue; Natrona Heights, PA 15065

Knowingly and willfully recording any false, fictitious or fraudulent statement or entry on this document may be punished as a felony under Federal Statutes, including Federal Law, Title 18, Chapter 47.

WARNING: Processing that makes fumes, dust, or solutions may cause lung disease. Please see Safety Data Sheet for further information which has been supplied to your Purchasing Department. For an additional copy, please refer to our website at:
www.atimaterials.com/Products/ati-sds

For access to online certifications of Test, please register at MyATI.ATIMaterials.com.

ATI Specialty Rolled Products website contains listing of material produced, general technical and contact information, and current quality and company accreditations including but not limited to ISO-9001, AS-9100, Nadcap, and ISO/IEC 17025. Please visit us at www.atimaterials.com.

4/18/2026
 ATA
 30



Behzad. Samya

PACKING LIST

SHIPNo : NAC226403

(AIR)

2026/08/31 15:12

1

DATE : 2026/09/01

B/L:

FROM: LAX

TO: NGO

O/H NO.	C/T	W/T	NACPO	SUPPLIER	Q' TY	PC数	CUST. PO	機種名称	E/L
---------	-----	-----	-------	----------	-------	-----	----------	------	-----

(2013 S 2) 名誘 201工場 油倉庫 ご担当者様

J25269C	1	2	2AM317Q01N	INSULATION SUPPL	492 FT	MIN. 1476FT (3R)	JQ322A62	F-15	
---------	---	---	------------	------------------	--------	------------------	----------	------	--

J25489	1	8	2AM422U26A	WIREMASTERS, INC	660 FT		JN422U26	F-2	
--------	---	---	------------	------------------	--------	--	----------	-----	--

J25507	1	26	2AM319F95	INSULATION SUPPL	200 FT		JQ319F95	HSLCS	
--------	---	----	-----------	------------------	--------	--	----------	-------	--

J25527	2	45	2AM319C30	INSULATION SUPPL	500 FT		JQ319C30	HSLCS	
--------	---	----	-----------	------------------	--------	--	----------	-------	--

J25528	1	16	2AM319C31	INSULATION SUPPL	200 FT		JQ319C31	HSLCS	
--------	---	----	-----------	------------------	--------	--	----------	-------	--

(1015 Z P) MAP プロダクション サポートセンター PLATE倉庫

J25531	1	246	2NTMRF08	METALMART INTERN	168 LB	1SH	JL4TRF08	P-1	
--------	---	-----	----------	------------------	--------	-----	----------	-----	--

(8020 NP) 日本飛行機(株) 横浜製造事業部 資材部 資材調達課 資材受付係 NO. 66

J25515	7	159	8YY0843071	EXCEL SEALS	14790 IN		0843071000	B777	
--------	---	-----	------------	-------------	----------	--	------------	------	--

TTL	14 CTN	502.00 LB							
-----	--------	-----------	--	--	--	--	--	--	--



Behzad. Samya

LA-C00-79578-6a95ca13ef56f/August 31, 2026