Buyer (Importer) Same as Consignee

Kuwait

CERTIFICATE OF ORIGIN

VERIFY.FTGS.US

TO VALIDATE, GO TO | Certificate Number : MO-COO-64182-68b862502eb3

Date: September 03, 2025

Seller (Exporter) KAYS INTL INC. 5300 Claus Road	Transport Type Air	Port of Loading San Francisco
Modesto	Destination Country	Destination Port
CA	Kuwait	Kuwait
USA		
Consignee	Export Date 2025-09-03	Exporting Carrier Fedex
Abdulla Abdul Mughni & Partners Company W.L.L. Shuwaikh – Ghazali Street, 3rd Industrial Area, P.O. box:686 Safat 13007 Kuwait	Import Permit Number	Bill of Lading / AWB 884054647466
Shuwaikh Kuwait	Owner or Agent ************************************	Forwarding Agent Fedex

Remarks

Weight Country of Origin (May include notes on Quantity, Item Number, Marks and Numbers, Kind of Packages.) Tools & Parts as per Invoice # 25174-187-07 56.20 **United States** Net: 54.20

Name of Authorized Trade Association



- The Applicant (or the Applicant on behalf of the Consignor), by utilizing this document, certifies that:
 The above mentioned goods originate in the country(ies) specified above and comply with the rules of
- origin applicable in the country(ies) to those goods.

 -The information in this certificate and in any documents provided to the Modesto Chamber of Commerce ("MCC") is accurate, true and complete.
 -The Applicant undertakes to advise MCC and any other person(s) to whom the applicant provides this
- Certificate (or to whom the Certificate is provided to with the knowledge of the Applicant) promptly in writing of any innacuracy, omission or change in such information, or in the origin of goods.

 -The Applicant will maintain, and present upon request, such documentation as is necessary to verify the truth, accuracy and completeness of this certificate and accompanying documents.
- -In consideration for the MCC's issuance of this Certificate, the Applicant agrees to release, discharge and hold harmless MCC from any liability in connection with the issuance of this certificate and to indemnify
- MCC in respect of any costs and/or claims made against MCC in connection herewith. The Applicant is authorized to give the undertakings set out herein.



KAYS INTL INC.

COMMERCIAL INVOICE

Shipper:

KAYS INTL INC.

5300 Claus Road, Suite # 8 Modesto, CA 95357, USA Tel: 1-209-996-4094

FEIN: 26-0568581 e-mail: info@kaysintl.com

Consignee:

Abdulla Abdul Mughni & Partners Company W.L.L.

Shuwaikh - Ghazali Street, 3rd Industrial Area, P.O. box:686 Safat

13007 Kuwait

Tel.: (00965) 24810901/24814665/

24834602,

Fax: (00965) 24836247

Bill to: Same as consignee

Terms: FOB - Advance Wire Transfer

Mode of Transport: AIR

AWB#

TO-25-72 / TO-25-84 PO #

INVOICE#: 25174-187-07

DATE: September 2, 2025

Net Weight : 54.20 LBS

Gross Weight: 56.20 LBS

No of Pagakges : 2 Box

Currency of sale: USD Total pages: 4

				•		
SI NO	DESCRIPTION	PART	QTY	UOM	UNIT PRICE \$	TOTAL \$
1	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 2" Diameter, 1-1/2" Wide Box# 1	4734A584	5	EACH	15.62	78.12
2	Clog-Resistant Arbor-Mount Sanding Disc for SS & Hard Mtls, Long-Life, Thrded, 5" Dia, 80 Grit	46725A85	12	EACH	7.01	84.10
3	Clog-Resistant Arbor-Mount Sanding Disc for SS & Hard Mtls, Long-Life, Thrded, 7" Dia, 80 Grit	46725A86	12	EACH	8.92	106.99
4	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 5/8" Diameter, 3/4" Wide	3393A539	5	EACH	17.86	89.28
5	Angled Flap Sanding Disc, Long-Life, Unthreaded Arbor Hole, for Rough Finish, 5" Diameter 60 Grit	4644A125	12	EACH	8.56	102.67
6	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. W188, 120 SMOOTH BLUE	4522A222	1	PACK OF 5	16.76	16.76
7	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 5/8" Diameter, 3/4" Wide	4734A618	12	EACH	8.56	102.72
8 ABER OF	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A15, 120	4522A278	1	PACK OF 5	18.35	18.35

300 Claus Road, Suite 8, Modesto CA 95357, U.S.A. Tei: +1 (209)996-4094 Fax: +1(209)846-2703 **2**-mail: info@kaysintl.com Web: www.kaysintl.com

	CMACOTURIUS					
	SMOOTH BLUE					
9	Long-Life Angle Grinder Wheel—Use on Metals, Unthreaded 3/8" Arbor Hole, 4" Diameter, 1/4" Thick	44435A61	12	EACH	8.69	104.26
10	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 3/4" Diameter, 3/4" Wide	4734A622	12	EACH	8.63	103.54
11	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A5, 120 (smooth blue)	4522A258	1	PACK OF 5	18.89	18.89
12	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A36, 120 (smooth blue)	4522A265	1	PACK OF 5	18.89	18.89
13	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A41SS, 120 (smooth blue)	4522A266	1	PACK OF 5	20.65	20.65
14	Cool-Sanding Flap Sanding Disc Flat with Unthreaded Arbor Hole, 7" Diameter, 40 Grit	4481A343	3	EACH	22.20	66.60
15	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 1-1/2" Diameter, 1" Wide	4734A672	12	EACH	10.96	131.47
16	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A43SS, 120 (smooth blue)	4522A267	1	PACK OF 5	24.18	24.18
17	Shank Adapter for 4 Flap Bundles Flap Wheel for Internal Sanding	8240A41	12	EACH	13.76	165.17
18	High-Speed Steel Bur, 1/4" Shank Diameter, 3/8" Diameter x 3/8" Long Head, Ball	4238A138	10	EACH	10.31	103.08
19	High-Speed Steel Bur, 1/8" Shank Diameter, 1/4" Head Diameter, Flame	4238A163	12	EACH	9.40	112.75
20	High-Speed Steel Bur, 1/4" Shank Diameter, 3/8" Diameter x 1" Long Head, Flat Cylinder	4238A125	10	EACH	11.69	116.88
21	Flap Wheel for Internal Sanding for Rough Finish and 1" to 1-1/2" Workpiece ID , GRIT : 80 grits	8240A73	10	EACH	20.14	201.36
22	Flap Wheel for Internal Sanding for Smooth Finish and 1" to 1-1/2" Workpiece ID , GRIT : 120 grits	8240A74	10	EACH	20.14	201.36
23	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 3/4" Diameter, 3/4" Wide	3393A545	12	EACH	18.18	218.16
24	High-Speed Steel Bur, 1/8" Shank Diameter, 5/8" Head Diameter, Rounded-Edge Thin Disc	4238A167	10	EACH	15.49	154.92





25	High-Speed Steel Bur, 1/8" Shank Diameter, 5/8" Head Diameter, Flat- Edge Thin Disc	4238A168	10	EACH	15.49	154.92
26	High-Speed Steel Bur, 1/4" Shank Diameter, 1/2" Diameter x 1-1/8" Long Head, Round Tree	4238A173	10	EACH	15.60	156.00
27	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 1-1/2" Diameter, 1" Wide	3393A555	12	EACH	23.64	283.68
28	1/4" Shank-Mount Light Cleaning Brush, 1-1/2" Diameter with 0.01" Diameter Stainless Steel Bristles	7077A33	12	EACH	26.02	312.19
29	1/4" Shank-Mount Light Cleaning Brush, 2" Diameter with 0.01" Diameter Stainless Steel Bristles	7077A37	12	EACH	26.30	315.65
30	Cool-Sanding Flap Sanding Disc Flat with Unthreaded Arbor Hole, 5" Diameter, 60 Grit	4481A342	12	EACH	13.67	164.02
31	1/4" Shank-Mount Light Cleaning Brush, 1-1/4" Diameter with 0.006" Diameter Stainless Steel Bristles	7077A31	12	EACH	28.32	339.84
32	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 2" Diameter, 1- 1/2" Wide	3393A558	12	EACH	32.16	385.92
33	High-Speed Steel Bur, 1/4" Shank Diameter, 1-3/4" Head Length, Round Tapered Cone	4238A187	12	EACH	21.30	255.60
34	Brush with Shank for Flat Surfaces, 2- 1/2" Brush Diameter with 0.010" Diameter Stainless Steel Bristles	4887A24	10	EACH	65.88	658.80
35	Brush with Shank for Flat Surfaces, 2" Brush Diameter with 0.008" Diameter Stainless Steel Bristles	4887A21	12	EACH	61.70	740.45
36	Brush for Flat Surfaces, 4" Brush Diameter with 0.014" Diameter Stainless Steel Bristles Box# 1	4872A13	12	EACH	78.46	941.47
37	Stainless Steel Wheel Brush 5/8" Diameter with 1-1/2" Long Shank Box# 2	4916A25	12	EACH	\$5.50	\$66.00
38	Stainless Steel Wheel Brush, 3/4" Diameter with 1-1/2" Long Shank P/N: 4916A16 Box# 2	4916A16	12	EACH	\$6.60	\$79.20
39	Grinding Bit for Metals 1/4" Shank Diameter, Shape No. A35 120 Smooth Blue. Box# 2	4522A271	5	EACH	\$12.50	\$62.50
40	Clog-Resistant Arbor-Mount Sanding Disc for Stainless Steel and Hard Metals, Long-Life, Threaded Hole, 4-1/2" Diameter 80 Grit Box# 2	46725A84	12	EACH	\$4.45	\$53.40

7300 Claus Road, Suite 8, Modesto CA 95357, U.S.A.
Tel: +1 (209)996-4094 Fax: +1(209)846-2703

D-mail: info@kaysintl.com Web: www.kaysintl.com

All items HS Code 8202.39.00.00.00

Total 2 Boxes

Total Weight: 56.20 LBS

Box# 1 54.00 LBS 16x16x16 Inches

Box # 2 2.20 LBS 12x8x5 Inches

Please Note: These commodities, technology, or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law prohibited.

Authorized Signature:	SUB TOTAL DISCOUNT (10%)	: \$7,331.10 :- \$707.00
Name: Kurien Idiculla	Total Invoice Value :	\$ 6,624.10



300 Claus Road, Suite 8, Modesto CA 95357, U.S.A.

Tel: +1 (209)996-4094 Fax: +1(209)846-2703

P-mail: info@kaysintl.com

Web: www.kaysintl.com



KAYS INTL INC.

PACKING LIST

FEIN: 26-0568581

Shipper:

KAYS INTL INC.

5300 Claus Road, Suite # 8 Modesto, CA 95357, USA Tel: 1-209-996-4094

e-mail: info@kaysintl.com

Consignee:

Abdulla Abdul Mughni & Partners Company W.L.L.

Shuwaikh - Ghazali Street, 3rd Industrial Area, P.O. box:686 Safat

13007 Kuwait

Tel.: (00965) 24810901/24814665/

24834602,

Fax: (00965) 24836247

Bill to: Same as consignee

Terms: FOB - Advance Wire Transfer

Mode of Transport: AIR

AWB#

TO-25-72 / TO-25-84 PO #

INVOICE#: 25174-187-07

DATE: September 2, 2025

Net Weight : 54.20 LBS

Gross Weight: 56.20 LBS

No of Pagakges : 2 Box

Currency of sale: USD Total pages: 4

SI NO	DESCRIPTION	PART	QTY	UOM	Box#
1	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 2" Diameter, 1-1/2" Wide Box# 1	4734A584	5	EACH	1
2	Clog-Resistant Arbor-Mount Sanding Disc for SS & Hard Mtls, Long-Life, Thrded, 5" Dia, 80 Grit	46725A85	12	EACH	1
3	Clog-Resistant Arbor-Mount Sanding Disc for SS & Hard Mtls, Long-Life, Thrded, 7" Dia, 80 Grit	46725A86	12	EACH	1
4	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 5/8" Diameter, 3/4" Wide	3393A539	5	EACH	1
5	Angled Flap Sanding Disc, Long-Life, Unthreaded Arbor Hole, for Rough Finish, 5" Diameter 60 Grit	4644A125	12	EACH	1
6	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. W188, 120 SMOOTH BLUE	4522A222	1	PACK OF 5	1
7	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 5/8" Diameter, 3/4" Wide	4734A618	12	EACH	1
8 ANER OF	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A15 , 120	4522A278	1	PACK OF 5	1

300 Claus Road, Suite 8, Modesto CA 95357, U.S.A. Tei: +1 (209)996-4094 Fax: +1(209)846-2703 **2**-mail: info@kaysintl.com Web: www.kaysintl.com

	SMOOTH BLUE				
9	Long-Life Angle Grinder Wheel—Use on Metals, Unthreaded 3/8" Arbor Hole, 4" Diameter, 1/4" Thick	44435A61	12	EACH	1
10	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 3/4" Diameter, 3/4" Wide	4734A622	12	EACH	1
11	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A5, 120 (smooth blue)	4522A258	1	PACK OF 5	1
12	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A36, 120 (smooth blue)	4522A265	1	PACK OF 5	1
13	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A41SS, 120 (smooth blue)	4522A266	1	PACK OF 5	1
14	Cool-Sanding Flap Sanding Disc Flat with Unthreaded Arbor Hole, 7" Diameter, 40 Grit	4481A343	3	EACH	1
15	Flap Sanding Wheel with Shank, for Smooth Finish, 120 Grit, 1-1/2" Diameter, 1" Wide	4734A672	12	EACH	1
16	Grinding Bit for Metals, 1/4" Shank Diameter, Shape No. A43SS, 120 (smooth blue)	4522A267	1	PACK OF 5	1
17	Shank Adapter for 4 Flap Bundles Flap Wheel for Internal Sanding	8240A41	12	EACH	1
18	High-Speed Steel Bur, 1/4" Shank Diameter, 3/8" Diameter x 3/8" Long Head, Ball	4238A138	10	EACH	1
19	High-Speed Steel Bur, 1/8" Shank Diameter, 1/4" Head Diameter, Flame	4238A163	12	EACH	1
20	High-Speed Steel Bur, 1/4" Shank Diameter, 3/8" Diameter x 1" Long Head, Flat Cylinder	4238A125	10	EACH	1
21	Flap Wheel for Internal Sanding for Rough Finish and 1" to 1-1/2" Workpiece ID , GRIT : 80 grits	8240A73	10	EACH	1
22	Flap Wheel for Internal Sanding for Smooth Finish and 1" to 1-1/2" Workpiece ID , GRIT : 120 grits	8240A74	10	EACH	1
23	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 3/4" Diameter, 3/4" Wide	3393A545	12	EACH	1
24	High-Speed Steel Bur, 1/8" Shank Diameter, 5/8" Head Diameter, Rounded-Edge Thin Disc	4238A167	10	EACH	1



7300 Claus Road, Suite 8, Modesto CA 95357, U.S.A.
Tel: +1 (209)996-4094 Fax: +1(209)846-2703
-mail: info@kaysintl.com
Web: www.kaysintl.com

					·
25	High-Speed Steel Bur, 1/8" Shank Diameter, 5/8" Head Diameter, Flat- Edge Thin Disc	4238A168	10	EACH	1
26	High-Speed Steel Bur, 1/4" Shank Diameter, 1/2" Diameter x 1-1/8" Long Head, Round Tree	4238A173	10	EACH	1
27	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 1-1/2" Diameter, 1" Wide	3393A555	12	EACH	1
28	1/4" Shank-Mount Light Cleaning Brush, 1-1/2" Diameter with 0.01" Diameter Stainless Steel Bristles	7077A33	12	EACH	1
29	1/4" Shank-Mount Light Cleaning Brush, 2" Diameter with 0.01" Diameter Stainless Steel Bristles	7077A37	12	EACH	1
30	Cool-Sanding Flap Sanding Disc Flat with Unthreaded Arbor Hole, 5" Diameter, 60 Grit	4481A342	12	EACH	1
31	1/4" Shank-Mount Light Cleaning Brush, 1-1/4" Diameter with 0.006" Diameter Stainless Steel Bristles	7077A31	12	EACH	1
32	Flap Sanding Wheel with Shank for Rough Finish, 80 Grit, 2" Diameter, 1- 1/2" Wide	3393A558	12	EACH	1
33	High-Speed Steel Bur, 1/4" Shank Diameter, 1-3/4" Head Length, Round Tapered Cone	4238A187	12	EACH	1
34	Brush with Shank for Flat Surfaces, 2- 1/2" Brush Diameter with 0.010" Diameter Stainless Steel Bristles	4887A24	10	EACH	1
35	Brush with Shank for Flat Surfaces, 2" Brush Diameter with 0.008" Diameter Stainless Steel Bristles	4887A21	12	EACH	1
36	Brush for Flat Surfaces, 4" Brush Diameter with 0.014" Diameter Stainless Steel Bristles Box# 1	4872A13	12	EACH	1
37	Stainless Steel Wheel Brush 5/8" Diameter with 1-1/2" Long Shank Box# 2	4916A25	12	EACH	2
38	Stainless Steel Wheel Brush, 3/4" Diameter with 1-1/2" Long Shank P/N: 4916A16 Box# 2	4916A16	12	EACH	2
39	Grinding Bit for Metals 1/4" Shank Diameter, Shape No. A35 120 Smooth Blue. Box# 2	4522A271	5	EACH	2
40	Clog-Resistant Arbor-Mount Sanding Disc for Stainless Steel and Hard Metals, Long-Life, Threaded Hole, 4-1/2" Diameter 80 Grit Box# 2	46725A84	12	EACH	2

7300 Claus Road, Suite 8, Modesto CA 95357, U.S.A.
Tel: +1 (209)996-4094 Fax: +1(209)846-2703

D-mail: info@kaysintl.com Web: www.kaysintl.com

All items HS Code 8202.39.00.00.00

Total 2 Boxes

Total Weight: 56.20 LBS

Box# 1 54.00 LBS 16x16x16 Inches

Box # 2 2.20 LBS 12x8x5 Inches

Please Note: These commodities, technology, or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law prohibited.

Authorized Sig	gnature:	
<i>Name:</i> Kurie	n Idiculla	



D-mail: <u>info@kaysintl.com</u> Web: <u>www.kaysintl.com</u>